

The **PDFAnim_temp** package

Jochen Skupin (Version 0.52A, modified by John Bowman)

December 17, 2007

Abstract

A L^AT_EX package to create animated PDFs with pdfL^AT_EX.

Contents

1	Introduction	2
2	Usage	2
3	Package option(s)	3
4	PDFAnimLoad options	3
4.1	Boolean options	4
4.2	Options that take parameters	4
4.3	Navigation buttons	5
5	Open issues	5

1 Introduction

PDFAnim_temp is an interim L^AT_EX package to create animated PDFs with pdfL^AT_EX. It will become obsolete as soon as the 0.53 release of PDFanim is made.

As it is very unusual to create animations with L^AT_EX and to have to deal with JavaScript it might be that large parts of this document are not understandable for the normal L^AT_EX user. Don't be too frustrated about it and just try the examples.

Comments and bug reports are *very* welcome. You can contact me at:

jochen.skupin@uni-bremen.de

Don't be too disappointed if it takes a while until you get an answer, as I have little spare time to work on this package.

2 Usage

To include an animation in a PDF file you need:

- PDFL^AT_EX
- the PDFAnim package (i.e. the `pdfanim_temp.sty`-file)
- The frames of the animation as single PDF files with filenames in the form `filename n .pdf` where n is the number of the n th frame of the animation starting with 0.
- Adobe Acrobat or AcroReader to view the animation

The package includes the single frames as hidden picture buttons in the PDF-file. The animation itself is created using a visible picture button whose picture is exchanged using the JavaScript language available in Adobe Acrobat and AcroReader. The frames of the animation have to be included in the document preamble using

`\PDFAnimLoad[options]{name}{filename}{number_of_frames}`

where `filename` is the head of the filename of the PDF-files containing the single frames of the animation omitting the running number and the `.pdf` extension. `name` is the name of the animation. With this name it can be accessed in the document. `number_of_frames` gives the number of files to be included. An animation with 10 frames would require `number_of_frames = 10` and files `filename0...9.pdf`. The various options of `\PDFAnimLoad` will be discussed in section 4.

To access the animation anywhere in the document use:

`\PDFAnimation{name}`

Examples can be found at:

- <http://www.uni-bremen.de/~skupin/pdfanim/Demos>
- <http://www.tug.org/texshowcase/>

3 Package option(s)

The package has to be loaded in the document preamble with:

```
\usepackage [options]{pdfanim_temp}
```

The package **options** change the way the JavaScript code is included in the PDF-file.

default The default behaviour (by giving no options at all) is to include most of the JavaScript on document level and access it via page open/close attributes or via the on-click action of the picture button.

- The advantage is that only very short function calls have to be included in the page open/close attributes because most JavaScript code is stored on document level. Also it is possible to define global variables to store the status of an animation (like the last displayed frame, is it running or not).
-

NoDocJS With this option no document level JavaScript is generated. All JavaScript is stored in the picture button itself and the page open/close attributes.

- The disadvantage is that all JavaScript code is stored on every page again. This leads to slightly bigger file sizes. Due to this all variables are newly initialised on every page so it is not possible to have global variables to remember the status of an animation from page to page.

NoPageJS I didn't yet manage to derive on which page a distinct animation (especially floats) is placed by **T_EX**. The JavaScript code for all animations is therefore included in every page. Not very elegant—I know. The problem is that when the document contains auto starting animations all of them are started again on *every* page. With the **NoPageJS** option the automatic inclusion of JavaScript code on any page can be suppressed.

- The advantage is that not all auto start animations will run permanently.
- The disadvantage is that the user has to take care to put the JavaScript on pages with animations by hand. To do this the following 4 commands are provided:

\PDFAnimJSPageEnable enable JavaScript in page-attribute of current page

\PDFAnimJSEnable enable JavaScript in page-attribute on all following pages

\PDFAnimJSPageDisable disable JavaScript in page-attribute of current page

\PDFAnimJSDisable disable JavaScript in page-attribute on all following pages

4 PDFAnimLoad options

There are already much too many options. But during my usage of PDFAnim I needed all of them for one or the other reason. Unfortunately not all options work well together and some of the older ones might not work at all in the current implementation anymore. Maybe some clean-up is needed here.

4.1 Boolean options

single extract frames as the individual pages of a single input file
auto auto start animation
debug enable debug messages
fallback include start-picture below PictureBox as fallback solution for xpdf, macs ...
(gives poor animation results)
hidden create hidden PictureBox (mostly for internal use)
loop loop animation
noclick don't recognise clicks on PictureBox
remember remember last displayed picture when changing to another page
reverse play animation in reversed order
step advance animation on every mouse-click

4.2 Options that take parameters

bcolor bordercolor of PictureBox
bgcolor backgroundcolor of PictureBox
defaultframe select frame to display when animation not yet running
depth depth of PictureBox
extension set extension of included pictures (till now only pdf works)
height height of PictureBox
interval set interval in ms between animation frames (only shows effect if interval is longer than the time needed to display a frame)
name name PictureBox (may be useful for further editing of the pdf, not needed/used by PDFAnim)
onclick JavaScript action to perform on mouse-click (mostly for internal use)
scale scaling of picture used in PictureBox:
A Always scale.
B Scale only when the icon is bigger than the annotation rectangle.
S Scale only when the icon is smaller than the annotation rectangle.
N Never scale.
scaletype type of scaling of picture used in PictureBox:

- A Anamorphic scaling: scale the icon to the annotation rectangle exactly, without regard to its original aspect ratio (ratio of width to height).
- P Proportional scaling: scale the icon to the width or height of the annotation rectangle while maintaining the icon's original aspect ratio. If the required horizontal and vertical scaling factors are different, use the smaller of the two, centering the icon within the annotation rectangle in the other dimension.

use use pictures from other animation (to save memory)
usecnt use counter from other animation
startframe select first frame to display
width width of PictureButton

4.3 Navigation buttons

Another command, \PDFAnimButtons, which is available if you also load D. P. Story's package `eforms.sty`, presents an alternative method for starting and stopping animations by pressing the Play/Pause button. It also provides a method for jumping to arbitrary locations in long animations. If the animation is not running, you can input a percentage; pressing Play/Pause then starts the animation from that relative position (e.g. 75 means frame 150 for a 200-frame animation).

5 Open issues

Fewer options

During my usage of PDFAnim I used all of the options in section 4. But I guess they can be reduced and combined in a better way. Any improvements are welcome.