

RCWA

Residue Class-Wise Affine Groups

(Version 1.3.5)

January 9, 2006

Stefan Kohl

Stefan Kohl — Email: kohl@mathematik.uni-stuttgart.de
— Homepage: <http://www.cip.mathematik.uni-stuttgart.de/~kohlsn>
— Address: Institut für Geometrie und Topologie
Universität Stuttgart
70550 Stuttgart
Germany

Abstract

The RCWA package provides methods for computations with Residue Class-Wise Affine mappings (*rcwa* mappings for short) and the groups generated by bijective mappings of this type.

The *rcwa* mappings are a type of mappings of certain euclidean rings R into themselves. A standard choice is $R = \mathbb{Z}$. Similar classes of mappings are known as *Generalized Collatz Mappings*, *Periodically Linear Functions* or *Number Theoretic Functions with Periodic Rational Coefficients*. In fact, the development of this package has partly been motivated by the $3n + 1$ - conjecture. A regularly updated comprehensive annotated bibliography for this conjecture which has been compiled by Jeffrey C. Lagarias can be found at <http://arxiv.org/abs/math.NT/0309224>.

The bijective *rcwa* mappings of R form a proper subgroup of $\text{Sym}(R)$, called $\text{RCWA}(R)$. In general, computing with arbitrary mappings from R into R is an algorithmically difficult task. The *rcwa* mappings provide a class of mappings which are accessible to computations. The investigation of *rcwa* mappings and groups generated by them is the central aim of this package.

An object of particular interest is the group $\text{RCWA}(\mathbb{Z})$ of all residue class-wise affine bijections of the integers.

Residue class-wise affine groups are introduced in the author's thesis *Restklassenweise affine Gruppen*. This thesis is available at <http://elib.uni-stuttgart.de/opus/volltexte/2005/2448/>. A copy of it as well as an english translation is distributed with this package (see `thesis/thesis.pdf` resp. `thesis/thesis-e.pdf`).

Copyright

© 2003 - 2005 by Stefan Kohl

This package is distributed under the same conditions as the GAP system.

Contents

1	Preface	6
1.1	Motivation	6
1.2	Purpose of this package	7
1.3	Scope of this package	7
1.4	Acknowledgements	7
2	Residue Class-Wise Affine Mappings	8
2.1	Basic definitions	8
2.2	Entering rcwa mappings	9
2.2.1	RcwaMapping (R, m, coeffs)	10
2.2.2	ClassShift (r, m)	12
2.2.3	ClassReflection (r, m)	12
2.2.4	ClassTransposition (r1, m1, r2, m2)	13
2.2.5	PrimeSwitch (p)	13
2.2.6	LaTeXObj (f)	14
2.3	Basic functionality for rcwa mappings	14
2.4	Factoring rcwa mappings	16
2.4.1	FactorizationIntoGenerators (g)	16
2.5	Determinant and sign	17
2.5.1	Determinant (sigma)	17
2.5.2	Sign (sigma)	18
2.6	Attributes and properties derived from the coefficients	18
2.6.1	Multiplier (f)	18
2.6.2	Divisor (f)	18
2.6.3	PrimeSet (f)	19
2.6.4	IsIntegral (f)	19
2.6.5	IsClassWiseOrderPreserving (f)	19
2.7	Functionality related to the affine partial mappings	20
2.7.1	LargestSourcesOfAffineMappings (f)	20
2.7.2	Multpk (f, p, k)	20
2.7.3	SetOnWhichMappingIsClassWiseOrderPreserving (f)	21
2.8	Transition graphs and transition matrices	21
2.8.1	TransitionGraph (f, m)	21
2.8.2	OrbitsModulo (f, m)	21
2.8.3	FactorizationOnConnectedComponents (f, m)	22
2.8.4	TransitionMatrix (f, m)	22

2.9	Trajectories	23
2.9.1	Trajectory (f, n, val, cond)	23
2.9.2	TrajectoryModulo (f, n, m, lng)	24
2.9.3	CoefficientsOnTrajectory (f, n, val, cond, all)	24
2.9.4	IncreasingOn (f)	25
2.10	Special functions for non-bijective mappings and miscellanea	25
2.10.1	LikelyContractionCentre (f, maxn, bound)	25
2.10.2	GuessedDivergence (f)	26
2.10.3	ImageDensity (f)	26
2.10.4	RightInverse (f)	26
2.10.5	CommonRightInverse (l, r)	27
2.11	The categories and families of rcwa mappings	27
2.11.1	IsRcwaMapping (f)	27
2.11.2	RcwaMappingsFamily (R)	27
3	Residue Class-Wise Affine Groups	28
3.1	Constructing residue class-wise affine groups	28
3.1.1	RCWA (R)	28
3.1.2	Random (RCWA(Integers))	29
3.1.3	IsomorphismRcwaGroup (G)	31
3.2	Attributes and properties of rcwa groups	31
3.2.1	Modulus (G)	31
3.2.2	IsTame (G)	32
3.2.3	PrimeSet (G)	32
3.3	Membership testing, order computation, permutation- / matrix representations	33
3.3.1	\in (g, G)	33
3.3.2	Size (G)	33
3.3.3	IsomorphismPermGroup (G)	33
3.3.4	IsomorphismMatrixGroup (G)	34
3.4	Factoring elements into generators	35
3.4.1	PreImagesRepresentative (phi, g)	35
3.4.2	PreImagesRepresentatives (phi, g)	36
3.5	The action of an rcwa group on the underlying ring R	37
3.5.1	IsTransitive (G, Integers)	37
3.5.2	RepresentativeAction (G, src, dest, act)	38
3.5.3	RepresentativeActionPreImage (G, src, dest, act, F)	39
3.5.4	RepresentativeAction (RCWA(Integers), P1, P2)	39
3.5.5	ShortOrbits (G, S, maxlng)	40
3.5.6	OrbitsModulo (G, m)	41
3.6	Conjugacy in RCWA(R)	41
3.6.1	IsConjugate (RCWA(Integers), f, g)	41
3.6.2	RepresentativeAction (RCWA(Integers), f, g)	42
3.6.3	ShortCycles (f, maxlng)	42
3.6.4	NrConjugacyClassesOfRCWAZOfOrder (ord)	43
3.7	Restriction and induction	43
3.7.1	Restriction (g, f)	43
3.7.2	Restriction (G, f)	44

3.7.3	Induction (g, f)	44
3.7.4	DirectProduct (G1, G2, ...)	44
3.8	Special attributes for tame rcwa groups	45
3.8.1	RespectedPartition (G)	45
3.8.2	ActionOnRespectedPartition (G)	45
3.8.3	IntegralConjugate (G)	46
3.8.4	IntegralizingConjugator (G)	46
3.9	The categories and families of rcwa groups	47
3.9.1	IsRcwaGroup (G)	47
3.9.2	IntegralRcwaGroupsFamily	47
4	Examples	48
4.1	Factoring Collatz' permutation of the integers	48
4.2	An rcwa mapping which seems to be contracting, but very slow	55
4.3	Checking a result by P. Andaloro	57
4.4	Two examples by Matthews and Leigh	58
4.5	Exploring the structure of a wild rcwa group	60
4.6	A wild rcwa mapping which has only finite cycles	62
4.7	An abelian rcwa group over a polynomial ring	66
4.8	An rcwa representation of a small group	67
4.9	An rcwa representation of the symmetric group on 10 points	68
4.10	Checking for solvability	71
4.11	Some examples over (semi)localizations of the integers	72
4.12	Twisting 257-cycles into an rcwa mapping with modulus 32	75
4.13	The behaviour of the moduli of powers	76
4.14	Images and preimages under the Collatz mapping	77
4.15	A group which acts 4-transitively on the positive integers	79
4.16	A group which acts 3-transitively, but not 4-transitively on \mathbb{Z}	88
4.17	Grigorchuk groups	91
5	The Algorithms Implemented in RCWA	93
6	Installation and auxiliary functions	99
6.1	Requirements	99
6.2	Installation	99
6.3	Building the manual	99
6.3.1	RCWABuildManual	99
6.4	The Info class of the package	100
6.4.1	InfoRCWA	100
6.5	The testing routine	100
6.5.1	RCWATest	100

Chapter 1

Preface

1.1 Motivation

The development of this package has been motivated by the famous $3n + 1$ - Conjecture, which states that iterated application of the Collatz mapping

$$T : \mathbb{Z} \longrightarrow \mathbb{Z}, \quad n \longmapsto \begin{cases} \frac{n}{2} & \text{if } n \text{ even,} \\ \frac{3n+1}{2} & \text{if } n \text{ odd} \end{cases}$$

to any given positive integer eventually yields 1.

This has been conjectured by Lothar Collatz in the 1930s, and is still an unsolved problem today. Replacing the Collatz mapping T by its conjugate under some permutation σ of \mathbb{Z} fixing 1 and setwisely fixing the positive integers turns the $3n + 1$ - Conjecture into the following equivalent conjecture: $\forall n \in \mathbb{N} \exists k \in \mathbb{N}_0 : n^{(T^\sigma)^k} = 1$. The $3n + 1$ - Conjecture is true if and only if there is such a permutation σ such that T^σ maps all integers $n > 1$ to smaller ones. Hence the problem is to find a suitable normal form for the Collatz mapping T .

Investigating arbitrary permutations of finite sets is both theoretically and computationally a hard problem. It is straightforward to restrict the considerations to permutations which are “similar” to the Collatz mapping itself. Probably the most natural class of such mappings is the class of residue class-wise affine permutations.

Jeffrey C. Lagarias has written and maintains a commented bibliography [Lag04], which currently lists 193 references to publications related to the $3n + 1$ - Conjecture. None of the articles which are referenced there tries to attack the problem by means of group theory, or investigates the structure of groups generated by bijective residue class-wise affine mappings. In fact, the subject *residue class-wise affine groups* apparently has not been treated anywhere in the literature before.

The author feels that this is a gap which is worth to be filled, and in particular that the group of all residue class-wise affine bijections of the integers is an object of natural interest in its own.

1.2 Purpose of this package

The purpose of this package is to serve as a tool for computational investigations of residue class-wise affine mappings and -groups mainly over the ring of the integers.

Perhaps the only sensible reason for using this package is being fascinated by the mathematical beauty of the objects it helps to investigate.

This manual is pure software documentation, and as such it does not contain any theorems or proofs. In a few places, where this is absolutely necessary for understanding what some function is good for, corresponding mathematical assertions are made. Proofs for all of them as well as a detailed development of the theoretical background for the subject can be found in the author's PhD thesis [Koh05].

1.3 Scope of this package

There are relatively elaborate methods for dealing with residue class-wise affine groups whose elements have a bounded number of different affine partial mappings. These groups have a relatively easy structure. Hence they are called *tame*. Understanding tame residue class-wise affine groups is a necessary prerequisite for being able to investigate those which are not tame.

The groups which are not tame are much more difficult to examine. Hence these groups are called *wild*. Nevertheless, some computations can be done also in them – there is e.g. an algorithm for factoring elements into generators, which usually works reasonably well if the resulting word is not “too long”. Often it is also possible to get useful information about a wild group by considering its action on finite orbits – of course provided that such orbits exist.

It cannot be said in a few sentences what can be found out with this package about which mappings or groups. The best way to get an idea about this is to experiment yourself with the examples discussed in this manual and included in the file `pkg/rcwa/examples/examples.g`. Another useful source of examples is the `Random(3.1.2)` - function. Often the package does not provide an out-of-the-box solution. At the beginning you will perhaps be bored by extremely long runtimes for seemingly trivial things. But with some experience you will learn to estimate in advance how long something will take and to see why raising some harmlessly-looking mapping to the 20th power would take terabytes of memory, while one can easily find out non-trivial things about some group which looks much more complicate. Provided that you have \LaTeX and `xdvi` installed, you can nicely display examples of `rcwa` mappings by repeatedly issuing `Display(Random(RCWA(Integers)):xdvi);`. Quite often it is possible to find an answer for a given question by using an interactive trial-and-error approach.

The author for example has found with substantial help of this package a non-trivial normal subgroup of the group of all residue class-wise affine bijections of the integers.

1.4 Acknowledgements

I would like to thank Bettina Eick for her kind help in trying to make this package and in particular its documentation more useful and more interesting for a larger number of people. Furthermore I would like to thank the two anonymous referees for their constructive criticism and helpful suggestions.

If you use `RCWA` in some work leading to a publication, I ask you to cite it just as you would cite a journal article. I would be grateful for any bug reports, comments or suggestions and of course for reports of results found with the help of this package.

Chapter 2

Residue Class-Wise Affine Mappings

This chapter describes the functionality provided by this package for computing with residue class-wise affine mappings.

2.1 Basic definitions

Let R be an infinite euclidean domain which is not a field and all of whose proper residue class rings are finite. A mapping $f : R \rightarrow R$ is called *residue class-wise affine*, or in short an *rcwa* mapping, if there is an $m \in R \setminus \{0\}$ such that the restrictions of f to the residue classes $r(m) \in R/mR$ are affine. This means that for any residue class $r(m)$ there are coefficients $a_{r(m)}, b_{r(m)}, c_{r(m)} \in R$, such that the restriction of the mapping f to the set $r(m) = \{r + km \mid k \in R\}$ is given by

$$f|_{r(m)} : r(m) \rightarrow R, \quad n \mapsto \frac{a_{r(m)} \cdot n + b_{r(m)}}{c_{r(m)}}.$$

The value m is called the *modulus* of f . It is understood that all fractions are reduced, i.e. that $\gcd(a_{r(m)}, b_{r(m)}, c_{r(m)}) = 1$, and that m is chosen multiplicatively minimal.

Apart from the restrictions imposed by the condition that the image of any residue class $r(m)$ under f must be a subset of R and that one cannot divide by 0, the coefficients $a_{r(m)}$, $b_{r(m)}$ and $c_{r(m)}$ can be any ring elements.

When talking about the *product* of some rcwa mappings, it is always meant their composition as mappings, and by the inverse of a bijective rcwa mapping it is meant its inverse mapping. Products are evaluated from the left to the right.

The set $\text{RCWA}(R) := \{ g \in \text{Sym}(R) \mid g \text{ is residue class-wise affine} \}$ is closed under multiplication and taking inverses (this can be verified easily), hence forms a subgroup of $\text{Sym}(R)$. A subgroup of $\text{RCWA}(R)$ is called a *residue class-wise affine group*, or in short an *rcwa group*.

2.2 Entering rcwa mappings

In order to define an rcwa mapping, it is necessary to specify the underlying ring R , the modulus m and the coefficients $a_{r(m)}$, $b_{r(m)}$ and $c_{r(m)}$ for $r(m)$ running over the residue classes $(\text{mod } m)$.

A coefficient list for an rcwa mapping with modulus m consists of $|R/mR|$ coefficient triples $[a_{rm}, b_{rm}, c_{rm}]$. Their ordering is determined by the ordering of the representatives of the residue classes $(\text{mod } m)$ in the sorted list returned by `AllResidues(R, m)`. For $R = \mathbb{Z}$, this means that the coefficient triple for the residue class $0(m)$ comes first, then comes the one for $1(m)$, the one for $2(m)$ and so on.

The easiest way to enter a given rcwa mapping is by `RcwaMapping([R, m,] coeffs)`. If the arguments R and m are omitted, they default to `Integers` resp. the length of the coefficient list `coeffs`. If the given coefficients would enforce a division by zero or images of elements of R outside R , an error message is printed and a break loop is entered. For example, the coefficient triple $[1, 1, 3]$ at the first position is not allowed if R is the ring of integers. The reason for this is that not all integers congruent to $0 + 1 = 1 \pmod m$ are divisible by 3.

Example

```
gap> T := RcwaMapping([[1,0,2],[3,1,2]]); # The Collatz mapping.
<rcwa mapping of Z with modulus 2>
gap> SetName(T, "T"); Display(T);
```

Rcwa mapping of \mathbb{Z} with modulus 2

$n \bmod 2$	n^T
0	$n/2$
1	$(3n + 1)/2$

In the sequel, a description of the general-purpose constructor for rcwa mappings is given. This might look a bit technical on a first glance. For getting started, the reader may find it easier to look first at the functions for constructing some kinds of particularly simple-structured bijective rcwa mappings of \mathbb{Z} described afterwards.

2.2.1 RcwaMapping (R, m, coeffs)

\diamond RcwaMapping(R, m, coeffs)	(method)
\diamond RcwaMapping(R, coeffs)	(method)
\diamond RcwaMapping(coeffs)	(method)
\diamond RcwaMapping(perm, range)	(method)
\diamond RcwaMapping(m, values)	(method)
\diamond RcwaMapping(pi, coeffs)	(method)
\diamond RcwaMapping(q, m, coeffs)	(method)
\diamond RcwaMapping(P1, P2)	(method)
\diamond RcwaMapping(cycles)	(method)

Returns: An rcwa mapping.

Construction of an rcwa mapping.

In all cases the argument R is the underlying ring, m is the modulus and $coeffs$ is the coefficient list as described above. In case one or several of these arguments are omitted or replaced by other arguments, they are either derived from the latter or default values are taken. The meaning of the other arguments is defined in the detailed description of the particular methods given in the sequel. The above methods return the rcwa mapping

- (a) of R with modulus $modulus$ and coefficients $coeffs$, resp.
- (b) of $R = \mathbb{Z}$ or $R = \mathbb{Z}_{(\pi)}$ with modulus $Length(coeffs)$ and coefficients $coeffs$, resp.
- (c) of $R = \mathbb{Z}$ with modulus $Length(coeffs)$ and coefficients $coeffs$, resp.
- (d) of $R = \mathbb{Z}$, acting on any set $range + k \cdot Length(range)$ like the permutation $perm$ on the range $range$, resp.
- (e) of $R = \mathbb{Z}$ with modulus $modulus$ and values prescribed by the list val , which consists of $2 \cdot modulus$ pairs giving preimage and image for 2 points per residue class (mod $modulus$), resp.
- (f) of $\mathbb{Z}_{(\pi)}$ with modulus $Length(coeffs)$ and coefficients $coeffs$ (the set of primes π denoting the underlying ring is given as argument pi), resp.
- (g) of $GF(q)[x]$ with modulus $modulus$ and coefficients $coeffs$, resp.
- (h) an arbitrary rcwa mapping which induces a bijection between the partitions $P1$ and $P2$ of R into disjoint single residue classes and which is affine on the elements of $P1$, resp.
- (i) an arbitrary rcwa mapping with “residue class cycles” as given by $cycles$. The latter is a list of lists of disjoint residue classes which the mapping should permute cyclically, each.

The methods for the operation `RcwaMapping` perform a number of argument checks, which can be skipped by using `RcwaMappingNC` instead.

Example

```

gap> f := RcwaMapping([[1,1,1],[1,-1,1],[1,1,1],[1,-1,1]]);
<rcwa mapping of Z with modulus 2>
gap> f = RcwaMapping((2,3),[2..3]);
true
gap> g := RcwaMapping((1,2,3)(8,9),[4..20]);
<rcwa mapping of Z with modulus 17>
gap> Action(Group(g),[4..20]);
Group([ (5,6) ])
gap> T = RcwaMapping(2,[[1,2],[2,1],[3,5],[4,2]]);
true
gap> t := RcwaMapping(1,[[1,-1],[1,-1]]); # The involution n -> -n.
Rcwa mapping of Z: n -> -n
gap> d := RcwaMapping([2],[[1/3,0,1]]);
Rcwa mapping of Z_( 2 ): n -> 1/3 n
gap> RcwaMapping([2,3],ShallowCopy(Coefficients(T)));
<rcwa mapping of Z_( 2, 3 ) with modulus 2>
gap> u := RcwaMapping([[3,0,5],[9,1,5],[3,-1,5],[9,-2,5],[9,4,5]]);
<rcwa mapping of Z with modulus 5>
gap> x := Indeterminate(GF(2),1); SetName(x,"x");
gap> R := PolynomialRing(GF(2),1); z := Zero(R); e := One(R);
GF(2)[x]
gap> r := RcwaMapping( R, x^2 + e,
> [ [ x^2 + x + e, z, x^2 + e ],
> [ x^2 + x + e, x, x^2 + e ],
> [ x^2 + x + e, x^2, x^2 + e ],
> [ x^2 + x + e, x^2 + x, x^2 + e ] ] );
<rcwa mapping of GF(2)[x] with modulus x^2+Z(2)^0>
gap> rc := function(r,m) return ResidueClass(DefaultRing(m),m,r); end;;
gap> f1 := RcwaMapping([[rc(1,6),rc(0, 8)],[rc(5,6),rc(4, 8)]]);
gap> f2 := RcwaMapping([[rc(1,6),rc(0, 4)],[rc(5,6),rc(2, 4)]]);
gap> f3 := RcwaMapping([[rc(2,6),rc(1,12)],[rc(4,6),rc(7,12)]]);
gap> List([f1,f2,f3],Order);
[ 2, 2, 2 ]
gap> f := f1*f2*f3;
<bijective rcwa mapping of Z with modulus 12>
gap> Order(f);
infinity
gap> a := RcwaMapping([rc(0,2),rc(1,4),rc(3,4)],[rc(0,3),rc(1,3),rc(2,3)]);
<rcwa mapping of Z with modulus 4>
gap> [rc(0,2),rc(1,4),rc(3,4)]^a;
[ 0(3), 1(3), 2(3) ]
gap> Cycle(a,44);
[ 44, 66, 99, 74, 111, 83, 62, 93, 70, 105, 79, 59 ]

```

2.2.2 ClassShift (r, m)

(function)

The *class shift* $v_{r(m)}$ is the rcwa mapping of \mathbb{Z} which maps $n \in r(m)$ to $n + m$ and fixes $\mathbb{Z} \setminus r(m)$

Example

$n \bmod 12$											$ $	$n^{\text{ClassShift}}(5,12)$
0	1	2	3	4	6	7	8	9	10	11	$ $	n
5											$ $	$n + 12$

(function)

The *class reflection* $\varsigma_{r(m)}$ is the rcwa mapping of \mathbb{Z} which maps $n \in r(m)$ to $-n + 2r$ and fixes

Example

n mod 9	$n^{\text{ClassReflection}(5,9)}$
0 1 2 3 4 6 7 8	n
5	$-n + 10$

2.2.4 ClassTransposition (r1, m1, r2, m2)

◇ `ClassTransposition(r1, m1, r2, m2)`

(function)

Returns: The *class transposition* $\tau_{r_1(m_1), r_2(m_2)}$.

The *class transposition* $\tau_{r_1(m_1), r_2(m_2)}$ is an rcwa mapping of \mathbb{Z} of order 2 which interchanges the disjoint residue classes $r_1(m_1)$ and $r_2(m_2)$ of \mathbb{Z} and fixes the complement of their union pointwise. The residue classes `ResidueClass(r1,m1)` and `ResidueClass(r2,m2)` themselves can be given in place of the arguments `r1, m1, r2` and `m2`. Enclosing the argument list in list brackets is permitted.

Example

```
gap> Display(ClassTransposition(1,2,8,10));
```

Bijjective rcwa mapping of \mathbb{Z} with modulus 10, of order 2

n mod 10		n ^{ClassTransposition(1,2,8,10)}
0 2 4 6		n
1 3 5 7 9		5n + 3
8		(n - 3) / 5

2.2.5 PrimeSwitch (p)

◇ `PrimeSwitch(p)`

(function)

◇ `PrimeSwitch(p, k)`

(function)

Returns: In the one-argument form the *prime switch* $\sigma_p := \tau_{0(8),1(2p)} \cdot \tau_{4(8),-1(2p)} \cdot \tau_{0(4),1(2p)} \cdot \tau_{2(4),-1(2p)} \cdot \tau_{2(2p),1(4p)} \cdot \tau_{4(2p),2p+1(4p)}$, and in the two-argument form the restriction of σ_p by $n \mapsto kn$ (cp. [Restriction \(3.7.1\)](#)).

For an odd prime p , the *prime switch* σ_p is a bijective rcwa mapping of \mathbb{Z} with modulus $4p$, multiplier p (see [Multiplier \(2.6.1\)](#)) and divisor 2 (see [Divisor \(2.6.2\)](#)). The prime switches σ_p play an important role in factoring non-balanced rcwa mappings into class shifts, class reflections and class transpositions (cp. [FactorizationIntoGenerators \(2.4.1\)](#)).

Example

```
gap> Display(PrimeSwitch(3));
```

Wild bijective rcwa mapping of \mathbb{Z} with modulus 12

n mod 12		n ^{PrimeSwitch(3)}
0		n/2
1 7		n + 1
2 6 10		(3n + 4) / 2
3 9		n
4		n - 3
5 8 11		n - 1

In most cases an rcwa mapping is not determined uniquely by the output of the `ViewObj` method – in these cases the output is enclosed in brackets. There are methods installed for `Display`, `Print` and `String`. The `Printed` representation of an rcwa mapping is GAP - readable if and only if the `Printed` representation of the elements of the underlying ring is so. There is also a method for `LaTeXObj`:

2.2.6 LaTeXObj (f)

◇ `LaTeXObj(f)`

(method)

Returns: A \LaTeX representation of the integral rcwa mapping f .

The output makes use of the \LaTeX macro package `amsmath`. If the option `Factorization` is set, a factorization of f into class shifts, class reflections, class transpositions and prime switches is printed (cp. `FactorizationIntoGenerators` (2.4.1)). For rcwa mappings with modulus larger than 1, an indentation by `Indentation` characters can be specified by setting this option value accordingly.

Example

```
gap> Print(LaTeXObj(a));
n \ \longmapsto \
\begin{cases}
\frac{3n}{2} & \& \text{\textit{if}} \ n \ \text{\textit{in}} \ 0(2), \ \backslash\backslash \\
\frac{3n + 1}{4} & \& \text{\textit{if}} \ n \ \text{\textit{in}} \ 1(4), \ \backslash\backslash \\
\frac{3n - 1}{4} & \& \text{\textit{if}} \ n \ \text{\textit{in}} \ 3(4). \\
\end{cases}
gap> Print(LaTeXObj(Comm(a,ClassShift(0,4)):Factorization));
&\nu_{8(12)} \cdot \nu_{0(12)}^{-1} \\
\cdot \tau_{0(12),6(12)} \cdot \tau_{0(12),4(12)} \\
\cdot \tau_{0(12),8(12)}
```

The `Display` method recognizes the option `xdvi`. If this option is set, the given rcwa mapping is displayed in an `xdvi` window. For this purpose, the string returned by the `LaTeXObj` - method described above is inserted into a \LaTeX template file. This file is \LaTeX 'ed, and the result is shown with `xdvi`. This works only on a UNIX system, and requires suitable installations of \LaTeX and `xdvi`.

2.3 Basic functionality for rcwa mappings

Checking whether two rcwa mappings are equal is cheap. Rcwa mappings can be multiplied, thus there is a method for `*`. Bijective rcwa mappings can also be inverted, thus there is a method for `Inverse`. The latter method is usually accessed by raising a mapping to some power with negative exponent. Multiplying, inverting and exponentiating tame rcwa mappings is cheap. Computing powers of wild mappings is usually expensive – runtime and memory requirements normally grow approximately exponentially with the exponent. How expensive multiplying a couple of wild mappings is, varies very much. In any case, the amount of memory required for storing an rcwa mapping is proportional to its modulus. Whether a given mapping is tame or wild can be determined by the operation `IsTame`. There are methods for `Order`, which can not only compute a finite order, but are also suitable for detecting infinite order.

Example

```
gap> List([-6..6], k->Modulus(f^k)); Order(f);
[ 324, 108, 108, 36, 36, 12, 1, 12, 24, 48, 96, 192, 384 ]
infinity
gap> List( [ a, u, f ], IsTame );
[ false, false, false ]
gap> f^2*u;
<bijective rcwa mapping of Z with modulus 120>
gap> f^2*u*a^2*f^-1;
<bijective rcwa mapping of Z with modulus 3840>
gap> Comm(f, ClassShift(6,12)*f)^1000;
<bijective rcwa mapping of Z with modulus 18>
```

There are methods installed for `IsInjective`, `IsSurjective`, `IsBijective` and `Image`.

Example

```
gap> [ IsInjective(T), IsSurjective(T), IsBijective(u) ];
[ false, true, true ]
gap> Image(RcwaMapping([[-4,-8,1]]));
0(4)
```

Images of elements, of finite sets of elements and of unions of finitely many residue classes of the source of an rcwa mapping can be computed with `^` (the same symbol as used for exponentiation and conjugation). The same works for partitions of the source into a finite number of residue classes.

Example

```
gap> [ 15^T, 7^d, (x^3+x^2+x+One(R))^r ];
[ 23, 7/3, x^3+Z(2)^0 ]
gap> A := ResidueClass(Integers,3,2);;
gap> [ A^T, A^u ];
[ 1(3) U 8(9), 1(9) U 3(9) U 14(27) U 20(27) U 26(27) ]
gap> [rc(0,2),rc(1,4),rc(3,4)]^f;
[ 0(6) U 1(6) U 5(6), 2(12) U 4(12) U 9(12), 3(12) U 8(12) U 10(12) ]
```

For computing preimages of elements under rcwa mappings, there are methods for `PreImageElm` and `PreImagesElm`. The preimage of a finite set of ring elements or of a union of finitely many residue classes under an rcwa mapping can be computed using `PreImage`.

Example

```
gap> [ PreImageElm(d,37/17), PreImagesElm(T,8), PreImagesElm(Zero(T),0) ];
[ 111/17, [ 5, 16 ], Integers ]
gap> PreImage(T, ResidueClass(Integers,3,2));
1(2) U 4(6)
gap> M := [1];; l := [1];;
gap> while Length(M) < 10000 do M := PreImage(T,M); Add(l,Length(M)); od; l;
[ 1, 1, 2, 2, 4, 5, 8, 10, 14, 18, 26, 36, 50, 67, 89, 117, 157, 208, 277,
  367, 488, 649, 869, 1154, 1534, 2039, 2721, 3629, 4843, 6458, 8608, 11472 ]
```

There is a method for the operation `MovedPoints` for computing the support of a bijective rcwa mapping, and there is a method for `RestrictedPerm` for computing the restriction of a bijective rcwa mapping to a union of residue classes it fixes setwisely.

Example

```
gap> [ MovedPoints(u), MovedPoints(u^2) ];
[ Z \ [ -1, 0 ], Z \ [ -10, -6, -1, 0, 1, 2, 3, 5 ] ]
gap> MovedPoints(r);
GF(2)[x] \ [ 0*Z(2), Z(2)^0, x, x+Z(2)^0 ]
gap> RestrictedPerm(f, ResidueClassUnion(Integers, 36, [7, 8]));
<rcwa mapping of Z with modulus 36>
```

Rcwa mappings can be added and subtracted pointwisely. However, please note that the set of rcwa mappings of some ring does not form a ring under $+$ and $*$.

Example

```
gap> a := RcwaMapping([[3,0,2],[3,1,4],[3,0,2],[3,-1,4]]);
gap> b := ClassShift(1,4) * a;;
gap> [ Image((a + b)), Image((a - b)) ];
[ 0(6) U 4(6) U 5(6), [ -3, 0 ] ]
gap> d+d+d;
IdentityMapping( Z_( 2 ) )
```

There are operations `Modulus` (abbreviated `Mod`) and `Coefficients` for extracting the modulus resp. the coefficient list of a given rcwa mapping. The meaning of the return values is as described in the previous section. General documentation for most operations mentioned in this section can be found in the GAP reference manual. For rcwa mappings of rings other than \mathbb{Z} , not for all operations applicable methods are available.

2.4 Factoring rcwa mappings

Factoring group elements into elements of some “nice” set of generators is often helpful. The following can be seen as an attempt towards getting a satisfactory solution to this problem for the group $\text{RCWA}(\mathbb{Z})$:

2.4.1 FactorizationIntoGenerators (g)

◇ `FactorizationIntoGenerators(g)` (attribute)

Returns: A factorization of the bijective rcwa mapping g into class shifts, class reflections and class transpositions, provided that such a factorization exists and the method finds it.

This may return `fail`, stop with an error message or run into an infinite loop. If it returns a result, this result is always correct. By default, prime switches are taken as one factor. If the option `ExpandPrimeSwitches` is set, they are each decomposed into the 6 class transpositions given in the definition (see `PrimeSwitch` (2.2.5)). By default, the factoring process begins with splitting off factors from the right. This can be changed by setting the option `Direction` to “from the left”. By default, the coarsest possible respected partition of the integral mapping occurring in the final stage

of the algorithm is computed. This can be suppressed by setting the option `ShortenPartition` equal to `false`. By default, at the end it is checked whether the product of the determined factors indeed equals g . This check can be suppressed by setting the option `NC`.

The problem of obtaining a factorization as desired is algorithmically difficult, and this factorization routine is currently perhaps the most sophisticated part of the RCWA package. Information about the progress of the factorization process can be obtained by setting the info level of the Info class `InfoRCWA` (6.4.1) to 2.

Example

```
gap> FactorizationIntoGenerators(Comm(a,b));
[ ClassShift(7,9), ClassShift(1,9)^-1, ClassTransposition(1,9,4,9),
  ClassTransposition(1,9,7,9), ClassTransposition(6,18,15,18),
  ClassTransposition(5,9,15,18), ClassTransposition(4,9,15,18),
  ClassTransposition(5,9,6,18), ClassTransposition(4,9,6,18) ]
```

For purposes of demonstrating the capabilities of the factorization routine, in Section 4.1 a permutation is factored which has already been mentioned by Lothar Collatz in 1932, and whose cycle structure is unknown so far.

2.5 Determinant and sign

2.5.1 Determinant (sigma)

◇ `Determinant(sigma)` (method)

◇ `Determinant(sigma, S)` (method)

Returns: The determinant of the bijective rcwa mapping `sigma`.

The *determinant* of an affine mapping $n \mapsto (an + b)/c$ whose source is a residue class $r(m)$ is defined by $b/|a|m$. This definition is extended additively to determinants of rcwa mappings and their restrictions to unions of residue classes.

Using the notation from the definition of an rcwa mapping, the *determinant* $\det(\sigma)$ of an rcwa mapping σ is given by

$$\frac{1}{m} \left(\sum_{r(m) \in R/mR} \frac{b_{r(m)}}{|a_{r(m)}|} \right).$$

In the author's thesis it is shown that the determinant mapping is an epimorphism from the group of all class-wise order-preserving bijective rcwa mappings of \mathbb{Z} onto $(\mathbb{Z}, +)$ (see Theorem 2.11.9).

If a residue class union S is given as an additional argument, the method returns the determinant of the restriction of `sigma` to S .

Example

```
gap> nu := ClassShift(0,1);;
gap> List( [ nu, a, b, u ], Determinant );
[ 1, 0, 1, 0 ]
gap> Determinant(u^2*b^-3);
-3
gap> Determinant(nu^7*a^2*nu^-1*b^-1*a^-3);
5
```

2.5.2 Sign (sigma)

◇ Sign(sigma)

(attribute)

Returns: The sign of the bijective rcwa mapping sigma.

Using the notation from the definition of an rcwa mapping, the *sign* of a bijective rcwa mapping σ of \mathbb{Z} is defined by

$$\det(\sigma) + \frac{1}{m} \left(\sum_{r(m): a_{r(m)} < 0} (m - 2r) \right) (-1).$$

In the author's thesis it is shown that the sign mapping is an epimorphism from $\text{RCWA}(\mathbb{Z})$ onto the group \mathbb{Z}^\times of units of \mathbb{Z} (see Theorem 2.12.8). This means that the kernel of the sign mapping is a normal subgroup of $\text{RCWA}(\mathbb{Z})$ of index 2.

Example

```
gap> List( [ nu, nu^2, nu^3 ], Sign );
[ -1, 1, -1 ]
gap> List( [ t, nu^3*t ], Sign );
[ -1, 1 ]
gap> List( [ a, a*b, (a*b)^2, Comm(a,b) ], Sign );
[ 1, -1, 1, 1 ]
```

2.6 Attributes and properties derived from the coefficients

2.6.1 Multiplier (f)

◇ Multiplier(f)

(attribute)

◇ Mult(f)

(attribute)

Returns: The multiplier of the rcwa mapping f.

In the notation used in the definition of an rcwa mapping, the *multiplier* is the lcm of the coefficients $a_{r(m)}$ in the numerators.

Example

```
gap> List( [ g, u, T, d, r ], Multiplier );
[ 1, 9, 3, 1, x^2+x+Z(2)^0 ]
```

2.6.2 Divisor (f)

◇ Divisor(f)

(attribute)

◇ Div(f)

(attribute)

Returns: The divisor of the rcwa mapping f.

In the notation used in the definition of an rcwa mapping, the *divisor* is the lcm of the coefficients $c_{r(m)}$ in the denominators.

Example

```
gap> List( [ g, u, T, d, r ], Divisor );
[ 1, 5, 2, 1, x^2+Z(2)^0 ]
```

2.6.3 PrimeSet (f)

◇ PrimeSet (f)

(operation)

Returns: The prime set of the rcwa mapping f .

The *prime set* of an rcwa mapping is the set of prime divisors of the product of its modulus, its multiplier and its divisor. See also PrimeSet (3.2.3) for rcwa groups.

Example

```
gap> PrimeSet(T);
[ 2, 3 ]
gap> List( [ u, T^u, T^(u^-1) ], PrimeSet );
[ [ 3, 5 ], [ 2, 3 ], [ 2, 3, 5 ] ]
gap> PrimeSet(r);
[ x+Z(2)^0, x^2+x+Z(2)^0 ]
```

2.6.4 IsIntegral (f)

◇ IsIntegral (f)

(property)

Returns: true if the rcwa mapping f is integral and false otherwise.

An rcwa mapping is called *integral* if its divisor equals 1, thus “if no proper divisions occur”. Computing with such mappings is particularly easy.

Be careful not to confuse this with the term *integral rcwa mapping* for rcwa mappings of the integers; normally it should be rather clear what is meant.

Example

```
gap> List( [ u, t, RcwaMapping([[2,0,1],[3,5,1]]) ], IsIntegral );
[ false, true, true ]
```

2.6.5 IsClassWiseOrderPreserving (f)

◇ IsClassWiseOrderPreserving (f)

(property)

Returns: true if the rcwa mapping f is class-wise order-preserving and false otherwise.

The term *class-wise order-preserving* is defined only for rcwa mappings of ordered rings, e.g. \mathbb{Z} .

Example

```
gap> List( [ g, u, T, t, d ], IsClassWiseOrderPreserving );
[ true, true, true, false, true ]
```

2.7 Functionality related to the affine partial mappings

2.7.1 LargestSourcesOfAffineMappings (f)

◇ LargestSourcesOfAffineMappings(f) (attribute)

Returns: The coarsest partition of Source(f) on whose elements the rcwa mapping f is affine.

Example

```
gap> LargestSourcesOfAffineMappings(T);
[ 0(2), 1(2) ]
gap> List( [ u, u^-1 ], LargestSourcesOfAffineMappings );
[ [ 0(5), 1(5), 2(5), 3(5), 4(5) ], [ 0(3), 1(3), 2(9), 5(9), 8(9) ] ]
gap> LargestSourcesOfAffineMappings(t);
[ Integers ]
gap> kappa := RcwaMapping([ [1,0,1], [1,0,1], [3,2,2], [1,-1,1],
> [2,0,1], [1,0,1], [3,2,2], [1,-1,1],
> [1,1,3], [1,0,1], [3,2,2], [2,-2,1] ]);
gap> SetName(kappa, "kappa");
gap> LargestSourcesOfAffineMappings(kappa);
[ 2(4), 1(4) U 0(12), 3(12) U 7(12), 4(12), 8(12), 11(12) ]
gap> LargestSourcesOfAffineMappings(r);
[ 0*Z(2) ( mod x^2+Z(2)^0 ), Z(2)^0 ( mod x^2+Z(2)^0 ), x ( mod x^2+Z(2)^0 ),
x+Z(2)^0 ( mod x^2+Z(2)^0 ) ]
```

2.7.2 Multpk (f, p, k)

◇ Multpk(f, p, k) (operation)

Returns: The union of the residue classes $r(m)$ such that $p^k || a_{r(m)}$ if $k \geq 0$, and the union of the residue classes $r(m)$ such that $p^k || c_{r(m)}$ if $k \leq 0$.

Example

```
gap> [ Multpk(T,2,-1), Multpk(T,3,1) ];
[ Integers, 1(2) ]
gap> [ Multpk(u,3,0), Multpk(u,3,1), Multpk(u,3,2), Multpk(u,5,-1) ];
[ [ ], 0(5) U 2(5), 1(5) U 3(5) U 4(5), Integers ]
gap> [ Multpk(kappa,2,1), Multpk(kappa,2,-1), Multpk(kappa,3,1),
> Multpk(kappa,3,-1) ];
[ 4(12) U 11(12), 2(4), 2(4), 8(12) ]
```

2.7.3 SetOnWhichMappingIsClassWiseOrderPreserving (f)

◇ SetOnWhichMappingIsClassWiseOrderPreserving(f) (attribute)

◇ SetOnWhichMappingIsClassWiseConstant(f) (attribute)

◇ SetOnWhichMappingIsClassWiseOrderReversing(f) (attribute)

Returns: The union of the residue classes (mod Modulus(f)) on which the rcwa mapping f is class-wise order-preserving, class-wise constant resp. class-wise order-reversing.

The source of the rcwa mapping f must be ordered.

Example

```
gap> List( [ T, u, t ], SetOnWhichMappingIsClassWiseOrderPreserving );
[ Integers, Integers, [ ] ]
gap> SetOnWhichMappingIsClassWiseConstant(RcwaMapping([[2,0,1],[0,4,1]]));
1(2)
```

2.8 Transition graphs and transition matrices

2.8.1 TransitionGraph (f, m)

◇ TransitionGraph(f, m) (operation)

Returns: The transition graph for modulus m of the rcwa mapping f.

The *transition graph* $\Gamma_{f,m}$ of f for modulus m is defined as follows:

1. The vertices are the residue classes (mod m).
2. There is an edge from $r_1(m)$ to $r_2(m)$ if and only if there is some $n_1 \in r_1(m)$ such that $n_1^f \in r_2(m)$.

The assignment of the residue classes (mod m) to the vertices of the graph is given by the ordering of the residues in AllResidues(Source(f), m). The result is returned as a GRAPE-graph.

Example

```
gap> TransitionGraph(a,Modulus(a));
rec( isGraph := true, order := 4, group := Group(),
    schreierVector := [ -1, -2, -3, -4 ],
    adjacencies := [ [ 1, 3 ], [ 1, 2, 3, 4 ], [ 2, 4 ], [ 1, 2, 3, 4 ] ],
    representatives := [ 1, 2, 3, 4 ], names := [ 1, 2, 3, 4 ] )
```

2.8.2 OrbitsModulo (f, m)

◇ OrbitsModulo(f, m) (operation)

Returns: The partition of AllResidues(Source(f), m) corresponding to the weakly-connected components of the transition graph for modulus m of the rcwa mapping f.

See also OrbitsModulo (3.5.6) for rcwa groups.

Example

```
gap> OrbitsModulo(Comm(a,b),9);
[ [ 0 ], [ 1, 4, 5, 6, 7 ], [ 2 ], [ 3 ], [ 8 ] ]
```

2.8.3 FactorizationOnConnectedComponents (f, m)

◇ `FactorizationOnConnectedComponents(f, m)` (operation)

Returns: The set of restrictions of the rcwa mapping f to the weakly-connected components of its transition graph $\Gamma_{f,m}$.

These mappings have pairwise disjoint supports, hence any two of them commute, and their product equals f .

Example

```
gap> sigma := RcwaMapping([[1, 0, 1], [1, 1, 1], [2, 2, 1], [3, -3, 2],
> [1, 0, 1], [1, -2, 3], [3, 6, 2], [1, -2, 1],
> [1, 0, 1], [1, 1, 1], [1, 1, 1], [1, -2, 1],
> [2, 0, 1], [1, 1, 1], [1, 1, 1], [3, -3, 2],
> [1, 0, 1], [1, 1, 1], [3, 6, 2], [1, -2, 1],
> [1, 0, 1], [1, 1, 1], [1, 1, 1], [2, -4, 1],
> [1, -3, 3], [1, 1, 1], [1, 1, 1], [3, -3, 2],
> [1, 0, 1], [2, 2, 1], [3, 6, 2], [1, -2, 1],
> [1, 0, 1], [1, 1, 1], [1, 1, 1], [1, -2, 1]]);
<rcwa mapping of Z with modulus 36>
gap> fact := FactorizationOnConnectedComponents(sigma, 36);
[ <rcwa mapping of Z with modulus 36>, <rcwa mapping of Z with modulus 36>,
  <rcwa mapping of Z with modulus 36> ]
gap> List(fact, MovedPoints);
[ 33(36) U 34(36) U 35(36), 9(36) U 10(36) U 11(36),
  <union of 23 residue classes (mod 36)> \ [ -6, 3 ] ]
```

2.8.4 TransitionMatrix (f, m)

◇ `TransitionMatrix(f, m)` (function)

Returns: The transition matrix of the rcwa mapping f for modulus m .

Let M be this matrix. Then for any two residue classes $r_1(m), r_2(m) \in R/mR$, the entry $M_{r_1(m), r_2(m)}$ is defined by

$$M_{r_1(m), r_2(m)} := \frac{|R/mR|}{|R/\hat{m}R|} \cdot \left| \{ r(\hat{m}) \in R/\hat{m}R \mid r \in r_1(m) \wedge r^f \in r_2(m) \} \right|,$$

where \hat{m} is the product of m and the square of the modulus of f . The assignment of the residue classes (mod m) to the rows and columns of the matrix is given by the ordering of the residues in `AllResidues(Source(f), m)`.

The transition matrix is a weighted adjacency matrix of the corresponding transition graph `TransitionGraph(f, m)`. The sums of the rows of a transition matrix are always equal to 1.

Example

```
gap> Display(TransitionMatrix(a, 5));
[ [ 1/2, 1/4, 0, 0, 1/4 ],
  [ 0, 1/4, 0, 1/4, 1/2 ],
  [ 1/4, 0, 0, 3/4, 0 ],
  [ 1/4, 0, 3/4, 0, 0 ],
  [ 0, 1/2, 1/4, 0, 1/4 ] ]
```

Example

```
gap> Display(TransitionMatrix(T,19)*One(GF(7)));
4 . . . . . 4 . . . . .
. . 4 . . . . . 4 . . . . .
. 4 . . . . . . 4 . . . . .
. . . . . 4 . . . . . 4 . . . . .
. . 4 . . . . . . . . . 4 . .
. . . . . . 4 . . . . . 4 . . . . .
4 . . 4 . . . . . . . . . .
. . . . . . . 4 . 4 . . . . .
. . . 4 4 . . . . . . . . . .
. . . . . . . . . . . 1 . . . . .
. . . . . 4 4 . . . . . . . . . .
. . . . . . . . . . . . 4 . 4 .
. . . . . . 4 . . 4 . . . . . .
. 4 . . . . . . . . . . . 4 . .
. . . . . . 4 . . . . . 4 . . . .
. . . . 4 . . . . . . . . . 4 .
. . . . . . 4 . . . . . 4 . . .
. . . . . . 4 . . . . . . . 4
. . . . . . . 4 . . . . . . 4
```

2.9 Trajectories

2.9.1 Trajectory (f, n, val, cond)

◇ `Trajectory(f, n, val, cond)`

(function)

Returns: The trajectory of the ring element n under the rcwa mapping f .

Depending on whether `cond = "length"` or `cond = "stop"`, the parameter `val` either is the length of the sequence to be computed or is a “stopping set” such that the computation stops when some iterate $n^{(f^k)}$ in `val` is reached. In place of the ring element n , a union of residue classes is permitted, also.

Example

```
gap> Trajectory(T,27,[1],"stop");
[ 27, 41, 62, 31, 47, 71, 107, 161, 242, 121, 182, 91, 137, 206, 103, 155,
  233, 350, 175, 263, 395, 593, 890, 445, 668, 334, 167, 251, 377, 566, 283,
  425, 638, 319, 479, 719, 1079, 1619, 2429, 3644, 1822, 911, 1367, 2051,
  3077, 4616, 2308, 1154, 577, 866, 433, 650, 325, 488, 244, 122, 61, 92, 46,
  23, 35, 53, 80, 40, 20, 10, 5, 8, 4, 2, 1 ]
gap> Trajectory(T,ResidueClass(Integers,3,0),Integers,"stop");
[ 0(3), 0(3) U 5(9), 0(3) U 5(9) U 7(9) U 8(27),
  <union of 20 residue classes (mod 27)>, <union of 73 residue classes (mod
    81)>, <union of 79 residue classes (mod 81)>, Integers ]
gap> Length(Trajectory(RcwaMapping([[1,0,2],[5,-1,2]]),19,[1],"stop"));
307
```

2.9.2 TrajectoryModulo (f, n, m, lng)

◇ TrajectoryModulo(f, n, m, lng) (function)

◇ TrajectoryModulo(f, n, lng) (function)

Returns: The sequence $(n_i), i = 0, \dots, lng - 1$ with $n_i := n^{(f^i)} \bmod m$ as a list.

If m is not given it defaults to the modulus of f .

Example

```
gap> TrajectoryModulo(a,8,25);
[ 0, 0, 2, 3, 0, 2, 1, 2, 3, 2, 1, 3, 0, 0, 0, 0, 2, 3, 2, 1, 1, 2, 3, 1, 2 ]
gap> TrajectoryModulo(T,27,2,100);
[ 1, 1, 0, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 0, 1, 1, 1, 0, 1, 1, 1, 1, 0, 1, 0,
  0, 1, 1, 1, 0, 1, 1, 0, 1, 1, 1, 1, 1, 0, 0, 1, 1, 1, 1, 0, 0, 0, 1, 0,
  1, 0, 1, 0, 0, 0, 1, 0, 0, 1, 1, 1, 0, 0, 0, 0, 1, 0, 0, 0, 1, 0, 1, 0, 1,
  0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0 ]
```

2.9.3 CoefficientsOnTrajectory (f, n, val, cond, all)

◇ CoefficientsOnTrajectory(f, n, val, cond, all) (function)

Returns: A list c of coefficient triples, such that for any k it holds that $n^{(f^{(k-1)})} = (c[k][1]*n + c[k][2])/c[k][3]$, or its last entry.

The meaning of the arguments val and $cond$ is the same as in Trajectory (2.9.1). If $all = true$, the whole sequence of coefficient triples is returned. Otherwise the result is only the last triple.

Example

```
gap> CoefficientsOnTrajectory(T,27,1,"stop",false);
[ 36472996377170786403, 195820718533800070543, 1180591620717411303424 ]
gap> (last[1]*27+last[2])/last[3];
1
gap> CoefficientsOnTrajectory(sigma,37,37,"stop",true);
[ [ 1, 0, 1 ], [ 1, 1, 1 ], [ 2, 4, 1 ], [ 3, 9, 1 ], [ 6, 18, 1 ],
  [ 2, 5, 1 ], [ 2, 3, 1 ], [ 2, 1, 3 ], [ 2, 4, 3 ], [ 2, 7, 3 ],
  [ 1, 2, 1 ], [ 3, 3, 2 ], [ 3, 5, 2 ], [ 3, 7, 2 ], [ 3, 3, 1 ],
  [ 9, 15, 2 ], [ 27, 57, 4 ], [ 27, 57, 2 ], [ 9, 17, 2 ], [ 9, 13, 2 ],
  [ 9, 15, 1 ], [ 3, 4, 1 ], [ 3, 2, 1 ], [ 1, 0, 1 ] ]
gap> List(last,c->(c[1]*37+c[2])/c[3]){[1..23]} = Cycle(sigma,37);
true
gap> CoefficientsOnTrajectory(r,x^3+x^2,x^3+x^2,"stop",true);
[ [ Z(2)^0, 0*Z(2), Z(2)^0 ], [ x^2+x+Z(2)^0, x^2+x, x^2+Z(2)^0 ],
  [ x^4+x^2+Z(2)^0, x^4+x, x^4+Z(2)^0 ],
  [ x^6+x^5+x^3+x+Z(2)^0, x^6+x^4+x^3+x^2, x^6+x^4+x^2+Z(2)^0 ],
  [ x^8+x^4+Z(2)^0, x^7+x^6, x^8+Z(2)^0 ] ]
```


2.9.4 IncreasingOn (f)

◇ IncreasingOn(f) (function)

◇ DecreasingOn(f) (function)

Returns: The union of all residue classes $r(m)$ such that $|R/a_{r(m)}R| > |R/c_{r(m)}R|$ resp. $|R/a_{r(m)}R| < |R/c_{r(m)}R|$, where R denotes the source, m the modulus and $a_{r(m)}$, $b_{r(m)}$ and $c_{r(m)}$ the coefficients of f as introduced in the definition of an rcwa mapping.

Example

```
gap> List([1..3], k->IncreasingOn(T^k));
[ 1(2), 3(4), 3(4) U 1(8) U 6(8) ]
gap> List([1..3], k->DecreasingOn(T^k));
[ 0(2), 0(2) U 1(4), 0(4) U 2(8) U 5(8) ]
gap> List([1..3], k->IncreasingOn(a^k));
[ 0(2), 0(2) U 3(8) U 5(8), 0(4) U 2(16) U 5(16) U 11(16) U 14(16) ]
```

2.10 Special functions for non-bijective mappings and miscellanea

2.10.1 LikelyContractionCentre (f, maxn, bound)

◇ LikelyContractionCentre(f, maxn, bound) (operation)

Returns: A list of ring elements – see below.

Tries to compute the *contraction centre* of an rcwa mapping - assuming its existence this is the uniquely-defined finite subset S_0 of the base ring R which is mapped bijectively onto itself under f and where for any x in R there is an integer k such that the image of x under the k -th power of f lies in S_0 . The mapping f is assumed to be *contracting*, i.e. to have such a contraction centre. As this problem seems to be computationally undecidable methods will be probabilistic. The argument `maxn` is a bound on the starting value and `bound` is a bound on the elements of the sequences to be searched. If the limit `bound` is exceeded, an Info message on some Info level of `InfoRCWA` is given.

Example

```
gap> S0 := LikelyContractionCentre(T,100,1000);
#I Warning: 'LikelyContractionCentre' is highly probabilistic.
The returned result can only be regarded as a rough guess.
See ?LikelyContractionCentre for information on how to improve this guess.
[ -136, -91, -82, -68, -61, -55, -41, -37, -34, -25, -17, -10, -7, -5, -1, 0,
  1, 2 ]
```

2.10.2 GuessedDivergence (f)

◇ `GuessedDivergence(f)`

(operation)

Returns: A floating point value, which should be a rough guess on how fast the trajectories of the rcwa mapping f diverge (return value greater than 1) or converge (return value smaller than 1).

Nothing particular is guaranteed.

Example

```
gap> List( [ T, a ], GuessedDivergence );
#I Warning: GuessedDivergence: no particular return value is guaranteed.
#I Warning: GuessedDivergence: no particular return value is guaranteed.
[ 0.866025, 1.06066 ]
```

2.10.3 ImageDensity (f)

◇ `ImageDensity(f)`

(attribute)

Returns: The *image density* of the rcwa mapping f .

In the notation introduced in the definition of an rcwa mapping, the *image density* of f is defined by $\frac{1}{m} \sum_{r(m) \in R/mR} |R/c_{r(m)}R|/|R/a_{r(m)}R|$. Injective rcwa mappings have an image density of at most 1, and the image density of a surjective rcwa mapping is at least 1 (this can be seen easily) – thus in particular the image density of a bijective mapping equals 1.

Example

```
gap> List( [ T, a, RcwaMapping([[2,0,1]]) ], ImageDensity );
[ 4/3, 1, 1/2 ]
```

2.10.4 RightInverse (f)

◇ `RightInverse(f)`

(attribute)

Returns: A right inverse of the injective rcwa mapping f , i.e. a mapping g such that $fg = 1$.

Example

```
gap> RcwaMapping([[2,0,1]]);
Rcwa mapping of Z: n -> 2n
gap> Display(RightInverse(last));
```

Rcwa mapping of Z with modulus 2

$n \bmod 2$		n^f
0		$n/2$
1		n

2.10.5 CommonRightInverse(l, r)

◇ CommonRightInverse(l, r)

(operation)

Returns: A mapping d such that $ld = rd = 1$.

The mappings l and r must be injective, and their images must form a partition of the underlying ring.

Example

```
gap> Display(CommonRightInverse(RcwaMapping([[2,0,1]]),
>                               RcwaMapping([[2,1,1]])));
```

Rcwa mapping of \mathbb{Z} with modulus 2

$n \bmod 2$		n^f
0	$n/2$	
1	$(n - 1)/2$	

2.11 The categories and families of rcwa mappings

2.11.1 IsRcwaMapping(f)

◇ IsRcwaMapping(f)

(filter)

◇ IsIntegralRcwaMapping(f)

(filter)

◇ IsSemilocalIntegralRcwaMapping(f)

(filter)

◇ IsModularRcwaMapping(f)

(filter)

Returns: true if f is an rcwa mapping resp. an rcwa mapping of the ring of integers resp. an rcwa mapping of a semilocalization of the ring of integers resp. an rcwa mapping of a polynomial ring in one variable over a finite field, and false otherwise.

2.11.2 RcwaMappingsFamily(R)

◇ RcwaMappingsFamily(R)

(function)

Returns: The family of rcwa mappings of the ring R .

Chapter 3

Residue Class-Wise Affine Groups

This chapter describes the functionality provided by this package for computing with residue class-wise affine groups.

3.1 Constructing residue class-wise affine groups

Residue class-wise affine groups can be constructed using either `Group`, `GroupByGenerators` or `GroupWithGenerators`, as usual (see the reference manual). Note that currently except of the groups $\text{RCWA}(R)$ only finitely generated rcwa groups are supported.

Example

```
gap> g := RcwaMapping([[1,0,1],[1,1,1],[3,6,1],
>                    [1,0,3],[1,1,1],[3,6,1],
>                    [1,0,1],[1,1,1],[3,-21,1]]);;
gap> h := RcwaMapping([[1,0,1],[1,1,1],[3,6,1],
>                    [1,0,3],[1,1,1],[3,-21,1],
>                    [1,0,1],[1,1,1],[3,6,1]]);;
gap> List([g,h],Order);
[ 9, 9 ]
gap> G := Group(g,h);
<rcwa group over Z with 2 generators>
gap> Size(G);
infinity
```

For rcwa groups, there are methods available for the operations `Display` and `Print`.

All rcwa groups over the ring R are subgroups of $\text{RCWA}(R)$. The group $\text{RCWA}(R)$ is not finitely generated, thus cannot be constructed as described above. It is handled as a special case:

3.1.1 $\text{RCWA}(R)$

◇ $\text{RCWA}(R)$

(function)

Returns: The group $\text{RCWA}(R)$ of all bijective rcwa mappings of the ring R .

Example

```

gap> RCWA_Z := RCWA(Integers);
RCWA(Z)
gap> Size(RCWA_Z);
infinity
gap> IsFinitelyGeneratedGroup(RCWA_Z);
false
gap> One(RCWA_Z);
IdentityMapping( Integers )
gap> IsSolvable(RCWA_Z);
false
gap> IsPerfect(RCWA_Z);
false
gap> Centre(RCWA_Z);
Trivial rcwa group over Z
gap> IsSubgroup(RCWA_Z, Group(RcwaMapping((1,2,3),[1..4]),
>                                RcwaMapping(2,[0,1],[1,0],[2,3],[3,2]))));
true

```

3.1.2 Random (RCWA(Integers))

◇ Random(RCWA_Z)

(method)

Returns: A pseudo-random element of the group $\text{RCWA}(\mathbb{Z})$.

This method is designed to be suitable for generating interesting examples. No particular distribution is guaranteed – in fact, the author has no idea what a “reasonable” random distribution on $\text{RCWA}(\mathbb{Z})$ should be.

Example

```

gap> elm := Random(RCWA_Z);
<bijective rcwa mapping of Z with modulus 60>
gap> Display(elm);

Bijective rcwa mapping of Z with modulus 60

```

n mod 60	n ^f
0 4 6 8 10 14 16 18 20 24 26 28	
30 34 36 38 40 44 46 48 50 54 56 58	-3n - 5
1	(n - 1)/5
2 22 42	(3n + 24)/5
3 9 15 21 27 33 39 45 51 57	(-5n + 12)/3
5 11 17 29 35 41 47 59	-n + 2
7 13 19 25 37 43 49 55	-n
12 32 52	(3n + 4)/5
23	(n - 3)/5
31	(n + 19)/5
53	(n + 17)/5

The elements returned by this method are obtained by multiplying class shifts (see [ClassShift \(2.2.2\)](#)), class reflections (see [ClassReflection \(2.2.3\)](#)) and class transpositions (see [ClassTransposition \(2.2.4\)](#)). These factors are stored as an attribute value:

Example

```
gap> Perform(FactorizationIntoGenerators(elm),Display);
```

Rcwa mapping of \mathbb{Z} with modulus 6

$n \bmod 6$	n^f
0 2 4	$3n + 5$
1 3	n
5	$(n - 5)/3$

Rcwa mapping of \mathbb{Z} with modulus 6

$n \bmod 6$	n^f
0 2 4	$3n + 3$
1 5	n
3	$(n - 3)/3$

Rcwa mapping of \mathbb{Z} with modulus 10

$n \bmod 10$	n^f
0 2 4 6 8	$5n + 1$
1	$(n - 1)/5$
3 5 7 9	n

Rcwa mapping of \mathbb{Z} with modulus 4

$n \bmod 4$	n^f
0 1 3	n
2	$n + 4$

Rcwa mapping of \mathbb{Z} : $n \rightarrow -n$

Rcwa mapping of \mathbb{Z} with modulus 2

$n \bmod 2$	n^f
0	$-n$
1	n

Another possible way to get an rcwa group is by taking the image of an rcwa representation, or by “translating” a permutation group:

3.1.3 IsomorphismRcwaGroup (G)

◇ IsomorphismRcwaGroup(G) (attribute)

◇ RcwaGroupByPermGroup(G) (function)

Returns: A monomorphism from the finite group G to $\text{RCWA}(\mathbb{Z})$, resp. an rcwa group over \mathbb{Z} , which is isomorphic to the (finite) permutation group G , and acts on the range $[1.. \text{LargestMovedPoint}(G)]$ as G does.

Example

```
gap> G := GL(2,5);;
gap> IsomorphismRcwaGroup(G);
CompositionMapping(
[ (2,3,5,8) (4,7,12,18) (6,10,17,22) (9,15,21,24) (13,14,19,23),
  (1,2,4) (3,6,11) (5,9,16) (7,13,12) (8,14,20) (10,18,17) (15,22,21) (19,24,23)
] -> [ <rcwa mapping of Z with modulus 24>, <rcwa mapping of Z with modulus
      24> ], <action isomorphism> )
gap> H := RcwaGroupByPermGroup(Group((1,2), (3,4), (5,6), (7,8),
>                                     (1,3) (2,4), (1,3,5,7) (2,4,6,8)));
<rcwa group over Z with 6 generators>
gap> Size(H);; List(DerivedSeries(H),Size);
[ 384, 96, 32, 2, 1 ]
```

3.2 Attributes and properties of rcwa groups

3.2.1 Modulus (G)

◇ Modulus(G) (method)

◇ Mod(G) (method)

Returns: The modulus of the rcwa group G .

The *Modulus* of an rcwa group is the lcm of the moduli of its elements in case such an lcm exists and 0 otherwise.

See also IsTame (3.2.2).

Example

```
gap> Modulus(Group(g,h));
27
gap> g1 := RcwaMapping((1,2), [1..2]);
<rcwa mapping of Z with modulus 2>
gap> g2 := RcwaMapping((1,2,3), [1..3]);
<rcwa mapping of Z with modulus 3>
gap> g3 := RcwaMapping((1,2,3,4,5), [1..5]);
<rcwa mapping of Z with modulus 5>
```

Example

```

gap> G := Group(g1,g2,g3);
<rcwa group over Z with 3 generators>
gap> Modulus(G);
30
gap> a := RcwaMapping([[3,0,2],[3,1,4],[3,0,2],[3,-1,4]]);; SetName(a,"a");
gap> b := ClassShift(1,4)*a;; SetName(b,"b");
gap> c := ClassShift(3,4)*a;; SetName(c,"c");
gap> Modulus(Group(a,b));
0

```

3.2.2 IsTame (G)

◇ IsTame (G)

(property)

Returns: true if the rcwa group G is tame and false otherwise.

An rcwa group is called *tame* if its modulus is not equal to 0.

Example

```

gap> IsTame(G);
true
gap> IsTame(Group(a,b));
false
gap> IsTame(Group(Comm(a,b),Comm(a,c)));
true

```

3.2.3 PrimeSet (G)

◇ PrimeSet (G)

(operation)

Returns: The prime set of the rcwa group G .

The *prime set* of an rcwa group is the union of the prime sets of its elements. See also PrimeSet (2.6.3) for rcwa mappings.

Example

```

gap> [ PrimeSet(G), PrimeSet(H) ];
[ [ 2, 3, 5 ], [ 2 ] ]

```

An rcwa group is called integral resp. class-wise order-preserving if all of its elements are so. There are corresponding methods available for IsIntegral and IsClassWiseOrderPreserving.

3.3 Membership testing, order computation, permutation- / matrix representations

3.3.1 $\backslash \text{in}(g, G)$

◇ $\backslash \text{in}(g, G)$

(method)

Returns: true if the rcwa mapping g is an element of the rcwa group G and false if not.

Tries to figure out whether g is an element of G or not. This will be successful if G is tame and class-wise order-preserving. For wild groups only a number of easy cases are covered. On $\text{InfoLevel}(\text{InfoRCWA}) = 3$ the method will give information about reasons why g is an element of G or not.

Example

```
gap> u := RcwaMapping([[3,0,5],[9,1,5],[3,-1,5],[9,-2,5],[9,4,5]]);
gap> u in H;
false
```

3.3.2 Size(G)

◇ Size(G)

(method)

Returns: The order of the rcwa group G .

Example

```
gap> Size(G);
265252859812191058636308480000000
```

3.3.3 IsomorphismPermGroup(G)

◇ IsomorphismPermGroup(G)

(method)

Returns: An isomorphism from the finite rcwa group G to some permutation group.

Example

```
gap> H := Group(g1,g2);
<rcwa group over Z with 2 generators>
gap> phi := IsomorphismPermGroup(H);
[ <bijective rcwa mapping of Z with modulus 2, of order 2>,
  <bijective rcwa mapping of Z with modulus 3, of order 3> ] ->
[ (1,2)(3,4)(5,6), (1,2,3)(4,5,6) ]
```

3.3.4 IsomorphismMatrixGroup (G)

◇ IsomorphismMatrixGroup(G)

(attribute)

Returns: An isomorphism from the rcwa group G to some matrix group.

Currently, there is only a method installed which works for tame rcwa groups.

Example

```
gap> g := RcwaMapping([[2,2,1],[1, 4,1],[1,0,2],[2,2,1],[1,-4,1],[1,-2,1]]);;
gap> h := RcwaMapping([[2,2,1],[1,-2,1],[1,0,2],[2,2,1],[1,-1,1],[1, 1,1]]);;
gap> SetName(g,"g"); SetName(h,"h");
gap> G := Group(g,h);
<rcwa group over Z with 2 generators>
gap> phi := IsomorphismMatrixGroup(G);;
gap> FieldOfMatrixGroup(Image(phi));
Rationals
gap> DegreeOfMatrixGroup(Image(phi));
28
gap> List(GeneratorsOfGroup(Image(phi)),Order);
[ 7, 12 ]
gap> Display(GeneratorsOfGroup(Image(phi))[1]*One(GF(5)));
. . . . . 1 1 . . . . .
. . . . . 1 . . . . .
. . . . . . . . . . 3 . . . . .
. . . . . . . . . . 1 . . . . .
. . . . . 1 3 . . . . .
. . . . . 1 . . . . .
. . . . . . . . . . 3 . . . . .
. . . . . . . . . . 1 . . . . .
. . 1 4 . . . . .
. . . 1 . . . . .
. . . . . 1 1 . . . . .
. . . . . 1 . . . . .
. . . . . . . . . . 3 . . . . .
. . . . . . . . . . 1 . . . . .
. . . . . 1 3 . . . . .
. . . . . 1 . . . . .
. . . . . . . . . . 3 . . . . .
. . . . . . . . . . 1 . . . . .
. . . . . 1 4 . . . . .
. . . . . 1 . . . . .
2 2 . . . . .
. 1 . . . . .
. . . 2 2 . . . . .
. . . . 1 . . . . .
. . . . . 2 2 . . . . .
. . . . . 1 . . . . .
. . . . . 2 2 . . . . .
. . . . . 1 . . . . .
```

3.4 Factoring elements into generators

3.4.1 PreImagesRepresentative (phi, g)

◇ PreImagesRepresentative(phi, g) (method)

Returns: A representative of the set of preimages of g under the homomorphism ϕ from a free group to an rcwa group over \mathbb{Z} .

This method can be used for factoring elements of rcwa groups over \mathbb{Z} into generators, and for finding non-trivial relations among the generators if the respective group is not free and the method returns a factorization which does not happen to be equal to one which is known a priori. The homomorphism ϕ must map the generators of the free group to the generators of the rcwa group one-by-one. This method is also suitable for wild groups. The implementation is based on RepresentativeActionPreImage (3.5.3).

Example

```
gap> G := Group(g,h);
<rcwa group over Z with 2 generators>
gap> phi := EpimorphismFromFreeGroup(G);
[ g, h ] -> [ g, h ]
gap> PreImagesRepresentative(phi,h*g^3*h^2*g^-1*h*g*h^-3);
h*g^3*h^2*g^-1*h*g*h^-3
gap> nu := RcwaMapping([[1,1,1]]);
Rcwa mapping of Z: n -> n + 1
gap> SetName(nu,"nu");
gap> G := Group(a,nu);
<rcwa group over Z with 2 generators>
gap> IsTame(G);
false
gap> phi := EpimorphismFromFreeGroup(G);
[ a, nu ] -> [ a, nu ]
gap> F := Source(phi);
<free group on the generators [ a, nu ]>
gap> w := Comm(F.1,Comm(F.1,F.2^2));
a^-1*nu^-2*a^-1*nu^2*a*nu^-2*a*nu^2
gap> f := w^phi;
<bijective rcwa mapping of Z with modulus 18>
gap> IsTame(f);
false
gap> pre := PreImagesRepresentative(phi,f);
a^-2*nu^-2*a^2*nu^2
gap> one := w*pre^-1; # pre <> w --> We have a non-trivial relation!
a^-1*nu^-2*a^-1*nu^2*a*nu^-2*a^-1*nu^2*a^2
gap> one^phi;
IdentityMapping( Integers )
```

3.4.2 PreImagesRepresentatives (phi, g)

◇ `PreImagesRepresentatives(phi, g)` (operation)

Returns: A list of representatives of the set of preimages of g under the homomorphism ϕ from a free group to an rcwa group over \mathbb{Z} .

Quite frequently, computing several preimages is not harder than computing just one, i.e. often several preimages are found simultaneously. This operation is called by `PreImagesRepresentative` (3.4.1), which simply chooses the shortest representative – for a slightly more concise description see there.

Example

```
gap> G := Group(g,h);
<rcwa group over Z with 2 generators>
gap> phi := EpimorphismFromFreeGroup(G);
[ g, h ] -> [ g, h ]
gap> f := g^3*h*g^-4*h^5*g;
<bijjective rcwa mapping of Z with modulus 12>
gap> RCWAInfo(2);
gap> pre := PreImagesRepresentatives(phi,f);
#I Orbit lengths after extension step 1: [ 4, 5 ]
#I |Candidates| = 1
#I Orbit lengths after extension step 1: [ 5, 5 ]
#I Orbit lengths after extension step 2: [ 17, 15 ]
#I Orbit lengths after extension step 3: [ 52, 39 ]
#I |Candidates| = 1
#I Orbit lengths after extension step 1: [ 5, 5 ]
#I Orbit lengths after extension step 2: [ 17, 15 ]
#I Orbit lengths after extension step 3: [ 53, 43 ]
#I Orbit lengths after extension step 4: [ 158, 119 ]
#I |Candidates| = 1
#I Orbit lengths after extension step 1: [ 5, 5 ]
#I Orbit lengths after extension step 2: [ 17, 17 ]
#I Orbit lengths after extension step 3: [ 53, 53 ]
#I Orbit lengths after extension step 4: [ 159, 158 ]
#I Orbit lengths after extension step 5: [ 472, 462 ]
#I Orbit lengths after extension step 6: [ 1356, 1309 ]
#I Orbit lengths after extension step 7: [ 3822, 3643 ]
#I |Candidates| = 11
[ g^3*h*g^3*h^5*g, g^-3*h^-4*g^-3*h^-1*g*h*g, g^3*h*g^-4*h^5*g ]
gap> RCWAInfo(0);
gap> List(pre,Length);
[ 13, 14, 14 ]
gap> Set(List(pre,w->w^phi)) = [f];
true
gap> w := pre[1]*pre[2]^-1;
g^3*h*g^3*h^4*g^-1*h*g^3*h^4*g^3
gap> Length(w);
23
gap> w^phi; # A relation of length 23.
IdentityMapping( Integers )
```

3.5 The action of an rcwa group on the underlying ring R

The support (set of moved points) of an rcwa group can be determined by `MovedPoints`.

In some cases – in particular in the case that the group in question is tame – testing for transitivity on the underlying ring is feasible. Furthermore it is often possible to determine group elements which map a given tuple of elements of the underlying ring to a given other tuple, if such elements exist.

3.5.1 `IsTransitive (G, Integers)`

◇ `IsTransitive (G, Integers)`

(method)

Returns: true if the rcwa group G acts transitively on \mathbb{Z} and false otherwise.

Depending on the particular group this might fail or run into an infinite loop, but for tame groups things should work.

Example

```
gap> G := Group(g,h);
gap> RCWAInfo(3);
gap> IsTransitive(G,Integers);
#I  IsTransitive: testing for finiteness and searching short orbits ...
#I  IsTame: balancedness criterion.
#I  IsTame: 'dead end' criterion.
#I  IsTame: loop criterion.
#I  IsTame: 'finite order or integral power' criterion.

[ ... ]

#I  Order: the 4th power of the argument is RcwaMapping(
[ [ 1, 12, 1 ], [ 1, 12, 1 ], [ 1, -6, 2 ], [ 2, -10, 1 ], [ 1, -7, 1 ],
  [ 2, -8, 1 ], [ 1, 12, 1 ], [ 1, 12, 1 ], [ 1, -10, 2 ], [ 2, -10, 1 ],
  [ 1, -7, 1 ], [ 2, -8, 1 ] ] );
There is a 'class shift' on the residue class 0(12).
#I  Trying probabilistic random walk, initial m = 12
#I  checking modulus ...
#I  Size: use action on respected partition.
#I  KernelOfActionOnRespectedPartition: gen. #1, lng = 1
#I  KernelOfActionOnRespectedPartition: gen. #2, lng = 2

[ ... ]

#I  KernelOfActionOnRespectedPartition: gen. #14, lng = 10
#I  Searching for class shifts ...
#I  ... in generators
#I  ... in commutators of the generators
#I  The cyclic group generated by RcwaMapping(
[ [ 1, -9, 1 ], [ 1, 0, 1 ], [ 1, 6, 1 ], [ 1, -3, 1 ], [ 1, 0, 1 ],
  [ 1, 6, 1 ] ] ) acts transitively on the residue class 2(6).
#I  OrbitUnion: initial set = ResidueClassUnion( Integers, 6, [ 2 ] )
#I  Image = Integers
true
gap> RCWAInfo(0);
```

3.5.2 RepresentativeAction (G, src, dest, act)

◇ RepresentativeAction(G, src, dest, act) (method)

Returns: An element of G which maps src to dest under the action given by act .

If an element satisfying this condition does not exist, this method either returns `fail` or runs into an infinite loop. The problem of whether src and dest lie in the same orbit under the action of G in general seems to be hard. The given method is based on `RepresentativeActionPreImage` (3.5.3), and it basically just computes an image under an homomorphism. As this involves multiplications of rcwa mappings, this can be quite expensive if the group G is wild, the preimage is a rather long word and coefficient explosion happens to occur.

Example

```
gap> G := Group(a,b);
<rcwa group over Z with 2 generators>
gap> elm := RepresentativeAction(G, [7,4,9], [4,5,13], OnTuples);
<bijective rcwa mapping of Z with modulus 12>
gap> Display(elm);
```

Bijjective rcwa mapping of Z with modulus 12

n mod 12		n ^f
0 2 3 6 8 11		n
1 7 10		n - 3
4		n + 1
5 9		n + 4

```
gap> List([7,4,9], n->n^elm);
[ 4, 5, 13 ]
gap> elm := RepresentativeAction(G, [5,4,9], [13,5,4], OnTuples);
<bijective rcwa mapping of Z with modulus 9>
gap> Display(elm);
```

Bijjective rcwa mapping of Z with modulus 9

n mod 9		n ^f
0		4n/9
1		(8n - 26)/9
2		(8n + 2)/9
3		(8n + 3)/9
4		(16n - 19)/9
5		(16n + 37)/9
6		(8n + 33)/9
7		(16n - 49)/9
8		(16n + 7)/9

```
gap> List([5,4,9], n->n^elm);
[ 13, 5, 4 ]
gap> RepresentativeAction(G, [7,4,9], [4,5,8], OnTuples);
<bijective rcwa mapping of Z with modulus 256>
```

3.5.3 RepresentativeActionPreImage (G, src, dest, act, F)

◇ RepresentativeActionPreImage(G, src, dest, act, F) (operation)

Returns: The result of RepresentativeAction(G, src, dest, act) as a word in the generators.

The argument F is a free group to be used to express the resulting word. Note that the dependency is just the other way round than suggested above (RepresentativeAction calls RepresentativeActionPreImage) and that the evaluation of the word sometimes takes much more time than its determination (the latter however depends very much on the particular case and is hard to predict). This causes RepresentativeActionPreImage sometimes to be much faster than RepresentativeAction. The employed algorithm is not inefficient, as the last two of the examples below suggest – it is based on separate progressive computations of the orbits of src and dest until they intersect non-trivially. It avoids multiplying rcwa mappings. Of course the other warnings given in the description of RepresentativeAction (3.5.2) apply to this operation, too.

Example

```
gap> F := FreeGroup("a","b");;
gap> w := RepresentativeActionPreImage(G, [7,4,9], [4,5,13], OnPoints, F);
b^-1*a*b*a^-1
gap> w := RepresentativeActionPreImage(G, [5,4,9], [13,5,4], OnTuples, F);
b^-1*a^-1*b*a^-1
gap> w := RepresentativeActionPreImage(G, [7,4,9], [4,5,8], OnPoints, F);
b^2*a^2
gap> phi := GroupHomomorphismByImages(F, G, [F.1, F.2], [a, b]);
[ a, b ] -> [ a, b ]
gap> w^phi;
<bijjective rcwa mapping of Z with modulus 256>
gap> w^phi = RepresentativeAction(G, [7,4,9], [4,5,8], OnPoints);
true
gap> List([7,4,9], n->n^(w^phi));
[ 4, 5, 8 ]
gap> w := RepresentativeActionPreImage(G, [37,4,9], [4,51,8], OnPoints, F);
a^-1*b^-1*a*b^4*a
gap> w^phi;
<bijjective rcwa mapping of Z with modulus 4608>
gap> w := RepresentativeActionPreImage(G, [37,4,9], [4,51,8], OnTuples, F);
b*a^6*b*a^-3*b^-3*a^-1*b*a^2
gap> w := RepresentativeActionPreImage(G, [17,14,9], [4,51,8], OnPoints, F);
a^-1*b^-1*a^3*b^2*a*b*a*b^-1*a^2
```

3.5.4 RepresentativeAction (RCWA(Integers), P1, P2)

◇ RepresentativeAction(RCWA_Z, P1, P2) (method)

Returns: An element of $\text{RCWA}(\mathbb{Z})$ which maps the partition P1 to P2.

The arguments P1 and P2 must be partitions of the underlying ring R into the same number of disjoint unions of residue classes. The method recognizes the option IsTame – if this option is set, the returned mapping is tame provided that there is a tame mapping satisfying the required condition. If the option IsTame is not set and the partitions P1 and P2 both consist entirely of single residue classes, then the returned mapping is affine on any residue class in P1.

Example

```
gap> rc := function(r,m) return ResidueClass(DefaultRing(m),m,r); end;;
gap> P1 := [rc(0,3),rc(1,3),rc(2,9),rc(5,9),rc(8,9)];
[ 0(3), 1(3), 2(9), 5(9), 8(9) ]
gap> P2 := [rc(0,2),rc(1,8),rc(5,16),rc(3,4),rc(13,16)];
[ 0(2), 1(8), 5(16), 3(4), 13(16) ]
gap> elm := RepresentativeAction(RCWA(Integers),P1,P2);
<rcwa mapping of Z with modulus 9>
gap> Display(elm);
```

Rcwa mapping of Z with modulus 9

n mod 9		n ^f
0 3 6		2n/3
1 4 7		(8n - 5)/3
2		(16n + 13)/9
5		(4n + 7)/9
8		(16n - 11)/9

```
gap> P1^elm = P2;
true
gap> elm := RepresentativeAction(RCWA(Integers),P1,P2:IsTame);
<tame rcwa mapping of Z with modulus 1152>
gap> P := RespectedPartition(elm);;
gap> Length(P);
313
gap> elm := RepresentativeAction(RCWA(Integers),
> [rc(1,3),Union(rc(0,3),rc(2,3))],
> [Union(rc(2,5),rc(4,5)),
> Union(rc(0,5),rc(1,5),rc(3,5))]);
<rcwa mapping of Z with modulus 6>
gap> [rc(1,3),Union(rc(0,3),rc(2,3))]^elm;
[ 2(5) U 4(5), 0(5) U 1(5) U 3(5) ]
```

3.5.5 ShortOrbits (G, S, maxlng)

◇ ShortOrbits(G, S, maxlng)

(operation)

Returns: A list of all finite orbits of the rcwa group G of maximal length maxlng, which intersect non-trivially with the set S.

Example

```
gap> A5 := IntegralRcwaGroupByPermGroup(AlternatingGroup(5));;
gap> ShortOrbits(A5,[-10..10],100);
[ [ -14, -13, -12, -11, -10 ], [ -9, -8, -7, -6, -5 ], [ -4, -3, -2, -1, 0 ],
  [ 1, 2, 3, 4, 5 ], [ 6, 7, 8, 9, 10 ] ]
gap> Action(A5,last[2]);
Group([ (1,2,3,4,5), (3,4,5) ])
```


Example

```
gap> G := Group(Comm(a,b),Comm(a,c));
gap> orb := ShortOrbits(G,[-15..15],100);
[ [ -15, -12, -7, -6, -5, -4, -3, -2, -1, 1 ],
  [ -33, -30, -24, -21, -16, -14, -13, -11, -10, -8 ], [ -9 ], [ 0 ],
  [ 2, 3, 4, 5, 6, 7, 8, 10, 12, 15 ], [ 9 ],
  [ 11, 13, 14, 16, 17, 19, 21, 24, 30, 33 ] ]
gap> Action(G,orb[1]);
Group([ (2,5,8,10,7,6), (1,3,6,9,4,5) ])
gap> ShortOrbits(Group(u),[-30..30],100);
[ [ -13, -8, -7, -5, -4, -3, -2 ], [ -10, -6 ], [ -1 ], [ 0 ], [ 1, 2 ],
  [ 3, 5 ], [ 24, 36, 39, 40, 44, 48, 60, 65, 67, 71, 80, 86, 93, 100, 112,
    128, 138, 155, 167, 187, 230, 248, 312, 446, 520, 803, 867, 1445 ] ]
```

3.5.6 OrbitsModulo (G, m)

◇ OrbitsModulo(G, m)

(method)

Returns: A partition of $[0..m-1]$, such that i and j lie in the same subset if and only if there is an element g of G which moves an element from the residue class $i(m)$ to the residue class $j(m)$.

The argument G must be an rcwa group over \mathbb{Z} . See also OrbitsModulo (2.8.2) for rcwa mappings.

Example

```
gap> OrbitsModulo(G,36);
[ [ 0 ], [ 1, 11, 13, 14, 16, 17, 19, 21, 24, 29, 30, 31, 32, 33, 34, 35 ],
  [ 2, 3, 4, 5, 6, 7, 8, 10, 12, 15, 20, 22, 23, 25, 26, 28 ], [ 9 ], [ 18 ],
  [ 27 ] ]
```

3.6 Conjugacy in RCWA(R)

3.6.1 IsConjugate (RCWA(Integers), f, g)

◇ IsConjugate(RCWA_Z, f, g)

(method)

Returns: true if the bijective rcwa mappings f and g are conjugate in $\text{RCWA}(\mathbb{Z})$, and false otherwise.

This may fail or run into an infinite loop. In particular the support for wild rcwa mappings is currently very poor, since the author does not know a way to solve the conjugacy problem for these. Some easy cases are handled anyway.

Example

```
gap> IsConjugate(RCWA(Integers),g,h);
false
gap> IsConjugate(RCWA(Integers),g,g^a);
true
gap> IsConjugate(RCWA(Integers),a,b);
false
```

3.6.2 RepresentativeAction (RCWA(Integers), f, g)

◇ RepresentativeAction(RCWA_Z, f, g) (method)

Returns: An rcwa mapping x such that $f^x = g$, if such an x exists and fail otherwise.

This method currently works only for tame rcwa mappings of \mathbb{Z} , since the author does not know a way to solve the conjugacy problem for wild rcwa mappings.

Example

```
gap> elm := RepresentativeAction(RCWA(Integers),h,h^g);
<bijective rcwa mapping of Z with modulus 24>
gap> h^elm = h^g; # check ...
true
gap> Order(elm);
10
gap> cent := g*elm^-1;
<bijective rcwa mapping of Z with modulus 24>
gap> Comm(cent,h); # cent must lie in the centralizer of h in RCWA(Z)
IdentityMapping( Integers )
gap> Order(cent);
12
gap> Display(cent);
```

Bijective rcwa mapping of Z with modulus 24, of order 12

n mod 24		n ^f
0 4 10 12 16 22		n - 1
1 13		2n
2		(n - 2)/2
3 9 15 21		2n + 2
5 6 7 14 17 18 19		n
8 20		n/2
11 23		n + 2

3.6.3 ShortCycles (f, maxlmg)

◇ ShortCycles(f, maxlmg) (operation)

Returns: All “single” finite cycles of the rcwa mapping f of length at most maxlmg .

In this context, “single” finite cycles are finite cycles not belonging to an infinite series, i.e. there is no constant m such that adding any multiple of m to the elements of the cycle always yields a new cycle.

Since GAP-permutations cannot move negative integers, rationals or even polynomials, the cycles are returned as lists. For example, the list $[-3, 1, 2, -2]$ denotes the cycle $(-3, 1, 2, -2)$. Mappings having different sets of finite cycle lengths are obviously not conjugate in $\text{RCWA}(R)$.

Example

```
gap> ShortCycles(a,5);
[ [ 0 ], [ 1 ], [ -1 ], [ 2, 3 ], [ -3, -2 ], [ 4, 6, 9, 7, 5 ],
  [ -9, -7, -5, -4, -6 ] ]
gap> ShortCycles(u,2);
[ [ 0 ], [ -1 ], [ 1, 2 ], [ 3, 5 ], [ -10, -6 ] ]
gap> ShortCycles(Comm(a,b),10);
[ ]
gap> ShortCycles(a*b,2);
[ [ 0 ], [ 2 ], [ 3 ], [ -26 ], [ 7 ], [ -3 ], [ -1 ] ]
gap> v := RcwaMapping([[-1,2,1],[1,-1,1],[1,-1,1]]);
gap> w := RcwaMapping([[-1,3,1],[1,-1,1],[1,-1,1],[1,-1,1]]);
gap> List( [ v, w ], Order );
[ 6, 8 ]
gap> [ ShortCycles(v,10), ShortCycles(w,10) ];
[ [ [ 0, 2, 1 ] ], [ [ 0, 3, 2, 1 ] ] ]
```

3.6.4 NrConjugacyClassesOfRCWAZOfOrder (ord)

◇ NrConjugacyClassesOfRCWAZOfOrder(ord)

(function)

Returns: The number of conjugacy classes of RCWA(\mathbb{Z}) of elements of order ord.

Example

```
gap> NrConjugacyClassesOfRCWAZOfOrder(2);
infinity
gap> NrConjugacyClassesOfRCWAZOfOrder(105);
218
```

3.7 Restriction and induction

3.7.1 Restriction (g, f)

◇ Restriction(g, f)

(operation)

Returns: The *restriction* of the rcwa mapping g by the injective rcwa mapping f .

By definition, the restriction g_f of the rcwa mapping g by the injective rcwa mapping f is the uniquely determined rcwa mapping which satisfies $f \cdot g_f = g \cdot f$ and fixes the complement of the image of f pointwise. If f is bijective, the restriction of g by f is just the conjugate of g by f . See also Restriction (3.7.2) for rcwa groups.

Example

```
gap> Comm(Restriction(a,RcwaMapping([[2,0,1]])),
>         Restriction(u,RcwaMapping([[2,1,1]])));
IdentityMapping( Integers )
```

3.7.2 Restriction (G, f)

◇ `Restriction(G, f)`

(operation)

Returns: The *restriction* of the rcwa group G by the injective rcwa mapping f .

By definition, the restriction of the rcwa group G by the injective rcwa mapping f consists of the restrictions of its elements by f . The restriction of G by f acts on the image of f and fixes its complement pointwise.

Example

```
gap> G := Restriction(Group(a,b),RcwaMapping([[5,3,1]]));
<rcwa group over Z with 2 generators>
gap> MovedPoints(G);
3(5) \ [ -2, 3 ]
```

3.7.3 Induction (g, f)

◇ `Induction(g, f)`

(operation)

◇ `Induction(G, f)`

(operation)

Returns: The *induction* of the rcwa mapping g resp. the rcwa group G by the injective rcwa mapping f .

By definition, induction is the right inverse of restriction. This means that we always have $\text{Induction}(\text{Restriction}(g, f), f) = g$, resp. $\text{Induction}(\text{Restriction}(G, f), f) = G$. The mapping g resp. the group G must not move points outside the image of f .

Example

```
gap> Induction(G,RcwaMapping([[5,3,1]])) = Group(a,b);
true
```

Restriction monomorphisms permit forming direct products of any rcwa groups (regardless of whether they are tame or not):

3.7.4 DirectProduct (G1, G2, ...)

◇ `DirectProduct(G1, G2, ...)`

(operation)

Returns: The direct product of the rcwa groups over \mathbb{Z} given as arguments.

As there is no unique or canonical way to embed a direct product of rcwa groups into $\text{RCWA}(\mathbb{Z})$, this method may choose any such embedding.

Example

```
gap> G := DirectProduct(Group(g,h),Group(a,b),Group(u));
gap> Embedding(G,1);
[ g, h ] -> [ <bijective rcwa mapping of Z with modulus 18, of order 7>,
  <bijective rcwa mapping of Z with modulus 18, of order 12> ]
gap> List([1..3],i->MovedPoints(Image(Embedding(G,i)))));
[ 0(3), 1(3) \ [ -2, 1 ], 2(3) \ [ -1, 2 ] ]
gap> Image(Projection(G,2)) = Group(a,b);
true
```

3.8 Special attributes for tame rcwa groups

There is a couple of attributes which a priori make only sense for tame rcwa groups. In the sequel, these attributes are described in detail.

With their help, various structural information about a given tame rcwa group can be obtained. For example, there are methods for `IsSolvable` and `IsPerfect` available for tame rcwa groups (the latter works in some cases by other means also for wild groups). Often it is also feasible to compute the derived subgroup of a tame rcwa group.

3.8.1 RespectedPartition (G)

◇ `RespectedPartition(G)` (attribute)

◇ `RespectedPartition(sigma)` (attribute)

Returns: A *respected partition* of G resp. σ .

This is a partition of the base ring R into a finite number of residue classes which the group G resp. the permutation σ acts on, and on those elements all elements of G resp. the group generated by σ are affine.

In the author's thesis it is shown that such a partition exists if and only if G resp. σ is tame (see Theorem 2.5.8).

Example

```
gap> G := Group(g,h);
gap> Size(G);
infinity
gap> P := RespectedPartition(G);
[ 0(12), 1(12), 3(12), 4(12), 5(12), 6(12), 7(12), 9(12), 10(12), 11(12),
  2(24), 8(24), 14(24), 20(24) ]
gap> Permutation(g,P);
(1,11,2,5,3,12,4) (6,13,7,10,8,14,9)
```

3.8.2 ActionOnRespectedPartition (G)

◇ `ActionOnRespectedPartition(G)` (attribute)

Returns: The action of the tame rcwa group G on `RespectedPartition(G)`.

Example

```
gap> H := ActionOnRespectedPartition(G);
Group([ (1,11,2,5,3,12,4) (6,13,7,10,8,14,9), (1,11,2,10) (3,12,4) (5,6,13,7) (8,
  14,9) ])
gap> H = Action(G,P);
true
gap> [ Size(H), Size(DerivedSubgroup(H)), IsPerfect(DerivedSubgroup(H)) ];
[ 322560, 161280, true ]
```

3.8.3 IntegralConjugate (G)

◇ IntegralConjugate(G) (attribute)

◇ IntegralConjugate(f) (attribute)

Returns: Some integral conjugate of the tame rcwa group G resp. of the tame bijective rcwa mapping f in the group $\text{RCWA}(\mathbb{Z})$.

In the author's thesis it is shown that such a representative exists (see Theorem 2.5.14). Since there is usually not only one such mapping, methods for this operation will just choose one of them.

Example

```
gap> Print(LaTeXObj(IntegralConjugate(g)));
n \ \longmapsto \
\begin{cases}
n + 10 & \& \text{if} \ n \in 0(14), \\
n + 3 & \& \text{if} \ n \in 1(14) \cup 6(14), \\
n + 9 & \& \text{if} \ n \in 2(14), \\
n - 3 & \& \text{if} \ n \in 3(14) \cup 8(14), \\
n - 2 & \& \text{if} \ n \in 4(14) \cup 9(14), \\
n + 7 & \& \text{if} \ n \in 5(14), \\
n + 6 & \& \text{if} \ n \in 7(14), \\
n - 9 & \& \text{if} \ n \in 10(14), \\
n - 8 & \& \text{if} \ n \in 11(14), \\
n - 6 & \& \text{if} \ n \in 12(14), \\
n - 5 & \& \text{if} \ n \in 13(14).
\end{cases}
```

3.8.4 IntegralizingConjugator (G)

◇ IntegralizingConjugator(G) (attribute)

◇ IntegralizingConjugator(f) (attribute)

Returns: An rcwa mapping mapping x such that G^x resp. f^x is integral.

This is of course not defined uniquely, but it holds that $G^{\text{IntegralizingConjugator}(G)} = \text{IntegralConjugate}(G)$ resp. $f^{\text{IntegralizingConjugator}(f)} = \text{IntegralConjugate}(f)$.

Example

```
gap> Print(LaTeXObj(IntegralizingConjugator(g)));
n \ \longmapsto \
\begin{cases}
\frac{7n}{6} & \& \text{if} \ n \in 0(12), \\
\frac{7n - 1}{6} & \& \text{if} \ n \in 1(12), \\
\frac{7n + 106}{12} & \& \text{if} \ n \in 2(24), \\
\frac{7n - 9}{6} & \& \text{if} \ n \in 3(12), \\
\frac{7n - 10}{6} & \& \text{if} \ n \in 4(12), \\
\frac{7n - 11}{6} & \& \text{if} \ n \in 5(12), \\
\frac{7n - 12}{6} & \& \text{if} \ n \in 6(12), \\
\frac{7n - 13}{6} & \& \text{if} \ n \in 7(12), \\
\frac{7n + 76}{12} & \& \text{if} \ n \in 8(24), \\
\frac{7n - 21}{6} & \& \text{if} \ n \in 9(12), \\
\frac{7n - 22}{6} & \& \text{if} \ n \in 10(12), \\
\frac{7n - 23}{6} & \& \text{if} \ n \in 11(12),
\end{cases}
```

```

\frac{7n + 46}{12} & \text{if } n \in 14(24), \\
\frac{7n + 16}{12} & \text{if } n \in 20(24).
\end{cases}

```

3.9 The categories and families of rcwa groups

3.9.1 IsRcwaGroup (G)

◇ IsRcwaGroup(G) (filter)

◇ IsIntegralRcwaGroup(G) (filter)

◇ IsSemilocalIntegralRcwaGroup(G) (filter)

◇ IsModularRcwaGroup(G) (filter)

Returns: true if G is an rcwa group resp. an rcwa group over the ring of integers resp. an rcwa group over a semilocalization of the ring of integers resp. an rcwa group over a polynomial ring in one variable over a finite field, and false otherwise.

3.9.2 IntegralRcwaGroupsFamily

◇ IntegralRcwaGroupsFamily (family)

The family of all rcwa groups over the ring of integers.

Chapter 4

Examples

This chapter lists some “nice” examples of rcwa mappings and -groups. The rcwa mappings mentioned in this chapter can be found in the file `pkg/rcwa/examples/examples.g`, so there is no need to extract them from the manual files. This file can be read into the current GAP session by issuing `RCWALoadExamples();`.

4.1 Factoring Collatz’ permutation of the integers

In 1932, Lothar Collatz mentioned in his notebook the following permutation of the integers:

Example

```
gap> Collatz := RcwaMapping([[2,0,3],[4,-1,3],[4,1,3]]);;
gap> SetName(Collatz,"Collatz");
gap> Display(Collatz);
```

Rcwa mapping of \mathbb{Z} with modulus 3

$n \bmod 3$	n^{Collatz}
0	$2n/3$
1	$(4n - 1)/3$
2	$(4n + 1)/3$

This permutation has a few finite cycles, but its cycle structure has not been determined yet. In particular it is not known whether the cycle containing 8 is finite or infinite.

Example

```
gap> List(ShortOrbits(Group(Collatz),[-100..100],100),
> orb->Cycle(Collatz,Minimum(orb)));
[ [-111, -74, -99, -66, -44, -59, -79, -105, -70, -93, -62, -83 ],
  [-9, -6, -4, -5, -7 ], [-3, -2 ], [-1 ], [ 0 ], [ 1 ], [ 2, 3 ],
  [ 4, 5, 7, 9, 6 ], [ 44, 59, 79, 105, 70, 93, 62, 83, 111, 74, 99, 66 ] ]
gap> List(last,Length);
[ 12, 5, 2, 1, 1, 1, 2, 5, 12 ]
```


Nevertheless, the factorization routine included in this package can determine a factorization of this permutation into involutions interchanging two disjoint residue classes, each (for reasons of saving a bit space in this manual, we factor the inverse mapping instead and revert the list afterwards):

Example

```
gap> RCWAInfo(2); # Switch Info output on.
gap> Reversed(FactorizationIntoGenerators(Collatz^-1:ExpandPrimeSwitches));
#I Modulus(<g>) = 4, Multiplier(<g>) = 3, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 16, Multiplier(<g>) = 3, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 6, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 12
#I p = 3, kmult = 1, kdiv = 1
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 3(6), 5(12), 7(12), 8(12), 0(48) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 6(8) ]
#I Found 5 pairs.
#I After filtering and splitting: 5 pairs.
#I Dividing by ClassTransposition(3,6,6,8) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,5,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,7,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,8,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,0,48) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 6, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 12
#I p = 3, kmult = 1, kdiv = 1
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 7(12), 8(12), 0(96) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 6(8) ]
#I Found 3 pairs.
#I After filtering and splitting: 3 pairs.
#I Dividing by ClassTransposition(6,8,7,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,8,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,8,0,96) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 12, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 24, Divisor(<g>) = 12
#I p = 3, kmult = 1, kdiv = 1
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 7(12), 0(192) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 2(4) ]
```

```

#I Found 2 pairs.
#I After filtering and splitting: 2 pairs.
#I Dividing by ClassTransposition(2,4,7,12) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 24, Divisor(<g>) = 4
#I Dividing by ClassTransposition(2,4,0,192) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 24, Divisor(<g>) = 4
#I Dividing by PrimeSwitch(3) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 48, Divisor(<g>) = 12
#I p = 3, kmult = 1, kdiv = 1
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 0(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 2(4) ]
#I Found 1 pairs.
#I After filtering and splitting: 1 pairs.
#I Dividing by ClassTransposition(2,4,0,384) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 128, Divisor(<g>) = 4
#I p = 2, kmult = 7, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 384(1536) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 2(4), 3(6), 1(12), 11(12) ]
#I Found 3 pairs.
#I After filtering and splitting: 5 pairs.
#I Dividing by ClassTransposition(2,12,384,1536) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 32, Divisor(<g>) = 4
#I Dividing by ClassTransposition(1,12,384,1536) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 32, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,12,384,1536) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 32, Divisor(<g>) = 4
#I Dividing by ClassTransposition(10,12,384,1536) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 32, Divisor(<g>) = 4
#I Dividing by ClassTransposition(11,12,384,1536) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 32, Divisor(<g>) = 4
#I p = 2, kmult = 5, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 0(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 3(6), 1(12), 6(12), 10(12), 11(12) ]
#I Found 4 pairs.
#I After filtering and splitting: 4 pairs.
#I Dividing by ClassTransposition(1,12,0,384) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I Dividing by ClassTransposition(6,12,0,384) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I Dividing by ClassTransposition(10,12,0,384) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I Dividing by ClassTransposition(11,12,0,384) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I p = 2, kmult = 4, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 48(192), 192(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :

```

```

#I [ 3(6), 6(12), 10(12), 11(12) ]
#I Found 3 pairs.
#I After filtering and splitting: 3 pairs.
#I Dividing by ClassTransposition(6,12,48,192) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I Dividing by ClassTransposition(10,12,48,192) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I Dividing by ClassTransposition(11,12,48,192) from the right.
#I Modulus(<g>) = 48, Multiplier(<g>) = 16, Divisor(<g>) = 4
#I p = 2, kmult = 4, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 192(384) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 3(6), 10(12), 11(12) ]
#I Splitting classes being divided by  $q \cdot p^{\text{kdiv}}$ .
#I Found 4 pairs.
#I After filtering and splitting: 4 pairs.
#I Dividing by ClassTransposition(10,24,192,384) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 8, Divisor(<g>) = 4
#I Dividing by ClassTransposition(11,24,192,384) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 8, Divisor(<g>) = 4
#I Dividing by ClassTransposition(22,24,192,384) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 8, Divisor(<g>) = 4
#I Dividing by ClassTransposition(23,24,192,384) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 8, Divisor(<g>) = 4
#I p = 2, kmult = 3, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 72(96), 96(192), 0(384) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 3(6), 11(12), 22(24) ]
#I Found 2 pairs.
#I After filtering and splitting: 2 pairs.
#I Dividing by ClassTransposition(11,12,72,96) from the right.
#I Dividing by ClassTransposition(22,24,96,192) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 8, Divisor(<g>) = 4
#I p = 2, kmult = 3, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{\text{kmult}}$ :
#I [ 0(384) ]
#I Image of classes being divided by  $q \cdot p^{\text{kdiv}}$ :
#I [ 3(6) ]
#I Splitting classes being divided by  $q \cdot p^{\text{kdiv}}$ .
#I Splitting classes being divided by  $q \cdot p^{\text{kdiv}}$ .
#I Splitting classes being divided by  $q \cdot p^{\text{kdiv}}$ .
#I Found 8 pairs.
#I After filtering and splitting: 8 pairs.
#I Dividing by ClassTransposition(3,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(9,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(15,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(21,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4

```

```

#I Dividing by ClassTransposition(27,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(33,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(39,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I Dividing by ClassTransposition(45,48,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I p = 2, kmult = 2, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 44(48), 48(96), 192(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 9(12), 15(24), 27(48) ]
#I Found 2 pairs.
#I After filtering and splitting: 2 pairs.
#I Dividing by ClassTransposition(9,12,44,48) from the right.
#I Dividing by ClassTransposition(15,24,48,96) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 4, Divisor(<g>) = 4
#I p = 2, kmult = 2, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 192(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 27(48) ]
#I Splitting classes being divided by  $q \cdot p^{kdiv}$ .
#I Found 2 pairs.
#I After filtering and splitting: 2 pairs.
#I Dividing by ClassTransposition(27,96,192,384) from the right.
#I Modulus(<g>) = 384, Multiplier(<g>) = 2, Divisor(<g>) = 4
#I Dividing by ClassTransposition(75,96,192,384) from the right.
#I Modulus(<g>) = 384, Multiplier(<g>) = 2, Divisor(<g>) = 4
#I p = 2, kmult = 1, kdiv = 2
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 4(24), 17(24), 24(48), 96(192), 0(384) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 75(96) ]
#I Found 1 pairs.
#I After filtering and splitting: 1 pairs.
#I Dividing by ClassTransposition(75,96,0,384) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I p = 2, kmult = 1, kdiv = 1
#I Image of classes being multiplied by  $q \cdot p^{kmult}$ :
#I [ 4(24), 17(24), 24(48), 96(192) ]
#I Image of classes being divided by  $q \cdot p^{kdiv}$ :
#I [ 7(12), 5(24), 12(24), 16(24), 75(96) ]
#I Found 6 pairs.
#I After filtering and splitting: 6 pairs.
#I Dividing by ClassTransposition(7,12,4,24) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I Dividing by ClassTransposition(7,12,17,24) from the right.
#I Dividing by ClassTransposition(5,24,24,48) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I Dividing by ClassTransposition(12,24,24,48) from the right.
#I Modulus(<g>) = 192, Multiplier(<g>) = 2, Divisor(<g>) = 2

```

```

#I Dividing by ClassTransposition(16,24,24,48) from the right.
#I Dividing by ClassTransposition(75,96,96,192) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I p = 2, kmult = 1, kdiv = 1
#I Image of classes being multiplied by q*p^kmult:
#I [ 17(24) ]
#I Image of classes being divided by q*p^kdiv:
#I [ 12(24), 16(24) ]
#I Splitting classes being multiplied by q*p^kmult.
#I Found 4 pairs.
#I After filtering and splitting: 4 pairs.
#I Dividing by ClassTransposition(12,24,17,48) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I Dividing by ClassTransposition(16,24,17,48) from the right.
#I Dividing by ClassTransposition(12,24,41,48) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 2, Divisor(<g>) = 2
#I Dividing by ClassTransposition(16,24,41,48) from the right.
#I Modulus(<g>) = 96, Multiplier(<g>) = 1, Divisor(<g>) = 1
#I Determining largest sources of affine mappings.
#I Computing respected partition.
#I Computing induced permutation on respected partition
[ 12(24), 14(24), 18(24), 13(48), 22(48), 23(48), 28(48), 31(48), 32(48),
  33(48), 34(48), 35(48), 39(48), 44(48), 45(48), 0(96), 1(96), 2(96), 3(96),
  4(96), 5(96), 6(96), 7(96), 8(96), 9(96), 10(96), 11(96), 15(96), 16(96),
  17(96), 19(96), 20(96), 21(96), 24(96), 25(96), 26(96), 27(96), 29(96),
  30(96), 37(96), 40(96), 41(96), 43(96), 46(96), 47(96), 48(96), 49(96),
  50(96), 51(96), 52(96), 53(96), 54(96), 55(96), 56(96), 57(96), 58(96),
  59(96), 63(96), 64(96), 65(96), 67(96), 68(96), 69(96), 72(96), 73(96),
  74(96), 75(96), 77(96), 78(96), 85(96), 88(96), 89(96), 91(96), 94(96),
  95(96) ].
#I Factoring the rest into class shifts.
#I Checking the result.
[ ClassTransposition(4,6,7,12), ClassTransposition(2,6,1,12),
  ClassTransposition(2,4,5,6), ClassTransposition(0,4,1,6),
  ClassTransposition(5,6,4,8), ClassTransposition(1,6,0,8),
  ClassTransposition(4,6,7,12), ClassTransposition(2,6,1,12),
  ClassTransposition(2,4,5,6), ClassTransposition(0,4,1,6),
  ClassTransposition(5,6,4,8), ClassTransposition(1,6,0,8),
  ClassTransposition(4,6,7,12), ClassTransposition(2,6,1,12),
  ClassTransposition(2,4,5,6), ClassTransposition(0,4,1,6),
  ClassTransposition(5,6,4,8), ClassTransposition(1,6,0,8),
  ClassTransposition(3,6,6,8), ClassTransposition(6,8,5,12),
  ClassTransposition(6,8,7,12), ClassTransposition(6,8,8,12),
  ClassTransposition(6,8,0,48), ClassTransposition(4,6,7,12),
  ClassTransposition(2,6,1,12), ClassTransposition(2,4,5,6),
  ClassTransposition(0,4,1,6), ClassTransposition(5,6,4,8),
  ClassTransposition(1,6,0,8), ClassTransposition(6,8,7,12),
  ClassTransposition(6,8,8,12), ClassTransposition(6,8,0,96),
  ClassTransposition(4,6,7,12), ClassTransposition(2,6,1,12),
  ClassTransposition(2,4,5,6), ClassTransposition(0,4,1,6),
  ClassTransposition(5,6,4,8), ClassTransposition(1,6,0,8),
  ClassTransposition(2,4,7,12), ClassTransposition(2,4,0,192),
  ClassTransposition(4,6,7,12), ClassTransposition(2,6,1,12),

```

ClassTransposition(2,4,5,6), ClassTransposition(0,4,1,6),
 ClassTransposition(5,6,4,8), ClassTransposition(1,6,0,8),
 ClassTransposition(2,4,0,384), ClassTransposition(2,12,384,1536),
 ClassTransposition(1,12,384,1536), ClassTransposition(6,12,384,1536),
 ClassTransposition(10,12,384,1536), ClassTransposition(11,12,384,1536),
 ClassTransposition(1,12,0,384), ClassTransposition(6,12,0,384),
 ClassTransposition(10,12,0,384), ClassTransposition(11,12,0,384),
 ClassTransposition(6,12,48,192), ClassTransposition(10,12,48,192),
 ClassTransposition(11,12,48,192), ClassTransposition(10,24,192,384),
 ClassTransposition(11,24,192,384), ClassTransposition(22,24,192,384),
 ClassTransposition(23,24,192,384), ClassTransposition(11,12,72,96),
 ClassTransposition(22,24,96,192), ClassTransposition(3,48,0,384),
 ClassTransposition(9,48,0,384), ClassTransposition(15,48,0,384),
 ClassTransposition(21,48,0,384), ClassTransposition(27,48,0,384),
 ClassTransposition(33,48,0,384), ClassTransposition(39,48,0,384),
 ClassTransposition(45,48,0,384), ClassTransposition(9,12,44,48),
 ClassTransposition(15,24,48,96), ClassTransposition(27,96,192,384),
 ClassTransposition(75,96,192,384), ClassTransposition(75,96,0,384),
 ClassTransposition(7,12,4,24), ClassTransposition(7,12,17,24),
 ClassTransposition(5,24,24,48), ClassTransposition(12,24,24,48),
 ClassTransposition(16,24,24,48), ClassTransposition(75,96,96,192),
 ClassTransposition(12,24,17,48), ClassTransposition(16,24,17,48),
 ClassTransposition(12,24,41,48), ClassTransposition(16,24,41,48),
 ClassTransposition(3,96,43,96), ClassTransposition(3,96,40,96),
 ClassTransposition(3,96,26,96), ClassTransposition(3,96,30,96),
 ClassTransposition(3,96,24,96), ClassTransposition(3,96,25,96),
 ClassTransposition(3,96,29,96), ClassTransposition(3,96,11,96),
 ClassTransposition(3,96,10,96), ClassTransposition(3,96,15,96),
 ClassTransposition(3,96,27,96), ClassTransposition(3,96,51,96),
 ClassTransposition(3,96,91,96), ClassTransposition(3,96,88,96),
 ClassTransposition(3,96,74,96), ClassTransposition(3,96,78,96),
 ClassTransposition(3,96,72,96), ClassTransposition(3,96,73,96),
 ClassTransposition(3,96,77,96), ClassTransposition(3,96,59,96),
 ClassTransposition(3,96,58,96), ClassTransposition(3,96,63,96),
 ClassTransposition(3,96,75,96), ClassTransposition(0,96,95,96),
 ClassTransposition(0,96,94,96), ClassTransposition(0,96,85,96),
 ClassTransposition(0,96,89,96), ClassTransposition(0,96,49,96),
 ClassTransposition(0,96,53,96), ClassTransposition(0,96,57,96),
 ClassTransposition(0,96,56,96), ClassTransposition(0,96,55,96),
 ClassTransposition(0,96,52,96), ClassTransposition(0,96,69,96),
 ClassTransposition(0,96,68,96), ClassTransposition(0,96,65,96),
 ClassTransposition(0,96,67,96), ClassTransposition(0,96,64,96),
 ClassTransposition(0,96,50,96), ClassTransposition(0,96,54,96),
 ClassTransposition(0,96,48,96), ClassTransposition(0,96,47,96),
 ClassTransposition(0,96,46,96), ClassTransposition(0,96,37,96),
 ClassTransposition(0,96,41,96), ClassTransposition(0,96,1,96),
 ClassTransposition(0,96,5,96), ClassTransposition(0,96,9,96),
 ClassTransposition(0,96,8,96), ClassTransposition(0,96,7,96),
 ClassTransposition(0,96,4,96), ClassTransposition(0,96,21,96),
 ClassTransposition(0,96,20,96), ClassTransposition(0,96,17,96),
 ClassTransposition(0,96,19,96), ClassTransposition(0,96,16,96),
 ClassTransposition(0,96,2,96), ClassTransposition(0,96,6,96),
 ClassTransposition(13,48,35,48), ClassTransposition(13,48,34,48),

```

ClassTransposition(13,48,39,48), ClassTransposition(13,48,33,48),
ClassTransposition(13,48,32,48), ClassTransposition(13,48,31,48),
ClassTransposition(13,48,28,48), ClassTransposition(13,48,45,48),
ClassTransposition(13,48,44,48), ClassTransposition(13,48,23,48),
ClassTransposition(13,48,22,48), ClassTransposition(12,24,14,24),
ClassTransposition(12,24,18,24) ]
gap> Product(last) = Collatz; # Check the result.
true
gap> Length(last2);
159
gap> RCWAInfo(0); # Switch Info output off again.

```

See the end of Section 4.6 for a much smaller factorization task performed “manually” for purposes of illustration.

4.2 An rcwa mapping which seems to be contracting, but very slow

The iterates of an integer under the Collatz mapping T seem to approach its contraction centre – this is the finite set where all trajectories end up after a finite number of steps – rather quickly and do not get very large before doing so (of course this is a purely heuristic statement as the Collatz conjecture has not been proved so far!):

Example

```

gap> T := RcwaMapping([[1,0,2],[3,1,2]]);
gap> S0 := LikelyContractionCentre(T,100,1000);
#I Warning: 'LikelyContractionCentre' is highly probabilistic.
The returned result can only be regarded as a rough guess.
See ?LikelyContractionCentre for information on how to improve this guess.
[ -136, -91, -82, -68, -61, -55, -41, -37, -34, -25, -17, -10, -7, -5, -1, 0,
  1, 2 ]
gap> S0^T = S0; # This holds by definition of the contraction centre.
true
gap> Trajectory(T,27,S0,"stop");
[ 27, 41, 62, 31, 47, 71, 107, 161, 242, 121, 182, 91, 137, 206, 103, 155,
  233, 350, 175, 263, 395, 593, 890, 445, 668, 334, 167, 251, 377, 566, 283,
  425, 638, 319, 479, 719, 1079, 1619, 2429, 3644, 1822, 911, 1367, 2051,
  3077, 4616, 2308, 1154, 577, 866, 433, 650, 325, 488, 244, 122, 61, 92, 46,
  23, 35, 53, 80, 40, 20, 10, 5, 8, 4, 2 ]
gap> List([1..40],n->Length(Trajectory(T,n,S0,"stop")));
[ 1, 1, 5, 2, 4, 6, 11, 3, 13, 5, 10, 7, 7, 12, 12, 4, 9, 14, 14, 6, 6, 11,
  11, 8, 16, 8, 70, 13, 13, 13, 67, 5, 18, 10, 10, 15, 15, 15, 23, 7 ]
gap> Maximum(List([1..1000],n->Length(Trajectory(T,n,S0,"stop"))));
113
gap> Maximum(List([1..1000],n->Maximum(Trajectory(T,n,S0,"stop"))));
125252

```

The following mapping also seems to be contracting, but its trajectories are much longer:

Example

```
gap> f6 := RcwaMapping([[ 1,0,6],[ 5, 1,6],[ 7,-2,6],
>                      [11,3,6],[11,-2,6],[11,-1,6]]);;
gap> SetName(f6,"f6");
gap> Display(f6);

Integral rcwa mapping with modulus 6
```

n mod 6		n^f6
0		n/6
1		(5n + 1)/6
2		(7n - 2)/6
3		(11n + 3)/6
4		(11n - 2)/6
5		(11n - 1)/6

```
gap> S0 := LikelyContractionCentre(f6,1000,100000);;
#I Warning: 'LikelyContractionCentre' is highly probabilistic.
The returned result can only be regarded as a rough guess.
gap> Trajectory(f6,25,S0,"stop");
[ 25, 21, 39, 72, 12, 2 ]
gap> List([1..100],n->Length(Trajectory(f6,n,S0,"stop")));
[ 2, 2, 3, 4, 2, 2, 3, 2, 2, 5, 7, 2, 8, 17, 3, 16, 2, 4, 17, 6, 5, 2, 5, 5,
  6, 2, 4, 2, 15, 2, 2, 3, 2, 5, 13, 3, 2, 3, 4, 2, 8, 4, 4, 2, 7, 19, 23517,
  3, 9, 3, 2, 18, 14, 2, 20, 23512, 14, 2, 6, 6, 2, 4, 19, 12, 23511, 8,
  23513, 10, 2, 13, 13, 3, 2, 23517, 7, 20, 7, 9, 9, 6, 12, 8, 6, 18, 14,
  23516, 31, 12, 23545, 4, 21, 19, 5, 2, 17, 17, 13, 19, 6, 23515 ]
gap> Maximum(Trajectory(f6,47,S0,"stop"));;
736339177776247330443187705477107581873369010805146980871580925673774229545698\
886054
```

Computing the trajectory of 3224 takes quite a while – this trajectory ascends to about $3 \cdot 10^{2197}$, before it approaches the fixed point 2 after 19949562 steps.

When constructing the mapping f_6 , the denominators of the partial mappings have been chosen to be equal and the numerators have been chosen to be numbers coprime to the common denominator, whose product is just a little bit smaller than the Modulus(f_6)th power of the denominator. In the example we have $5 \cdot 7 \cdot 11^3 = 46585$ and $6^6 = 46656$.

Although the trajectories of T are much shorter than those of f_6 , it seems likely that this does not make the problem of deciding whether the mapping T is contracting essentially easier – even for mappings with much shorter trajectories than T the problem seems to be equally hard. A solution can usually only be found in trivial cases, i.e. for example when there is some k such that applying the k th power of the respective mapping to any integer decreases its absolute value.

4.3 Checking a result by P. Andaloro

In [And00], P. Andaloro has shown that proving that trajectories of integers $n \in 1(16)$ under the Collatz mapping always end up with 1 would be sufficient for proving the Collatz conjecture. In the sequel, this result is verified with RCWA. Checking that the union of the images of the residue class $1(16)$ under powers of the Collatz mapping T contains $\mathbb{Z} \setminus 0(3)$ is obviously sufficient. Thus we proceed by setting $S := 1(16)$ and successively uniting the set S with its image under T :

Example

```
gap> S := ResidueClass(Integers,16,1);
1(16)
gap> S := Union(S,S^T);
1(16) U 2(24)
gap> S := Union(S,S^T);
1(12) U 2(24) U 17(48) U 33(48)
gap> S := Union(S,S^T);
<union of 30 residue classes (mod 144)>
gap> S := Union(S,S^T);
<union of 42 residue classes (mod 144)>
gap> S := Union(S,S^T);
<union of 172 residue classes (mod 432)>
gap> S := Union(S,S^T);
<union of 676 residue classes (mod 1296)>
gap> S := Union(S,S^T);
<union of 810 residue classes (mod 1296)>
gap> S := Union(S,S^T);
<union of 2638 residue classes (mod 3888)>
gap> S := Union(S,S^T);
<union of 33 residue classes (mod 48)>
gap> S := Union(S,S^T);
<union of 33 residue classes (mod 48)>
gap> Union(S,ResidueClass(Integers,3,0)); # Et voila ...
Integers
```

Further similar computations are shown in Section 4.14.

4.4 Two examples by Matthews and Leigh

In [ML87], K. R. Matthews and G. M. Leigh have shown that two trajectories of the following (surjective, but not injective) mappings are acyclic (mod x) and divergent:

Example

```
gap> x := Indeterminate(GF(4),1);; SetName(x,"x");
gap> R := PolynomialRing(GF(2),1);
GF(2)[x]
gap> ML1 := RcwaMapping(R,x,[[1,0,x],[ (x+1)^3,1,x]]*One(R));;
gap> ML2 := RcwaMapping(R,x,[[1,0,x],[ (x+1)^2,1,x]]*One(R));;
gap> SetName(ML1,"ML1"); SetName(ML2,"ML2");
gap> Display(ML1);
```

Rcwa mapping of $GF(2)[x]$ with modulus x

P mod x		P ^{ML1}
0*Z(2)		P/x
Z(2)^0		((x^3+x^2+x+Z(2)^0)*P + Z(2)^0)/x

```
gap> Display(ML2);
```

Rcwa mapping of $GF(2)[x]$ with modulus x

P mod x		P ^{ML2}
0*Z(2)		P/x
Z(2)^0		((x^2+Z(2)^0)*P + Z(2)^0)/x

```
gap> List([ML1,ML2],IsSurjective);
[ true, true ]
gap> List([ML1,ML2],IsInjective);
[ false, false ]
gap> traj1 := Trajectory(ML1,One(R),16,"length");
[ Z(2)^0, x^2+x+Z(2)^0, x^4+x^2+x, x^3+x+Z(2)^0, x^5+x^4+x^2, x^4+x^3+x,
  x^3+x^2+Z(2)^0, x^5+x^2+Z(2)^0, x^7+x^6+x^5+x^3+Z(2)^0,
  x^9+x^7+x^6+x^5+x^3+x+Z(2)^0, x^11+x^10+x^8+x^7+x^6+x^5+x^2,
  x^10+x^9+x^7+x^6+x^5+x^4+x, x^9+x^8+x^6+x^5+x^4+x^3+Z(2)^0,
  x^11+x^8+x^7+x^6+x^4+x+Z(2)^0, x^13+x^12+x^11+x^8+x^7+x^6+x^4,
  x^12+x^11+x^10+x^7+x^6+x^5+x^3 ]
gap> traj2 := Trajectory(ML2,(x^3+x+1)*One(R),16,"length");
[ x^3+x+Z(2)^0, x^4+x+Z(2)^0, x^5+x^3+x^2+x+Z(2)^0, x^6+x^3+Z(2)^0,
  x^7+x^5+x^4+x^2+x, x^6+x^4+x^3+x+Z(2)^0, x^7+x^4+x^3+x+Z(2)^0,
  x^8+x^6+x^5+x^4+x^3+x+Z(2)^0, x^9+x^6+x^3+x+Z(2)^0,
  x^10+x^8+x^7+x^5+x^4+x+Z(2)^0, x^11+x^8+x^7+x^5+x^4+x^3+x^2+x+Z(2)^0,
  x^12+x^10+x^9+x^8+x^7+x^5+Z(2)^0, x^13+x^10+x^7+x^4+x,
  x^12+x^9+x^6+x^3+Z(2)^0, x^13+x^11+x^10+x^8+x^7+x^5+x^4+x^2+x,
  x^12+x^10+x^9+x^7+x^6+x^4+x^3+x+Z(2)^0 ]
```

The pattern which Matthews and Leigh used to show the divergence of the above trajectories can be recognized easily by looking at the corresponding Markov chains with the two states $0 \bmod x$ and $1 \bmod x$:

Example

```
gap> traj1modx := Trajectory(ML1,One(R),400,"length") mod x;;
gap> traj2modx := Trajectory(ML2,(x^3+x+1)*One(R),600,"length") mod x;;
gap> List(traj1modx{[1..200]},val->Position([Zero(R),One(R)],val)-1);
[ 1, 1, 0, 1, 0, 0, 1, 1, 1, 1, 0, 0, 1, 1, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1,
  1, 0, 0, 0, 0, 1, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1,
  0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 0, 0,
  0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
  0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 ]
gap> List(traj2modx{[1..200]},val->Position([Zero(R),One(R)],val)-1);
[ 1, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0,
  1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0, 1, 0,
  0, 1, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 ]
```

What is important here are the lengths of the intervals between two changes from one state to the other:

Example

```
gap> ChangePoints := 1 -> Filtered([1..Length(l)-1],pos->l[pos]<>l[pos+1]);;
gap> Diffs := 1 -> List([1..Length(l)-1],pos->l[pos+1]-l[pos]);;
gap> Diffs(ChangePoints(traj1modx)); # The pattern in the first ...
[ 1, 1, 2, 4, 2, 2, 4, 8, 4, 4, 8, 16, 8, 8, 16, 32, 16, 16, 32, 64, 32, 32,
  64 ]
gap> Diffs(ChangePoints(traj2modx)); # ... and in the second example.
[ 1, 7, 1, 1, 1, 13, 1, 1, 1, 1, 1, 1, 1, 25, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 49, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 97, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 193, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
  1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1 ]
gap> Diffs(ChangePoints(last)); # Make this a bit more obvious.
[ 1, 3, 1, 7, 1, 15, 1, 31, 1, 63, 1 ]
```

This looks clearly acyclic, thus the trajectories diverge. Needless to say however that this computational evidence does not replace the proof along these lines given in the article cited above, but just sheds a light on the idea behind it.

4.5 Exploring the structure of a wild rcwa group

In this example, a simple attempt to should be made to investigate the structure of a given wild group by finding orders of torsion elements. In general, determining the structure of a given wild group computationally seems to be a very hard task. First of all, the group in question has to be defined:

Example

```
gap> u := RcwaMapping([[3,0,5],[9,1,5],[3,-1,5],[9,-2,5],[9,4,5]]);
gap> SetName(u,"u");
gap> Display(u);
```

Rcwa mapping of \mathbb{Z} with modulus 5

$n \bmod 5$	n^u
0	$3n/5$
1	$(9n + 1)/5$
2	$(3n - 1)/5$
3	$(9n - 2)/5$
4	$(9n + 4)/5$

```
gap> nu := RcwaMapping([[1,1,1]]);
Rcwa mapping of  $\mathbb{Z}$ :  $n \rightarrow n + 1$ 
gap> SetName(nu,"nu");
gap> G := Group(u,nu);
<rcwa group over  $\mathbb{Z}$  with 2 generators>
gap> IsTame(G);
false
```

Now we would like to know which orders torsion elements of G can have – taking a look at the above generators it seems to make sense to try commutators:

Example

```
gap> l := Filtered([0..100],k->IsTame(Comm(u,nu^k)));
[ 0, 2, 3, 5, 6, 9, 10, 12, 13, 15, 17, 18, 20, 21, 24, 25, 27, 28, 30, 32,
  33, 35, 36, 39, 40, 42, 43, 45, 47, 48, 50, 51, 54, 55, 57, 58, 60, 62, 63,
  65, 66, 69, 70, 72, 73, 75, 77, 78, 80, 81, 84, 85, 87, 88, 90, 92, 93, 95,
  96, 99, 100 ]
gap> List(l,k->Order(Comm(u,nu^k)));
[ 1, 6, 5, 3, 5, 5, 3, infinity, 7, infinity, 7, 5, 3, infinity, infinity, 3,
  5, 7, infinity, 7, infinity, 3, 5, 5, 3, 5, infinity, infinity, infinity,
  5, 3, 5, 5, 3, infinity, 7, infinity, 7, 5, 3, infinity, infinity, 3, 5, 7,
  infinity, 7, infinity, 3, 5, 5, 3, 5, infinity, infinity, infinity, 5, 3,
  5, 5, 3 ]
```

Example

```

gap> Display(Comm(u,nu^13));

Bijjective rcwa mapping of Z with modulus 9

      n mod 9      |      n^f
-----+-----
0 3 6            | n + 5
1 4 7            | 3n - 9
2 8              | n - 11
5                | (n + 16)/3

gap> Order(Comm(u,nu^13));
7
gap> u2 := u^2;
<wild bijective rcwa mapping of Z with modulus 25>
gap> Filtered([1..16],k->IsTame(Comm(u2,nu^k))); # k < 15 -> commutator wild!
[ 15 ]
gap> Order(Comm(u2,nu^15));
infinity
gap> u2nu17 := Comm(u2,nu^17);
<bijective rcwa mapping of Z with modulus 81>
gap> orbs := ShortOrbits(Group(u2nu17),[-100..100],100);;
gap> List(orbs,Length);
[ 72, 72, 73, 72, 73, 72, 72, 73, 72, 72, 72, 73, 72, 72, 73, 72, 72, 73, 72,
  72, 73, 72, 72 ]
gap> Lcm(last);
5256
gap> u2nu17^5256; # This element has indeed order 2^3*3^2*73 = 5256.
IdentityMapping( Integers )
gap> u2nu18 := Comm(u2,nu^18);
<bijective rcwa mapping of Z with modulus 81>
gap> orbs := ShortOrbits(Group(u2nu18),[-100..100],100);;
gap> List(orbs,Length);
[ 22, 22, 22, 21, 22, 22, 22, 21, 21, 22, 22, 21, 22, 21, 22, 22, 21, 22, 22,
  21, 22, 22, 21 ]
gap> Lcm(last);
462
gap> u2nu18^462; # This is an element of order 2*3*7*11 = 462.
IdentityMapping( Integers )
gap> Order(Comm(u2,nu^20));
29
gap> Order(Comm(u2,nu^25));
9
gap> Order(Comm(u2,nu^30));
15

```

Thus even this rather simple-minded approach reveals various different orders of torsion elements, and the involved primes are also not all quite “small”.

4.6 A wild rcwa mapping which has only finite cycles

Some wild rcwa mappings of \mathbb{Z} have only finite cycles. In this section, a permutation is examined which can be shown to be such a mapping and which is likely to be something like a “minimal” example.

Over $R = \text{GF}(q)[x]$, constructing such mappings is easy since the degree function gives rise to a partition of R into finite sets which is left invariant by suitable wild rcwa mappings. Over $R = \mathbb{Z}$ however the situation looks different – there is no such “natural” partition into finite sets which can be fixed by a wild rcwa mapping.

Example

```
gap> kappa := RcwaMapping([[1,0,1],[1,0,1],[3,2,2],[1,-1,1],
> [2,0,1],[1,0,1],[3,2,2],[1,-1,1],
> [1,1,3],[1,0,1],[3,2,2],[2,-2,1]]);
gap> SetName(kappa,"kappa");
gap> List([-5..5],k->Modulus(kappa^k));
[ 7776, 1296, 432, 72, 24, 1, 12, 72, 144, 864, 1728 ]
gap> Display(kappa);
```

Bijjective rcwa mapping of \mathbb{Z} with modulus 12

n mod 12	n ^{kappa}
0 1 5 9	n
2 6 10	(3n + 2)/2
3 7	n - 1
4	2n
8	(n + 1)/3
11	2n - 2

```
gap> List([-32..32],n->Length(Cycle(kappa,n)));
[ 4, 1, 4, 4, 7, 1, 10, 10, 1, 1, 4, 4, 7, 1, 10, 10, 4, 1, 7, 7, 1, 1, 7, 7,
  4, 1, 4, 4, 2, 1, 1, 2, 1, 1, 4, 4, 4, 1, 7, 7, 4, 1, 7, 7, 1, 1, 10, 10,
  7, 1, 4, 4, 7, 1, 10, 10, 1, 1, 4, 4, 4, 1, 13, 13, 7 ]
gap> List([2..14],k->Maximum(List([1..2^k],n->Length(Cycle(kappa,n)))));
[ 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40 ]
gap> List([2..14],k->Length(Cycle(kappa,2^k-2)));
[ 4, 7, 10, 13, 16, 19, 22, 25, 28, 31, 34, 37, 40 ]
gap> Cycle(kappa,2^12-2);
[ 4094, 6142, 9214, 13822, 20734, 31102, 46654, 69982, 104974, 157462,
  236194, 354292, 708584, 236195, 472388, 157463, 314924, 104975, 209948,
  69983, 139964, 46655, 93308, 31103, 62204, 20735, 41468, 13823, 27644,
  9215, 18428, 6143, 12284, 4095 ]
gap> last mod 12;
[ 2, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10, 4, 8, 11, 8, 11, 8, 11, 8, 11,
  8, 11, 8, 11, 8, 11, 8, 11, 8, 11, 8, 11, 8, 3 ]
gap> lengthstatistics := Collected(List(ShortOrbits(Group(kappa),
> [1..12^4],100),Length));
[ [ 1, 6912 ], [ 4, 1728 ], [ 7, 864 ], [ 10, 432 ], [ 13, 216 ],
  [ 16, 108 ], [ 19, 54 ], [ 22, 27 ], [ 25, 13 ], [ 28, 7 ], [ 31, 3 ],
  [ 34, 2 ], [ 37, 1 ], [ 40, 1 ] ]
```

We would like to determine a partition of \mathbb{Z} into unions of cycles of equal length:

Example

```
gap> C := [Difference(Integers,MovedPoints(kappa))];; pow := [kappa^0];;
gap> rc := function(r,m) return ResidueClass(r,m); end;;
gap> for i in [1..3] do
>   Add(pow,kappa^i);
>   C[i+1] := Difference(rc(2,4),
>                        Union(Union(C{[1..i]}),
>                        Union(List([0..i],
>                                j->Intersection(rc(2,4)^pow[j+1],
>                                                rc(2,4)^(pow[i-j+1]^(-1))))));
>   od;
gap> C;
[ 1(4) U 0(12) U [ -2 ], 2(24) U 18(24), 6(48) U 38(48) U 10(72) U 58(72),
  <union of 38 residue classes (mod 864)> ]
gap> List(C,S->Length(Cycle(kappa,S)));
[ 1, 4, 7, 10 ]
gap> Cycle(kappa,C[1]);
[ 1(4) U 0(12) U [ -2 ] ]
gap> Cycle(kappa,C[2]);
[ 2(24) U 18(24), 4(36) U 28(36), 8(72) U 56(72), 3(24) U 19(24) ]
gap> cycle7 := Cycle(kappa,C[3]);;
gap> for S in cycle7 do View(S); Print("\n"); od;
6(48) U 38(48) U 10(72) U 58(72)
10(72) U 58(72) U 16(108) U 88(108)
16(108) U 88(108) U 32(216) U 176(216)
11(72) U 59(72) U 32(216) U 176(216)
11(72) U 59(72) U 20(144) U 116(144)
7(48) U 39(48) U 20(144) U 116(144)
6(48) U 7(48) U 38(48) U 39(48)
gap> cycle10 := Cycle(kappa,C[4]);;
gap> for S in cycle10 do View(S); Print("\n"); od;
<union of 38 residue classes (mod 864)>
<union of 38 residue classes (mod 1296)>
<union of 12 residue classes (mod 648)>
<union of 12 residue classes (mod 648)>
<union of 22 residue classes (mod 1296)>
<union of 12 residue classes (mod 432)>
<union of 22 residue classes (mod 864)>
<union of 12 residue classes (mod 288)>
<union of 14 residue classes (mod 288)>
<union of 16 residue classes (mod 288)>
gap> List(cycle10,Density);
[ 19/432, 19/648, 1/54, 1/54, 11/648, 1/36, 11/432, 1/24, 7/144, 1/18 ]
gap> List(last,Float);
[ 0.0439815, 0.029321, 0.0185185, 0.0185185, 0.0169753, 0.0277778, 0.025463,
  0.0416667, 0.0486111, 0.0555556 ]
gap> Sum(last2);
47/144
gap> Density(Union(cycle10));
47/432
```

Example

```

gap> P := List(C, S->Union(Cycle(kappa, S)));;
gap> for S in P do View(S); Print("\n"); od;
1(4) U 0(12) U [ -2 ]
<union of 18 residue classes (mod 72)>
<union of 78 residue classes (mod 432)>
<union of 282 residue classes (mod 2592)>
gap> P2 := AsUnionOfFewClasses(P[2]);
[ 2(24), 3(24), 18(24), 19(24), 4(36), 28(36), 8(72), 56(72) ]
gap> Permutation(kappa, P2);
(1,5,7,2) (3,6,8,4)
gap> P3 := AsUnionOfFewClasses(P[3]);
[ 6(48), 7(48), 38(48), 39(48), 10(72), 11(72), 58(72), 59(72), 16(108),
  88(108), 20(144), 116(144), 32(216), 176(216) ]
gap> Permutation(kappa, P3);
(1,5,9,13,6,11,2) (3,7,10,14,8,12,4)
gap> P4 := AsUnionOfFewClasses(P[4]);
[ 14(96), 15(96), 78(96), 79(96), 22(144), 23(144), 118(144), 119(144),
  34(216), 35(216), 178(216), 179(216), 44(288), 236(288), 52(324), 268(324),
  68(432), 356(432), 104(648), 536(648) ]
gap> Permutation(kappa, P4);
(1,5,9,15,19,10,17,6,13,2) (3,7,11,16,20,12,18,8,14,4)
gap> List(P, S->Set(List(Intersection([1..12^4], S), n->Length(Cycle(kappa, n)))));
[ [ 1 ], [ 4 ], [ 7 ], [ 10 ] ]
gap> Set(List(Intersection([1..12^4], Difference(Integers, Union(P))),
  n->Length(Cycle(kappa, n))));
[ 13, 16, 19, 22, 25, 28, 31, 34, 37, 40 ]

```

Finally, the permutation κ should be factored into involutions (this time “by hand”, for purposes of illustration):

Example

```

gap> elm1 := kappa;
kappa
gap> Multpk(elm1, 2, 1)^elm1;
8(12)
gap> Multpk(elm1, 2, -1)^elm1;
4(6)
gap> Multpk(elm1, 3, 1)^elm1;
4(6)
gap> Multpk(elm1, 3, -1)^elm1;
3(4)
gap> fact1 := RcwaMapping([[rc(4, 6), rc(8, 12)]]);
<rcwa mapping of Z with modulus 12>

```


Example

```
gap> elm2 := elm1/fact1;
<bijjective rcwa mapping of Z with modulus 12>
gap> Display(elm2);
```

Bijjective rcwa mapping of Z with modulus 12

n mod 12		n ^f
0 1 4 5 9		n
2 6 10		3n + 2
3 7 11		n - 1
8		(n + 1)/3

```
gap> Multpk(elm2,3,1)^elm2;
8(12)
gap> Multpk(elm2,3,-1)^elm2;
3(4)
gap> fact2 := RcwaMapping([[rc(3,4),rc(8,12)]]);
<rcwa mapping of Z with modulus 12>
gap> elm3 := elm2/fact2;
<bijjective rcwa mapping of Z with modulus 4>
gap> Display(elm3);
```

Bijjective rcwa mapping of Z with modulus 4

n mod 4		n ^f
0 1		n
2		n + 1
3		n - 1

```
gap> fact3 := RcwaMapping([[rc(2,4),rc(3,4)]]);
<rcwa mapping of Z with modulus 4>
gap> elm4 := elm3/fact3;
IdentityMapping( Integers )
gap> kappafacts := [ fact3, fact2, fact1 ];
[ <bijjective rcwa mapping of Z with modulus 4>,
  <bijjective rcwa mapping of Z with modulus 12>,
  <bijjective rcwa mapping of Z with modulus 12> ]
gap> List(kappafacts,Order);
[ 2, 2, 2 ]
gap> kappa = Product(kappafacts);
true
```

4.7 An abelian rcwa group over a polynomial ring

In this section, a wild rcwa group over $\text{GF}(4)[x]$ should be investigated, which happens to be abelian. Of course in general, rcwa groups also over this ring are usually far from being abelian (see below). We start by defining this group:

Example

```
gap> x := Indeterminate(GF(4),1);; SetName(x,"x");
gap> R := PolynomialRing(GF(4),1);
GF(4)[x]
gap> e := One(GF(4));;
gap> p := x^2 + x + e;; q := x^2 + e;;
gap> r := x^2 + x + Z(4);; s := x^2 + x + Z(4)^2;;
gap> cg := List( AllResidues(R,x^2), pol -> [ p, p * pol mod q, q ] );;
gap> ch := List( AllResidues(R,x^2), pol -> [ r, r * pol mod s, s ] );;
gap> g := RcwaMapping( R, q, cg );
<rcwa mapping of GF(4)[x] with modulus x^2+Z(2)^0>
gap> h := RcwaMapping( R, s, ch );
<rcwa mapping of GF(4)[x] with modulus x^2+x+Z(2^2)^2>
gap> List([g,h],Order);
[ infinity, infinity ]
gap> List([g,h],IsTame);
[ false, false ]
gap> G := Group(g,h);
<rcwa group over GF(4)[x] with 2 generators>
gap> IsAbelian(G);
true
```

Now we compute the action of the group G on one of its orbits, and make some statistics of the orbits of G containing polynomials of degree less than 4:

Example

```
gap> orb := Orbit(G,x^5);
[ x^5, x^5+x^4+x^2+Z(2)^0, x^5+x^3+x^2+Z(2^2)*x+Z(2)^0, x^5+x^3,
  x^5+x^4+x^3+x^2+Z(2^2)^2*x+Z(2^2)^2, x^5+x, x^5+x^4+x^3, x^5+x^2+Z(2^2)^2*x,
  x^5+x^4+x^2+x, x^5+x^3+x^2+Z(2^2)^2*x+Z(2)^0, x^5+x^4+Z(2^2)*x+Z(2^2),
  x^5+x^3+x, x^5+x^4+x^3+x^2+Z(2^2)*x+Z(2^2), x^5+x^4+x^3+x+Z(2)^0,
  x^5+x^2+Z(2^2)*x, x^5+x^4+Z(2^2)^2*x+Z(2^2)^2 ]
gap> H := Action(G,orb);
Group([ (1,2,4,7,6,9,12,14) (3,5,8,11,10,13,15,16),
  (1,3,6,10) (2,5,9,13) (4,8,12,15) (7,11,14,16) ])
gap> IsAbelian(H); # check ...
true
gap> Exponent(H);
8
gap> Collected(List(ShortOrbits(G,AllResidues(R,x^4),100),Length));
[ [ 1, 4 ], [ 2, 6 ], [ 4, 12 ], [ 8, 24 ] ]
```

Changing the generators a little causes the group structure to change a lot:

Example

```
gap> cg[1][2] := cg[1][2] + (x^2 + e) * p * q;;
gap> ch[7][2] := ch[7][2] + x * r * s;;
gap> g := RcwaMapping( R, q, cg );; h := RcwaMapping( R, s, ch );;
gap> G := Group(g,h);
<rcwa group over GF(4)[x] with 2 generators>
gap> orb := Orbit(G,Zero(R));;
gap> Length(orb);
87
gap> Collected(List(orb,DegreeOfLaurentPolynomial));
[ [ 1, 2 ], [ 2, 4 ], [ 3, 16 ], [ 4, 64 ], [ infinity, 1 ] ]
gap> H := Action(G,orb);
<permutation group with 2 generators>
gap> IsNaturalAlternatingGroup(H);
true
gap> orb := Orbit(G,x^6);;
gap> Length(orb);
512
gap> H := Action(G,orb);
<permutation group with 2 generators>
gap> IsNaturalSymmetricGroup(H) or IsNaturalAlternatingGroup(H);
false
gap> blk := Blocks(H,[1..512]);;
gap> List(blk,Length);
[ 128, 128, 128, 128 ]
gap> Action(H,blk,OnSets);
Group([ (1,2)(3,4), (1,3)(2,4) ])
```

Thus the modified group has a quotient isomorphic to the alternating group of degree 87, and a quotient isomorphic to some wreath product or a subgroup thereof acting transitively, but not primitively on 512 points.

4.8 An rcwa representation of a small group

In the sequel, an rcwa representation of the 3-Sylow-subgroup of the symmetric group on 9 points is given. Of course this group has a very nice permutation representation, hence for computational purposes one does not gain anything here.

Example

```
gap> r := RcwaMapping([ [1,0,1], [1,1,1], [3,-3,1],
> [1,0,3], [1,1,1], [3,-3,1],
> [1,0,1], [1,1,1], [3,-3,1] ]);;
gap> s := RcwaMapping([ [1,0,1], [1,1,1], [3,6,1],
> [1,0,3], [1,1,1], [3,6,1],
> [1,0,1], [1,1,1], [3,-21,1] ]);;
gap> SetName(r,"r"); SetName(s,"s");
```

Example

```
gap> Display(r);
```

Rcwa mapping of \mathbb{Z} with modulus 9

$n \bmod 9$	n^r
0 6	n
1 4 7	$n + 1$
2 5 8	$3n - 3$
3	$n/3$

```
gap> Display(s);
```

Rcwa mapping of \mathbb{Z} with modulus 9

$n \bmod 9$	n^s
0 6	n
1 4 7	$n + 1$
2 5	$3n + 6$
3	$n/3$
8	$3n - 21$

```
gap> G := Group(r,s);
```

<rcwa group over \mathbb{Z} with 2 generators>

```
gap> H := SylowSubgroup(SymmetricGroup(9),3);
```

```
Group([ (1,2,3), (4,5,6), (7,8,9), (1,4,7)(2,5,8)(3,6,9) ])
```

```
gap> phi := InverseGeneralMapping(IsomorphismGroups(G,H));;
```

```
gap> (1,2,3)^phi;
```

<bijective rcwa mapping of \mathbb{Z} with modulus 27>

4.9 An rcwa representation of the symmetric group on 10 points

In this section, an rcwa representation of the symmetric group on 10 points should be investigated. We start by defining some bijections of infinite order and computing commutators:

Example

```
gap> a := RcwaMapping([[3,0,2],[3, 1,4],[3,0,2],[3,-1,4]]);;
```

```
gap> b := RcwaMapping([[3,0,2],[3,13,4],[3,0,2],[3,-1,4]]);;
```

```
gap> c := RcwaMapping([[3,0,2],[3, 1,4],[3,0,2],[3,11,4]]);;
```

```
gap> SetName(a,"a"); SetName(b,"b"); SetName(c,"c");
```

```
gap> List([a,b,c],Order);
```

```
[ infinity, infinity, infinity ]
```

```
gap> ab := Comm(a,b);; ac := Comm(a,c);; bc := Comm(b,c);;
```

```
gap> SetName(ab,"[a,b]"); SetName(ac,"[a,c]"); SetName(bc,"[b,c]");
```

```
gap> List([ab,ac,bc],Order);
```

```
[ 6, 6, 12 ]
```

Now we would like to have a look at $[a,b]$...

Example

```
gap> Display(ab);
```

Bijjective rcwa mapping of \mathbb{Z} with modulus 18, of order 6

n mod 18									$n^{[a,b]}$							
-----								+	-----							
0	2	3	8	9	11	12	17		n							
1	10								$2n - 5$							
4	7	13	16						$n + 3$							
5	14								$2n - 4$							
6									$(n + 2)/2$							
15									$(n - 5)/2$							

... form the group generated by $[a,b]$ and $[a,c]$ and compute its action on one of its orbits:

Example

```
gap> G := Group(ab,ac);
<rcwa group over Z with 2 generators>
gap> orb := Orbit(G,1);
[ -15, -12, -7, -6, -5, -4, -3, -2, -1, 1 ]
gap> H := Action(G,orb);
Group([ (2,5,8,10,7,6), (1,3,6,9,4,5) ])
gap> Size(H);
3628800
gap> Size(G); # G acts faithful on orb.
3628800
```

Hence the group G is isomorphic to the symmetric group on 10 points and acts faithfully on the orbit containing 1. Another question is which groups arise if we take as generators either ab , ac or bc and the mapping t , which maps each integer to its additive inverse:

Example

```
gap> t := RcwaMapping([[-1,0,1]]);
Rcwa mapping of Z: n -> -n
gap> Order(t);
2
gap> G := Group(ab,t);
<rcwa group over Z with 2 generators>
gap> Size(G);
7257600
gap> H := Image(IsomorphismPermGroup(G));
gap> H2 := Group((1,2), (1,2,3,4,5,6,7,8,9,10), (11,12));
gap> IsomorphismGroups(H,H2) <> fail; # H = C2 x S10
true
```

Thus the group generated by ab and t is isomorphic to $C_2 \times S_{10}$. The next group is an extension of a perfect group of order 960:

Example

```
gap> G := Group(ac,t);;
gap> Size(G);
3840
gap> H := Image(IsomorphismPermGroup(G));;
gap> P := DerivedSubgroup(H);;
gap> Size(P);
960
gap> IsPerfect(P);
true
gap> PerfectGroup(PerfectIdentification(P));
A5 2^4'
```

The last group is infinite:

Example

```
gap> G := Group(bc,t);;
gap> Size(G);
infinity
gap> Order(bc*t);
infinity
gap> Modulus(G);
18
gap> ResidueClassUnionViewingFormat("short");
gap> RespectedPartition(G);
[ 0(18), 1(18), 2(18), 4(18), 5(18), 7(18), 8(18), 9(18), 10(18), 11(18),
  13(18), 14(18), 16(18), 17(18), 3(36), 6(36), 12(36), 15(36), 21(36),
  24(36), 30(36), 33(36) ]
gap> D := DerivedSubgroup(ActionOnRespectedPartition(G));;
gap> DegreeAction(D);
20
gap> IsPerfect(D);
true
gap> Size(D);
928972800
gap> RankOfKernelOfActionOnRespectedPartition(G:ProperSubgroupAllowed);
9
```

4.10 Checking for solvability

Is the group generated by the mappings a and b from the last paragraph solvable?

This group is wild. Presently there is no general method available for testing wild rcwa groups for solvability. But nevertheless, for the given group this question can be decided to the negative. The idea is to find a subgroup U which acts on a finite set S of integers, and induces on S a non-solvable finite permutation group:

Example

```
gap> G := Group(a,b);;
gap> ShortOrbits(Group(Comm(a,b)), [-10..10], 100);
[ [ -10 ], [ -9 ], [ -30, -21, -14, -13, -11, -8 ], [ -7 ], [ -6 ],
  [ -12, -5, -4, -3, -2, 1 ], [ -1 ], [ 0 ], [ 2 ], [ 3 ],
  [ 4, 5, 6, 7, 10, 15 ], [ 8 ], [ 9 ] ]
gap> S := [ 4, 5, 6, 7, 10, 15 ];;
gap> Cycle(Comm(a,b), 4);
[ 4, 7, 10, 15, 5, 6 ]
gap> elm := RepresentativeAction(G, S, Permuted(S, (1,4)), OnTuples);
<bijective rcwa mapping of Z with modulus 81>
gap> List(S, n->n^elm);
[ 7, 5, 6, 4, 10, 15 ]
gap> U := Group(Comm(a,b), elm);
<rcwa group over Z with 2 generators>
gap> Action(U, S);
Group([ (1,4,5,6,2,3), (1,4) ])
gap> IsNaturalSymmetricGroup(last);
true
```

Thus, the subgroup U induces on S a natural symmetric group of degree 6. Hence the group G is not solvable, as claimed. We finish this example by factoring the group element elm into generators:

Example

```
gap> F := FreeGroup("a", "b");
<free group on the generators [ a, b ]>
gap> RepresentativeActionPreImage(G, S, Permuted(S, (1,4)), OnTuples, F);
a^-2*b^-2*a*b*a^-1*b*a*b^-2*a
gap> a^-2*b^-2*a*b*a^-1*b*a*b^-2*a = elm;
true
```

4.11 Some examples over (semi)localizations of the integers

We start with something one can observe when trying to “transfer” an rcwa mapping from the ring of integers to one of its localizations (we take the mapping a from the previous examples):

Example

```
gap> a2 := RcwaMapping(Z_pi(2), ShallowCopy(Coefficients(a)));
<rcwa mapping of Z_( 2 ) with modulus 4>
gap> IsSurjective(a2); # As expected
true
gap> IsInjective(a2); # Why not??
false
gap> 0^a2;
0
gap> (1/3)^a2; # That's the reason!
0
```

The above can also be explained easily by pointing out that the modulus of the inverse of a is 3, and that 3 is a unit of $\mathbb{Z}_{(2)}$. Moving to $\mathbb{Z}_{(2,3)}$ solves this problem:

Example

```
gap> a23 := RcwaMapping(Z_pi([2,3]), ShallowCopy(Coefficients(a)));
<rcwa mapping of Z_( 2, 3 ) with modulus 4>
gap> IsBijective(a23);
true
```

We get additional finite cycles, e.g.:

Example

```
gap> List(ShortOrbits(Group(a23), [0..50]/5, 50), orb->Cycle(a23, orb[1]));
[ [ 0 ], [ 1/5, 2/5, 3/5 ],
  [ 4/5, 6/5, 9/5, 8/5, 12/5, 18/5, 27/5, 19/5, 13/5, 11/5, 7/5 ], [ 1 ],
  [ 2, 3 ], [ 14/5, 21/5, 17/5 ],
  [ 16/5, 24/5, 36/5, 54/5, 81/5, 62/5, 93/5, 71/5, 52/5, 78/5, 117/5, 89/5,
    68/5, 102/5, 153/5, 116/5, 174/5, 261/5, 197/5, 149/5, 113/5, 86/5,
    129/5, 98/5, 147/5, 109/5, 83/5, 61/5, 47/5, 34/5, 51/5, 37/5, 29/5,
    23/5 ], [ 4, 6, 9, 7, 5 ] ]
gap> List(last, Length);
[ 1, 3, 11, 1, 2, 3, 34, 5 ]
gap> List(ShortOrbits(Group(a23), [0..50]/7, 50), orb->Cycle(a23, orb[1]));
[ [ 0 ], [ -1/7, 1/7 ], [ 2/7, 3/7, 4/7, 6/7, 9/7, 5/7 ], [ 1 ], [ 2, 3 ],
  [ 4, 6, 9, 7, 5 ] ]
gap> List(last, Length);
[ 1, 2, 6, 1, 2, 5 ]
```


But the group structure remains invariant under the “transfer” of a group with prime set $\{2,3\}$ from \mathbb{Z} to $\mathbb{Z}_{(2,3)}$:

Example

```
gap> b23 := RcwaMapping(Z_pi([2,3]),ShallowCopy(Coefficients(b)));;
gap> c23 := RcwaMapping(Z_pi([2,3]),ShallowCopy(Coefficients(c)));;
gap> ab23 := Comm(a23,b23);
<rcwa mapping of Z_( 2, 3 ) with modulus 18>
gap> ac23 := Comm(a23,c23);
<rcwa mapping of Z_( 2, 3 ) with modulus 18>
gap> G := Group(ab23,ac23);
<rcwa group over Z_( 2, 3 ) with 2 generators>
gap> S := Intersection(Enumerator(Rationals){[1..200]},Z_pi([2,3]));
[ -12, -11, -10, -9, -8, -7, -6, -5, -4, -3, -12/5, -11/5, -2, -9/5, -12/7,
  -8/5, -11/7, -10/7, -7/5, -9/7, -6/5, -8/7, -12/11, -1, -10/11, -6/7,
  -9/11, -4/5, -8/11, -5/7, -7/11, -3/5, -4/7, -6/11, -5/11, -3/7, -2/5,
  -4/11, -2/7, -3/11, -1/5, -2/11, -1/7, -1/11, 0, 1/13, 1/11, 1/7, 2/13,
  2/11, 1/5, 3/13, 3/11, 2/7, 4/13, 4/11, 5/13, 2/5, 3/7, 5/11, 6/13, 7/13,
  6/11, 4/7, 3/5, 8/13, 7/11, 9/13, 5/7, 8/11, 10/13, 4/5, 9/11, 11/13, 6/7,
  10/11, 12/13, 1, 12/11, 8/7, 13/11, 6/5, 9/7, 7/5, 10/7, 11/7, 8/5, 12/7,
  9/5, 2, 11/5, 12/5, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12 ]
gap> orbs := ShortOrbits(G,S,50);;
gap> List(orbs,Length);
[ 10, 10, 1, 10, 1, 10, 10, 10, 10, 10, 1, 10, 10, 10, 1, 10, 10, 10, 10, 10,
  10, 10, 10, 10, 10, 10, 10, 10, 1, 10, 10, 10, 10, 10, 10, 10, 10, 1,
  10, 1, 10, 10, 10, 1, 1, 10, 1, 10 ]
gap> ForAll(orbs,orb->IsNaturalSymmetricGroup(Action(G,orb)));
true
```

“Transferring” a non-invertible rcwa mapping from the ring of integers to some of its (semi)localizations can also turn it into an invertible one:

Example

```
gap> v := RcwaMapping([[6,0,1],[1,-7,2],[6,0,1],[1,-1,1],
> [6,0,1],[1, 1,2],[6,0,1],[1,-1,1]]);;
gap> SetName(v,"v");
gap> Display(v);
```

Rcwa mapping of \mathbb{Z} with modulus 8

$n \bmod 8$	n^v
0 2 4 6	$6n$
1	$(n - 7)/2$
3 7	$n - 1$
5	$(n + 1)/2$

Example

```

gap> IsInjective(v);
true
gap> IsSurjective(v);
false
gap> Image(v);
1(2) U 2(4) U 0(12)
gap> Difference(Integers,last);
4(12) U 8(12)
gap> v2 := RcwaMapping(Z_pi(2),ShallowCopy(Coefficients(v)));
<rcwa mapping of Z_( 2 ) with modulus 8>
gap> IsBijective(v2);
true
gap> Display(v2^-1);

Bijective rcwa mapping of Z_( 2 ) with modulus 4

      n mod 4      |      n^f
-----+-----
0      | 1/3 n / 2
1      | 2 n + 7
2      | n + 1
3      | 2 n - 1

gap> S := ResidueClass(Z_pi(2),2,0);; l := [S];;
gap> for i in [1..10] do Add(l,l[Length(l)]^v2); od;
gap> l; # Visibly v2 is wild ...
[ 0(2), 0(4), 0(8), 0(16), 0(32), 0(64), 0(128), 0(256), 0(512), 0(1024),
  0(2048) ]
gap> w2 := RcwaMapping(Z_pi(2),[[1,0,2],[2,-1,1],[1,1,1],[2,-1,1]]);;
gap> v2w2 := Comm(v2,w2);; SetName(v2w2,"[v2,w2]"); v2w2^-1;;
gap> Display(v2w2);

```

Bijective rcwa mapping of Z_(2) with modulus 8

n mod 8		n^[v2,w2]
-----+-----		
0 3 4 7		n
1		n + 4
2 6		3 n
5		n - 4

Again, viewed as an rcwa mapping of the integers the commutator given at the end of the example would not be surjective.

4.12 Twisting 257-cycles into an rcwa mapping with modulus 32

We define an rcwa mapping x of order 257 with modulus 32. The easiest way to construct such a mapping is to prescribe a transition graph and then to assign suitable affine mappings to its vertices.

Example

```
gap> x := RcwaMapping(
>      [[ 16,  2,  1], [ 16, 18,  1], [  1, 16,  1], [ 16, 18,  1],
>      [  1, 16,  1], [ 16, 18,  1], [  1, 16,  1], [ 16, 18,  1],
>      [  1, 16,  1], [ 16, 18,  1], [  1, 16,  1], [ 16, 18,  1],
>      [  1, 16,  1], [ 16, 18,  1], [  1, 16,  1], [ 16, 18,  1],
>      [  1,  0, 16], [ 16, 18,  1], [  1,-14,  1], [ 16, 18,  1],
>      [  1,-14,  1], [ 16, 18,  1], [  1,-14,  1], [ 16, 18,  1],
>      [  1,-14,  1], [ 16, 18,  1], [  1,-14,  1], [ 16, 18,  1],
>      [  1,-14,  1], [ 16, 18,  1], [  1,-14,  1], [  1,-31,  1]]);
gap> SetName(x, "x"); Display(x);
```

Rcwa mapping of \mathbb{Z} with modulus 32

$n \bmod 32$	n^x
0	$16n + 2$
1 3 5 7 9 11 13 15 17 19 21 23	$16n + 18$
25 27 29	$n + 16$
2 4 6 8 10 12 14	$n/16$
16	$n - 14$
18 20 22 24 26 28 30	$n - 31$
31	

```
gap> Order(x);
257
gap> Cycle(x, [1], 0);
[ 0, 2, 18, 4, 20, 6, 22, 8, 24, 10, 26, 12, 28, 14, 30, 16, 1, 34, 50, 36,
 52, 38, 54, 40, 56, 42, 58, 44, 60, 46, 62, 48, 3, 66, 82, 68, 84, 70, 86,
 72, 88, 74, 90, 76, 92, 78, 94, 80, 5, 98, 114, 100, 116, 102, 118, 104,
 120, 106, 122, 108, 124, 110, 126, 112, 7, 130, 146, 132, 148, 134, 150,
 136, 152, 138, 154, 140, 156, 142, 158, 144, 9, 162, 178, 164, 180, 166,
 182, 168, 184, 170, 186, 172, 188, 174, 190, 176, 11, 194, 210, 196, 212,
 198, 214, 200, 216, 202, 218, 204, 220, 206, 222, 208, 13, 226, 242, 228,
 244, 230, 246, 232, 248, 234, 250, 236, 252, 238, 254, 240, 15, 258, 274,
 260, 276, 262, 278, 264, 280, 266, 282, 268, 284, 270, 286, 272, 17, 290,
 306, 292, 308, 294, 310, 296, 312, 298, 314, 300, 316, 302, 318, 304, 19,
 322, 338, 324, 340, 326, 342, 328, 344, 330, 346, 332, 348, 334, 350, 336,
 21, 354, 370, 356, 372, 358, 374, 360, 376, 362, 378, 364, 380, 366, 382,
 368, 23, 386, 402, 388, 404, 390, 406, 392, 408, 394, 410, 396, 412, 398,
 414, 400, 25, 418, 434, 420, 436, 422, 438, 424, 440, 426, 442, 428, 444,
 430, 446, 432, 27, 450, 466, 452, 468, 454, 470, 456, 472, 458, 474, 460,
 476, 462, 478, 464, 29, 482, 498, 484, 500, 486, 502, 488, 504, 490, 506,
 492, 508, 494, 510, 496, 31 ]
gap> Length(last);
257
```

4.13 The behaviour of the moduli of powers

In this section some examples are given, which illustrate how different the series of the moduli of powers of a given rcwa mapping of the integers can look like.

Example

```
gap> List([0..4], i->Modulus(a^i));
[ 1, 4, 16, 64, 256 ]
gap> List([0..6], i->Modulus(ab^i));
[ 1, 18, 18, 18, 18, 18, 1 ]
gap> List([0..3], i->Modulus(r^i));
[ 1, 9, 9, 1 ]
gap> List([0..9], i->Modulus(s^i));
[ 1, 9, 9, 27, 27, 27, 27, 27, 1 ]
gap> g := RcwaMapping([[2,2,1],[1,4,1],[1,0,2],[2,2,1],[1,-4,1],[1,-2,1]]);
gap> List([0..7], i->Modulus(g^i));
[ 1, 6, 12, 12, 12, 12, 6, 1 ]
gap> u := RcwaMapping([[3,0,5],[9,1,5],[3,-1,5],[9,-2,5],[9,4,5]]);
gap> List([0..3], i->Modulus(u^i));
[ 1, 5, 25, 125 ]
gap> v6 := RcwaMapping([[-1,2,1],[1,-1,1],[1,-1,1]]);
gap> List([0..6], i->Modulus(v6^i));
[ 1, 3, 3, 3, 3, 3, 1 ]
gap> w8 := RcwaMapping([[-1,3,1],[1,-1,1],[1,-1,1],[1,-1,1]]);
gap> List([0..8], i->Modulus(w8^i));
[ 1, 4, 4, 4, 4, 4, 4, 4, 1 ]
gap> z := RcwaMapping([
  [2, 1, 1], [1, 1, 1], [2, -1, 1], [2, -2, 1],
  [1, 6, 2], [1, 1, 1], [1, -6, 2], [2, 5, 1],
  [1, 6, 2], [1, 1, 1], [1, 1, 1], [2, -5, 1],
  [1, 0, 1], [1, -4, 1], [1, 0, 1], [2, -10, 1]]);
gap> SetName(z, "z");
gap> IsBijective(z);
true
gap> Display(z);
```

Bijective rcwa mapping of \mathbb{Z} with modulus 16

$n \bmod 16$	n^z
0	$2n + 1$
1 5 9 10	$n + 1$
2	$2n - 1$
3	$2n - 2$
4 8	$(n + 6)/2$
6	$(n - 6)/2$
7	$2n + 5$
11	$2n - 5$
12 14	n
13	$n - 4$
15	$2n - 10$

Example

```

gap> List([0..25], i->Modulus(z^i));
[ 1, 16, 32, 64, 64, 128, 128, 128, 128, 128, 128, 256, 256, 256, 256,
  256, 512, 512, 512, 512, 512, 512, 512, 1024, 1024, 1024 ]
gap> e1 := RcwaMapping([[1,4,1],[2,0,1],[1,0,2],[2,0,1]]);;
gap> e2 := RcwaMapping([[1,4,1],[2,0,1],[1,0,2],[1,0,1],
> [1,4,1],[2,0,1],[1,0,1],[1,0,1]]);;
gap> List([e1,e2], Order);
[ infinity, infinity ]
gap> List([1..20], i->Modulus(e1^i));
[ 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4 ]
gap> List([1..20], i->Modulus(e2^i));
[ 8, 4, 8, 4, 8, 4, 8, 4, 8, 4, 8, 4, 8, 4, 8, 4, 8, 4, 8, 4 ]
gap> SetName(e1, "e1"); SetName(e2, "e2");
gap> Display(e2);

```

Bijjective rcwa mapping of \mathbb{Z} with modulus 8, of order infinity

$n \bmod 8$		n^2
0 4		$n + 4$
1 5		$2n$
2		$n/2$
3 6 7		n

```

gap> e2^2 = Restriction(RcwaMapping([[1,2,1]]), RcwaMapping([[4,0,1]]));
true

```

4.14 Images and preimages under the Collatz mapping

We have a look at the images of the residue class $1(2)$ under powers of the Collatz mapping.

Example

```

gap> T := RcwaMapping([[1,0,2],[3,1,2]]);; S0 := ResidueClass(Integers, 2, 1);;
gap> S1 := S0^T;
2(3)
gap> S2 := S1^T;
1(3) U 8(9)
gap> S3 := S2^T;
2(3) U 4(9)
gap> S4 := S3^T;
1(3) U 2(9) U 8(9)
gap> S5 := S4^T;
2(3) U 1(9) U 4(9)
gap> S6 := S5^T;
1(3) U 2(3)
gap> S7 := S6^T;
1(3) U 2(3)

```

Thus the image gets stable after applying the mapping T for the 6th time. Hence T^6 maps the residue class $1(2)$ surjectively onto the union of the residue classes $1(3)$ and $2(3)$, which is setwisely stabilized by T . Now we would like to determine the preimages of $1(3)$ resp. $2(3)$ in $1(2)$ under T^6 . The residue class $1(2)$ has to be the disjoint union of these sets.

Example

```
gap> U := Intersection(PreImage(T^6,ResidueClass(Integers,3,1)),S0);
<union of 11 residue classes (mod 64)>
gap> V := Intersection(PreImage(T^6,ResidueClass(Integers,3,2)),S0);
<union of 21 residue classes (mod 64)>
gap> AsUnionOfFewClasses(U);
[ 1(64), 5(64), 7(64), 9(64), 21(64), 23(64), 29(64), 31(64), 49(64), 51(64),
  59(64) ]
gap> AsUnionOfFewClasses(V);
[ 3(32), 11(32), 13(32), 15(32), 25(32), 17(64), 19(64), 27(64), 33(64),
  37(64), 39(64), 41(64), 53(64), 55(64), 61(64), 63(64) ]
gap> Union(U,V) = S0 and Intersection(U,V) = []; # consistency check
true
```

The images of the residue class $0(3)$ under powers of T look as follows:

Example

```
gap> S0 := ResidueClass(Integers,3,0);
0(3)
gap> S1 := S0^T;
0(3) U 5(9)
gap> S2 := S1^T;
0(3) U 5(9) U 7(9) U 8(27)
gap> S3 := S2^T;
<union of 20 residue classes (mod 27)>
gap> S4 := S3^T;
<union of 73 residue classes (mod 81)>
gap> S5 := S4^T;
<union of 79 residue classes (mod 81)>
gap> S6 := S5^T;
Integers
gap> S7 := S6^T;
Integers
```

Thus, every integer is the image of a multiple of 3 under T^6 . This means that it would be sufficient to prove the Collatz conjecture for multiples of 3. We can obtain the corresponding result for multiples of 5 as follows:

Example

```
gap> S := [ResidueClass(Integers,5,0)];
[ 0(5) ]
gap> for i in [1..12] do Add(S,S[i]^T); od;
```

Example

```

gap> for s in S do View(s); Print("\n"); od;
0(5)
0(5) U 8(15)
0(5) U 4(15) U 8(15)
0(5) U 2(15) U 4(15) U 8(15) U 29(45)
<union of 73 residue classes (mod 135)>
<union of 244 residue classes (mod 405)>
<union of 784 residue classes (mod 1215)>
<union of 824 residue classes (mod 1215)>
<union of 2593 residue classes (mod 3645)>
<union of 2647 residue classes (mod 3645)>
<union of 2665 residue classes (mod 3645)>
<union of 2671 residue classes (mod 3645)>
1(3) U 2(3) U 0(15)
gap> Union(S[13],ResidueClass(Integers,3,0));
Integers
gap> List(S,Si->Float(Density(Si)));
[ 0.2, 0.266667, 0.333333, 0.422222, 0.540741, 0.602469, 0.645267, 0.678189,
  0.711385, 0.7262, 0.731139, 0.732785, 0.733333 ]

```

4.15 A group which acts 4-transitively on the positive integers

In this section, we would like to show that the group G generated by the two wild mappings

Example

```

gap> a := RcwaMapping([[3,0,2],[3,1,4],[3,0,2],[3,-1,4]]);;
gap> u := RcwaMapping([[3,0,5],[9,1,5],[3,-1,5],[9,-2,5],[9,4,5]]);;
gap> SetName(a,"a"); SetName(u,"u"); G := Group(a,u);;

```

which we have already investigated in earlier examples acts 4-transitively on the set of positive integers. Obviously, it acts on the set of positive integers. First we show that this action is transitive. We start by checking in which residue classes sufficiently large positive integers are mapped to smaller ones by a suitable group element:

Example

```

gap> List([a,a^-1,u,u^-1],DecreasingOn);
[ 1(2), 0(3), 0(5) U 2(5), 2(3) ]
gap> Union(last);
<union of 27 residue classes (mod 30)>

```

We see that we cannot always choose such a group element from the set of generators and their inverses – otherwise the union would be `Integers`.

Example

```
gap> List([a,a^-1,u,u^-1,a^2,a^-2,u^2,u^-2],DecreasingOn);
[ 1(2), 0(3), 0(5) U 2(5), 2(3), 1(8) U 7(8), 0(3) U 2(9) U 7(9),
  0(25) U 12(25) U 17(25) U 20(25), 2(3) U 1(9) U 3(9) ]
gap> Union(last); # Still not enough ...
<union of 87 residue classes (mod 90)>
gap> List([a,a^-1,u,u^-1,a^2,a^-2,u^2,u^-2,a*u,u*a,(a*u)^-1,(u*a)^-1],
>         DecreasingOn);
[ 1(2), 0(3), 0(5) U 2(5), 2(3), 1(8) U 7(8), 0(3) U 2(9) U 7(9),
  0(25) U 12(25) U 17(25) U 20(25), 2(3) U 1(9) U 3(9),
  3(5) U 0(10) U 7(20) U 9(20), 0(5) U 2(5), 2(3), 3(9) U 4(9) U 8(9) ]
gap> Union(last); # ... but that's it!
Integers
```

Finally, we have to deal with “small” integers. We use the notation for the coefficients of rcwa mappings introduced at the beginning of this manual. Let $c_{r(m)} > a_{r(m)}$. Then we easily see that $(a_{r(m)}n + b_{r(m)})/c_{r(m)} > n$ implies $n < b_{r(m)}/(c_{r(m)} - a_{r(m)})$. Thus we can restrict our considerations to integers $n < b_{\max}$, where b_{\max} is the largest second entry of a coefficient triple of one of the group elements in our list:

Example

```
gap> List([a,a^-1,u,u^-1,a^2,a^-2,u^2,u^-2,a*u,u*a,(a*u)^-1,(u*a)^-1],
>         f->Maximum(List(Coefficients(f),c->c[2])));
[ 1, 1, 4, 2, 7, 7, 56, 28, 25, 17, 17, 11 ]
gap> Maximum(last);
56
```

Thus this upper bound is 56. The rest is easy – all we have to do is to check that the orbit containing 1 contains also all other positive integers less than or equal to 56:

Example

```
gap> S := [1];;
gap> while not IsSubset(S,[1..56]) do
>   S := Union(S,S^a,S^u,S^(a^-1),S^(u^-1));
>   od;
gap> IsSubset(S,[1..56]);
true
```

Checking 2-transitivity is computationally harder, and in the sequel we will omit some steps which are in practice needed to find out “what to do”. The approach taken here is to show that the stabilizer of 1 in G acts transitively on the set of positive integers greater than 1. We do this by similar means as used above for showing the transitivity of the action of G on the positive integers. We start by determining all products of at most 5 generators and their inverses, which stabilize 1 (taking at most 4-generator products would not suffice!):

Example

```

gap> gens := [a,u,a^-1,u^-1];;
gap> tups := Concatenation(List([1..5],k->Tuples([1..4],k)));;
gap> Length(tups);
1364
gap> tups := Filtered(tups,tup->ForAll([1,3],[3,1],[2,4],[4,2],
>                                     l->PositionSublist(tup,l)=fail));;
gap> Length(tups);
484
gap> stab := [];;
gap> for tup in tups do
>   n := 1;
>   for i in tup do n := n^gens[i]; od;
>   if n = 1 then Add(stab,tup); fi;
> od;
gap> Length(stab);
118
gap> stabelm := List(stab,tup->Product(List(tup,i->gens[i])));;
gap> ForAll(stabelm,elm->l^elm=1); # Check.
true

```

The resulting products have various different not quite small moduli:

Example

```

gap> List(stabelm,Modulus);
[ 4, 3, 16, 25, 9, 81, 64, 100, 108, 100, 25, 75, 27, 243, 324, 243, 256,
  400, 144, 400, 100, 432, 324, 400, 80, 400, 625, 25, 75, 135, 150, 75, 225,
  81, 729, 486, 729, 144, 144, 81, 729, 1296, 729, 6561, 1024, 1600, 192,
  1600, 400, 576, 432, 1600, 320, 1600, 2500, 100, 100, 180, 192, 192, 108,
  972, 1728, 972, 8748, 1600, 400, 320, 80, 1600, 2500, 300, 2500, 625, 625,
  75, 675, 75, 75, 135, 405, 600, 120, 600, 1875, 75, 225, 405, 225, 225,
  675, 243, 2187, 729, 2187, 216, 216, 243, 2187, 1944, 2187, 19683, 576,
  144, 576, 432, 81, 81, 729, 2187, 5184, 324, 8748, 243, 2187, 19683, 26244,
  19683 ]
gap> Lcm(last);
12597120000
gap> Collected(Factors(last));
[ [ 2, 10 ], [ 3, 9 ], [ 5, 4 ] ]

```

Similar as before, we determine for any of the above mappings the residue classes whose elements larger than the largest $b_{r(m)}$ - coefficient of the respective mapping are mapped to smaller integers:

Example

```

gap> decs := List(stabelm,DecreasingOn);;
gap> List(decs,Modulus);
[ 2, 3, 8, 25, 9, 9, 16, 100, 12, 50, 25, 75, 27, 81, 54, 81, 64, 400, 48,
  200, 100, 72, 108, 400, 80, 200, 625, 25, 75, 45, 75, 75, 225, 81, 243, 81,
  243, 144, 144, 81, 243, 216, 243, 243, 128, 1600, 64, 400, 400, 48, 144,
  1600, 320, 400, 2500, 100, 100, 60, 96, 192, 108, 324, 144, 324, 972, 400,
  400, 80, 80, 400, 2500, 100, 1250, 625, 625, 25, 75, 75, 75, 45, 135, 600,
  120, 150, 1875, 75, 225, 135, 225, 225, 675, 243, 729, 243, 729, 108, 216,
  243, 729, 162, 729, 2187, 144, 144, 144, 144, 81, 81, 243, 729, 1296, 324,
  972, 243, 729, 2187, 1458, 2187 ]
gap> Lcm(last);
174960000

```

Since the least common multiple of the moduli of these unions of residue classes is as large as 174960000, directly forming their union and checking whether it is equal to the set of integers would take relatively much time and memory. However, starting with the set of integers and subtracting the above sets one-by-one in a suitably chosen order is cheap:

Example

```

gap> SortParallel(decs,stabelm,
>               function(S1,S2)
>                 return First([1..100],k->Factorial(k) mod Modulus(S1) = 0)
>                 < First([1..100],k->Factorial(k) mod Modulus(S2) = 0);
>               end);
gap> S := Integers;;
gap> for i in [1..Length(decs)] do
>   S_old := S; S := Difference(S,decs[i]);
>   if S <> S_old then ViewObj(S); Print("\n"); fi;
>   if S = [] then maxind := i; break; fi;
> od;
0(2)
2(6) U 4(6)
<union of 8 residue classes (mod 30)>
<union of 19 residue classes (mod 90)>
<union of 114 residue classes (mod 720)>
<union of 99 residue classes (mod 720)>
<union of 57 residue classes (mod 720)>
<union of 54 residue classes (mod 720)>
<union of 41 residue classes (mod 720)>
<union of 35 residue classes (mod 720)>
<union of 8 residue classes (mod 720)>
4(720) U 94(720) U 148(720) U 238(720)
<union of 24 residue classes (mod 5760)>
<union of 72 residue classes (mod 51840)>
<union of 48 residue classes (mod 51840)>
<union of 192 residue classes (mod 259200)>
<union of 168 residue classes (mod 259200)>
<union of 120 residue classes (mod 259200)>
<union of 96 residue classes (mod 259200)>

```

```

<union of 72 residue classes (mod 259200)>
<union of 60 residue classes (mod 259200)>
<union of 48 residue classes (mod 259200)>
<union of 24 residue classes (mod 259200)>
<union of 12 residue classes (mod 259200)>
<union of 24 residue classes (mod 777600)>
<union of 12 residue classes (mod 777600)>
<union of 6 residue classes (mod 777600)>
[ ]

```

Similar as above, it remains to check that the “small” integers all lie in the orbit containing 2. Obviously, it is sufficient to check that any integer greater than 2 is mapped to a smaller one by some suitably chosen element of the stabilizer under consideration:

Example

```

gap> Maximum(List(stabelm{[1..maxind]},
>               f->Maximum(List(Coefficients(f), c->c[2]))));
6581
gap> Filtered([3..6581], n->Minimum(List(stabelm, elm->n^elm))>=n);
[ 4 ]

```

We have to treat 4 separately:

Example

```

gap> 1^(u*a*u^2*a^-1*u);
1
gap> 4^(u*a*u^2*a^-1*u);
3

```

Now we know that any positive integer greater than 1 lies in the same orbit under the action of the stabilizer of 1 in G as 2, thus that this stabilizer acts transitively on $\mathbb{N} \setminus \{1\}$. But this means that we have established the 2-transitivity of the action of G on \mathbb{N} .

In the following, we essentially repeat the above steps to show that this action is indeed 3-transitive:

Example

```

gap> tups := Concatenation(List([1..6], k->Tuples([1..4], k)));;
gap> tups := Filtered(tups, tup->ForAll([ [1,3], [3,1], [2,4], [4,2] ],
>                                       l->PositionSublist(tup, l)=fail));;
gap> stab := [];
gap> for tup in tups do
>   l := [1,2];
>   for i in tup do l := List(l, n->n^gens[i]); od;
>   if l = [1,2] then Add(stab, tup); fi;
> od;
gap> Length(stab);
212

```

Example

```

gap> stabelm := List(stab,tup->Product(List(tup,i->gens[i])));;
gap> decs := List(stabelm,DecreasingOn);;
gap> SortParallel(decs,stabelm,
>   function(S1,S2) return First([1..100],k->Factorial(k) mod Modulus(S1) = 0)
>   < First([1..100],k->Factorial(k) mod Modulus(S2) = 0);
>   end);
gap> S := Integers;;
gap> for i in [1..Length(decs)] do
>   S_old := S; S := Difference(S,decs[i]);
>   if S <> S_old then ViewObj(S); Print("\n"); fi;
>   if S = [] then break; fi;
>   od;
0(2) U 3(8) U 5(8)
<union of 151 residue classes (mod 240)>
<union of 208 residue classes (mod 720)>
<union of 51 residue classes (mod 720)>
<union of 45 residue classes (mod 720)>
<union of 39 residue classes (mod 720)>
<union of 33 residue classes (mod 720)>
<union of 23 residue classes (mod 720)>
<union of 19 residue classes (mod 720)>
<union of 17 residue classes (mod 720)>
<union of 16 residue classes (mod 720)>
<union of 14 residue classes (mod 720)>
<union of 8 residue classes (mod 720)>
<union of 7 residue classes (mod 720)>
238(360) U 4(720) U 148(720) U 454(720)
<union of 38 residue classes (mod 5760)>
<union of 37 residue classes (mod 5760)>
<union of 25 residue classes (mod 5760)>
<union of 21 residue classes (mod 5760)>
<union of 17 residue classes (mod 5760)>
<union of 16 residue classes (mod 5760)>
<union of 138 residue classes (mod 51840)>
<union of 48 residue classes (mod 51840)>
<union of 32 residue classes (mod 51840)>
<union of 20 residue classes (mod 51840)>
<union of 16 residue classes (mod 51840)>
<union of 68 residue classes (mod 259200)>
<union of 42 residue classes (mod 259200)>
<union of 32 residue classes (mod 259200)>
<union of 26 residue classes (mod 259200)>
<union of 25 residue classes (mod 259200)>
<union of 11 residue classes (mod 259200)>
<union of 10 residue classes (mod 259200)>
<union of 7 residue classes (mod 259200)>
2164(259200) U 13414(259200) U 66964(259200) U 143014(259200) U 228964(259200)
2164(259200) U 66964(259200) U 228964(259200)
[ ]

```

Example

```

gap> Maximum(List(stabelm, f->Maximum(List(Coefficients(f), c->c[2]))));
515816
gap> smallnum := [4..515816];;
gap> for i in [1..Length(stabelm)] do
>   smallnum := Filtered(smallnum, n->n^stabelm[i]>=n);
>   od;
gap> smallnum;
[ ]

```

The same for 4-transitivity:

Example

```

gap> tups := Concatenation(List([1..8], k->Tuples([1..4], k)));;
gap> tups := Filtered(tups, tup->ForAll([ [1,3], [3,1], [2,4], [4,2] ],
>   l->PositionSublist(tup, l)=fail));;
gap> stab := [];;
gap> for tup in tups do
>   l := [1,2,3];
>   for i in tup do l := List(l, n->n^gens[i]); od;
>   if l = [1,2,3] then Add(stab, tup); fi;
>   od;
gap> Length(stab);
528
gap> stabelm := [];;
gap> for i in [1..Length(stab)] do
>   elm := One(G);
>   for j in stab[i] do
>     if Modulus(elm) > 10000 then elm := fail; break; fi;
>     elm := elm * gens[j];
>   od;
>   if elm <> fail then Add(stabelm, elm); fi;
>   od;
gap> Length(stabelm);
334
gap> decs := List(stabelm, DecreasingOn);;
gap> SortParallel(decs, stabelm,
>   function(S1, S2)
>     return First([1..100], k->Factorial(k) mod Modulus(S1) = 0)
>       < First([1..100], k->Factorial(k) mod Modulus(S2) = 0);
>   end);

```

Example

```

gap> S := Integers;;
gap> for i in [1..Length(decs)] do
>   S_old := S; S := Difference(S,decs[i]);
>   if S <> S_old then ViewObj(S); Print("\n"); fi;
>   if S = [] then maxind := i; break; fi;
>   od;
0(2) U 3(8) U 5(8)
<union of 46 residue classes (mod 72)>
<union of 20 residue classes (mod 72)>
4(18)
<union of 28 residue classes (mod 576)>
<union of 22 residue classes (mod 576)>
<union of 21 residue classes (mod 576)>
40(72) U 4(144) U 94(144) U 346(576) U 418(576)
<union of 16 residue classes (mod 576)>
<union of 15 residue classes (mod 576)>
4(144) U 94(144) U 346(576) U 418(576)
<union of 30 residue classes (mod 5184)>
<union of 26 residue classes (mod 5184)>
<union of 6 residue classes (mod 1296)>
<union of 504 residue classes (mod 129600)>
<union of 324 residue classes (mod 129600)>
<union of 282 residue classes (mod 129600)>
<union of 239 residue classes (mod 129600)>
<union of 218 residue classes (mod 129600)>
<union of 194 residue classes (mod 129600)>
<union of 154 residue classes (mod 129600)>
<union of 97 residue classes (mod 129600)>
<union of 85 residue classes (mod 129600)>
<union of 77 residue classes (mod 129600)>
<union of 67 residue classes (mod 129600)>
<union of 125 residue classes (mod 259200)>
<union of 108 residue classes (mod 259200)>
<union of 107 residue classes (mod 259200)>
<union of 101 residue classes (mod 259200)>
<union of 100 residue classes (mod 259200)>
<union of 84 residue classes (mod 259200)>
<union of 80 residue classes (mod 259200)>
<union of 76 residue classes (mod 259200)>
<union of 70 residue classes (mod 259200)>
<union of 66 residue classes (mod 259200)>
<union of 54 residue classes (mod 259200)>
<union of 53 residue classes (mod 259200)>
<union of 47 residue classes (mod 259200)>
<union of 43 residue classes (mod 259200)>
<union of 31 residue classes (mod 259200)>
<union of 24 residue classes (mod 259200)>
<union of 23 residue classes (mod 259200)>
<union of 13 residue classes (mod 259200)>
<union of 6 residue classes (mod 259200)>
<union of 14 residue classes (mod 777600)>

```

```

57406(259200) U 187006(259200) U 192676(259200) U 250276(259200)
<union of 8 residue classes (mod 777600)>
316606(777600) U 451876(777600) U 509476(777600) U 705406(777600) U 768676(
777600)
<union of 18 residue classes (mod 3110400)>
<union of 17 residue classes (mod 3110400)>
<union of 13 residue classes (mod 3110400)>
<union of 9 residue classes (mod 3110400)>
<union of 7 residue classes (mod 3110400)>
<union of 14 residue classes (mod 9331200)>
<union of 7 residue classes (mod 9331200)>
<union of 7 residue classes (mod 27993600)>
<union of 14 residue classes (mod 83980800)>
<union of 7 residue classes (mod 83980800)>
[ ]
gap> Maximum(List(stabelm{[1..maxind]}),
>             f->Maximum(List(Coefficients(f),c->c[2]))));
58975
gap> smallnum := [5..58975];;
gap> for i in [1..maxind] do
>     smallnum := Filtered(smallnum,n->n^stabelm[i]>=n);
> od;
gap> smallnum;
[ ]

```

There is even some evidence that the degree of transitivity of the action of G on the positive integers is higher than 4:

Example

```

gap> phi := EpimorphismFromFreeGroup(G);
[ a, u ] -> [ a, u ]
gap> F := Source(phi);
<free group on the generators [ a, u ]>
gap> words := List([5..20],
>                 n->RepresentativeActionPreImage(G,[1,2,3,4,5],
>                                                  [1,2,3,4,n],OnTuples,F));
[ <identity ...>, a^-3*u^4*a*u^-2*a^2, a^-2*u*a^-1*u*a^-1*u*a^-1*u*a^-1*u^-1*a
, a^4*u^-2*a^-4, a^-1*u^-4*a, u^2*a^-1*u^2*a^-1*u^-2, u^-2*a^-2*u^4,
a^-1*u^2*a, a^-1*u^-6*a, a^2*u^4*a^2*u^2, u^-4*a*u^-2*a^-3,
a^-1*u^-2*a^-3*u^4*a^2, a^3*u^2*a*u^2, a*u^-4*a*u^-4*a^-2,
u^-2*a*u^2*a*u^-2, u^-4*a^2*u^2 ]

```

4.16 A group which acts 3-transitively, but not 4-transitively on \mathbb{Z}

In this section, we would like to show that the wild group G generated by the two tame mappings $n \mapsto n + 1$ and $\tau_{1(2),0(4)}$ acts 3-transitively, but not 4-transitively on the set of integers.

Example

```
gap> G := Group(ClassShift(0,1),ClassTransposition(1,2,0,4));
<rcwa group over Z with 2 generators>
gap> IsTame(G);
false
gap> (G.1^-2*G.2)^3*(G.1^2*G.2)^3; # G is not the free product C_infty * C_2.
IdentityMapping( Integers )
gap> Display(G);
```

Wild rcwa group over \mathbb{Z} , generated by

[
Tame bijective rcwa mapping of \mathbb{Z} : $n \rightarrow n + 1$

Bijjective rcwa mapping of \mathbb{Z} with modulus 4, of order 2

$n \bmod 4$	$n^{\wedge}\text{ClassTransposition}(1,2,0,4)$
0	$(n + 2)/2$
1 3	$2n - 2$
2	n

]

This group acts transitively on \mathbb{Z} , since already the cyclic group generated by the first of the two generators does so. Next we have to show that it acts 2-transitively. We essentially proceed as in the example in the previous section, by checking that the stabilizer of 0 acts transitively on $\mathbb{Z} \setminus \{0\}$.

Example

```
gap> gens := [ClassShift(0,1)^-1,ClassTransposition(1,2,0,4),ClassShift(0,1)];;
gap> tups := Concatenation(List([1..6],k->Tuples([-1,0,1],k)));;
gap> tups := Filtered(tups,tup->ForAll([0,0],[-1,1],[1,-1],
>                                     l->PositionSublist(tup,l)=fail));;
gap> Length(tups);
189
gap> stab := [];;
gap> for tup in tups do
>   n := 0;
>   for i in tup do n := n^gens[i+2]; od;
>   if n = 0 then Add(stab,tup); fi;
> od;
gap> stabelm := List(stab,tup->Product(List(tup,i->gens[i+2])));;
gap> Collected(List(stabelm,Modulus));
[ [ 4, 6 ], [ 8, 4 ], [ 16, 3 ] ]
```


Example

```
gap> decs := List(stabelm, DecreasingOn);
[ 0(4), 3(4), 0(4), 3(4), 2(4), 0(4), 4(8), 2(4), 2(4), 0(4), 1(4), 0(8),
  3(8) ]
gap> Union(decs);
Integers
```

Similar as in the previous section, it remains to check that the integers with “small” absolute value all lie in the orbit containing 1 under the action of the stabilizer of 0:

Example

```
gap> Maximum(List(stabelm, f->Maximum(List(Coefficients(f), c->AbsInt(c[2])))));
21
gap> S := [1];
gap> for elm in stabelm do S := Union(S, S^elm, S^(elm^-1)); od;
gap> IsSubset(S, Difference([-21..21], [0])); # Not yet ..
false
gap> for elm in stabelm do S := Union(S, S^elm, S^(elm^-1)); od;
gap> IsSubset(S, Difference([-21..21], [0])); # ... but now!
true
```

Now we have to check for 3-transitivity. Since we cannot find for every residue class an element of the pointwise stabilizer of $\{0, 1\}$ which properly divides its elements, we also have to take additions and subtractions into consideration. Since the moduli of all of our stabilizer elements are quite small, simply looking at sets of representatives is cheap:

Example

```
gap> tups := Concatenation(List([1..10], k->Tuples([-1, 0, 1], k)));
gap> tups := Filtered(tups, tup->ForAll([0, 0], [-1, 1], [1, -1],
>                                     l->PositionSublist(tup, l)=fail));
gap> Length(tups);
3069
gap> stab := [];
[ ]
gap> for tup in tups do
>   l := [0, 1];
>   for i in tup do l := List(l, n->n^gens[i+2]); od;
>   if l = [0, 1] then Add(stab, tup); fi;
>   od;
gap> Length(stab);
10
gap> stabelm := List(stab, tup->Product(List(tup, i->gens[i+2])));
gap> Maximum(List(stabelm, Modulus));
8
gap> Maximum(List(stabelm, f->Maximum(List(Coefficients(f), c->AbsInt(c[2])))));
8
```

Example

```

gap> decsp := List(stabelm,elm->Filtered([9..16],n->n^elm<n));
[ [ 9, 13 ], [ 10, 12, 14, 16 ], [ 12, 16 ], [ 9, 13 ], [ 12, 16 ],
  [ 9, 11, 13, 15 ], [ 9, 11, 13, 15 ], [ 12, 16 ], [ 12, 16 ],
  [ 9, 11, 13, 15 ] ]
gap> Union(decsp);
[ 9, 10, 11, 12, 13, 14, 15, 16 ]
gap> decsm := List(stabelm,elm->Filtered([-16..-9],n->n^elm>n));
[ [ -15, -13, -11, -9 ], [ -16, -12 ], [ -16, -12 ], [ -15, -11 ],
  [ -16, -14, -12, -10 ], [ -15, -11 ], [ -15, -11 ], [ -16, -14, -12, -10 ],
  [ -16, -14, -12, -10 ], [ -15, -11 ] ]
gap> Union(decsm);
[ -16, -15, -14, -13, -12, -11, -10, -9 ]
gap> S := [2];
gap> for elm in stabelm do S := Union(S,S^elm,S^(elm^-1)); od;
gap> IsSubset(S,Difference([-8..8],[0,1]));
true

```

At this point we have established 3-transitivity. It remains to check that the group G does not act 4-transitively. We do this by checking that it is not transitive on 4-tuples (mod 4). Since $n \bmod 8$ determines the image of n under a generator of $G \pmod{4}$, it suffices to compute (mod 8):

Example

```

gap> orb := [[0,1,2,3]];
gap> extend := function ()
>   local gen;
>   for gen in gens do
>     orb := Union(orb,List(orb,l->List(l,n->n^gen mod 8)));
>   od;
> end;;
gap> repeat
>   old := ShallowCopy(orb);
>   extend(); Print(Length(orb),"\n");
> until orb = old;
7
27
97
279
573
916
1185
1313
1341
1344
1344
gap> Length(Set(List(orb,l->l mod 4)));
120
gap> last < 4^4;
true

```

This shows that G is not 4-transitive on \mathbb{Z} . The corresponding calculation for 3-tuples looks as follows:

Example

```
gap> orb := [[0,1,2]];;
gap> repeat
>   old := ShallowCopy(orb);
>   extend(); Print(Length(orb), "\n");
> until orb = old;
7
27
84
207
363
459
503
512
512
gap> Length(Set(List(orb, l->l mod 4)));
64
gap> last = 4^3;
true
```

Needless to say that the latter kind of argumentation is not suitable for proving, but only for disproving k -transitivity.

4.17 Grigorchuk groups

In this section, we show how to construct finite quotients of the two infinite periodic groups introduced by Rostislav Grigorchuk in [Gri80] with the help of RCWA. The first of these, nowadays known as “Grigorchuk group”, is investigated in an example given on the GAP website – see <http://www.gap-system.org/Doc/Examples/grigorchuk.html>. The RCWA package permits a simpler and more elegant construction of the finite quotients of this group: The function `TopElement` given on the mentioned webpage gets unnecessary, and the function `SequenceElement` can be simplified as follows:

```
SequenceElement := function ( r, level )

    return Permutation(Product(Filtered([1..level-1], k->k mod 3 <> r),
                                   k->ClassTransposition( 2^(k-1)-1, 2^(k+1),
                                                           2^k+2^(k-1)-1, 2^(k+1))),
                        [0..2^level-1]);

end;
```

The actual constructors for the generators are modified as follows:

```
a := level -> Permutation(ClassTransposition(0,2,1,2),[0..2^level-1]);
b := level -> SequenceElement(0,level);
c := level -> SequenceElement(2,level);
d := level -> SequenceElement(1,level);
```

All computations given on the webpage can now be done just as with the “original” construction of the quotients of the Grigorchuk group. In the sequel, finite quotients of the second group introduced in [Gri80] are constructed:

Example

```
gap> FourCycle := RcwaMapping((4,5,6,7),[4..7]);
<rcwa mapping of Z with modulus 4>
gap> GrigorchukGroup2Generator := function ( level )
>   if level = 1 then return FourCycle; else
>     return  Restriction(FourCycle, RcwaMapping([[4,1,1]]))
>             * Restriction(FourCycle, RcwaMapping([[4,3,1]]))
>             * Restriction(GrigorchukGroup2Generator(level-1),
>                           RcwaMapping([[4,0,1]]));
>   fi;
> end;;
gap> GrigorchukGroup2 := level -> Group(FourCycle,
>                                       GrigorchukGroup2Generator(level));;
```

We can do similar things as shown in the example on the GAP webpage for the “first” Grigorchuk group:

Example

```
gap> G := List([1..4],lev->GrigorchukGroup2(lev)); # The first 4 quotients.
[ <rcwa group over Z with 2 generators>, <rcwa group over Z with 2 generators>
  , <rcwa group over Z with 2 generators>,
  <rcwa group over Z with 2 generators> ]
gap> H := List([1..4],lev->Action(G[lev],[0..4^lev-1])); # Isomorphic perm.-gps.
[ Group([ (1,2,3,4), (1,2,3,4) ]),
  Group([ (1,2,3,4) (5,6,7,8) (9,10,11,12) (13,14,15,16),
    (1,5,9,13) (2,6,10,14) (4,8,12,16) ]),
  <permutation group with 2 generators>,
  <permutation group with 2 generators> ]
gap> List(H,Size);
[ 4, 1024, 4294967296, 1329227995784915872903807060280344576 ]
gap> List(last,n->Collected(Factors(n)));
[ [ [ 2, 2 ] ], [ [ 2, 10 ] ], [ [ 2, 32 ] ], [ [ 2, 120 ] ] ]
gap> List(H,NilpotencyClassOfGroup);
[ 1, 6, 14, 40 ]
```

Chapter 5

The Algorithms Implemented in RCWA

Almost all mathematically interesting algorithms implemented in this package are described in the author's thesis [Koh05] in the form of constructive proofs. This chapter provides references to the corresponding theorems, and lists short descriptions of the other algorithms and methods implemented in this package. The word “trivial” as a description means that essentially nothing is done except of storing or recalling one or several values, and “straight forward” means that no sophisticated algorithm is used. The descriptions are kept very informal and short. They are listed in alphabetical order.

ActionOnRespectedPartition(*G*) “Straight forward” after having computed a respected partition by using `RespectedPartition`. One only needs to know how to compute images of residue classes under affine mappings.

ClassReflection(*r,m*) “Trivial”.

ClassShift(*r,m*) “Trivial”.

ClassTransposition(*r1,m1,r2,m2*) See Remark 2.9.2 in [Koh05].

Coefficients(*f*) “Trivial”.

CoefficientsOnTrajectory(*f,n,val,cond,all*) Iterated application of an rcwa mapping, and composition of affine mappings.

DecreasingOn(*f*) Form the union of the residue classes which are determined by the coefficients as indicated.

Determinant(*sigma*) Evaluation of the given expression. For the mathematical meaning (epimorphism!), see Theorem 2.11.9 in [Koh05].

DirectProduct(*G1,G2, ...*) Restrict the groups *G1*, *G2*, ... to disjoint residue classes. See Restriction and Corollary 2.3.3 in [Koh05].

Display(*f*) “Trivial”.

Divisor(*f*) Lcm of coefficients, as indicated.

FactorizationIntoGenerators(*f*) This uses a rather sophisticated method which will perhaps some time be published elsewhere. At the moment, termination is not guaranteed.

But if it terminates, the result is certain. The strategy is roughly first to make the mapping class-wise order-preserving and balanced, and then to remove all prime factors from multiplier and divisor one after the other in decreasing order by dividing by appropriate class transpositions. The remaining integral mapping can be factored almost similarly easy as a permutation of a finite set can be factored into transpositions.

FactorizationOnConnectedComponents(*f*,*m*) Call GRAPE to get the connected components of the transition graph, and then compute a partition of the suitably “blown up” coefficient list corresponding to the connected components.

GuessedDivergence(*f*) Numerical computation of the limit of some series, which seems to converge “often”. Caution!!!

Image(*f*), Image(*f*,*S*) “Straight forward” if one can compute images of residue classes under affine mappings and unite and intersect residue classes (Chinese Remainder Theorem). See Lemma 1.2.1 in [Koh05].

ImageDensity(*f*) Evaluation of the given expression.

***g* in *G* (membership test)** Test whether the mapping *g* or its inverse is in the list of generators of *G*. If it is, return `true`. Test whether its prime set is a subset of the prime set of *G*. If not, return `false`. Test if *G* is class-wise order-preserving, and *g* is not. If so, return `false`. Test whether the support of *g* is a subset of the support of *G*. If not, return `false`.

If *G* is not tame, try to factor *g* into generators of *G* using `PreImagesRepresentative`. If successful, return `true`. If *g* is in *G*, this terminates after a finite number of steps. Both runtime and memory requirements are exponential in the word length. If *g* is not in *G*, it runs into an infinite loop. If *G* is tame, proceed as follows:

Test whether the modulus of *g* divides the modulus of *G*. If not, return `false`. Test whether *G* is finite and *g* has infinite order. If so, return `false`. Test whether *g* is tame. If not, return `false`. Compute a respected partition *P* of *G* and the finite permutation group *H* induced by *G* on it (see `RespectedPartition`). Check whether *g* permutes *P*. If not, return `false`. Let *h* be the permutation induced by *g* on *P*. Check whether *h* lies in *H*. If not, return `false`.

If *G* is class-wise order-preserving, do the following: Compute an element *g*₁ of *G* which acts on *P* like *g*. For this purpose, factor *h* into generators of *H* using `PreImagesRepresentative`. Compute the corresponding product of generators of *G*. Set *k* := *g*/*g*₁. The mapping *k* is necessarily integral. Compute the kernel *K* of the action of *G* on *P* using `KernelOfActionOnRespectedPartition`. Check whether *k* lies in the kernel of the action of *G* on *P* by using `SolutionIntMat` to decide membership of the coefficient vector (second entry of each triple) of *k* in the lattice spanned by the rows of the matrix `KernelOfActionOnRespectedPartitionHNFMat(G)`. If it is contained, return `true`.

If membership still has not been decided yet, try to factor *g* into generators of *G* using `PreImagesRepresentative`. If successful, return `true`. If *g* is in *G*, this terminates after a finite number of steps. Both runtime and memory requirements are exponential in the word length. If *g* is not in *G*, it runs into an infinite loop.

IncreasingOn(*f*) Form the union of the residue classes which are determined by the coefficients as indicated.

IntegralConjugate(f), IntegralConjugate(G) Uses the algorithm described in the proof of Theorem 2.5.14 in [Koh05].

IntegralizingConjugator(f), IntegralizingConjugator(G) Uses the algorithm described in the proof of Theorem 2.5.14 in [Koh05].

Inverse(f) Essentially inversion of affine mappings. See Lemma 1.3.1, Part (b) in [Koh05].

IsClasswiseOrderPreserving(f) Test whether the first entry of all coefficient triples is positive.

IsConjugate(RCWA(Integers), f, g) Test whether f and g have the same order, and whether either both or none of them is tame. If not, return `false`.

If the mappings are wild, use `ShortCycles` to search for finite cycles not belonging to an infinite series, until their numbers for a particular length differ. This may run into an infinite loop. If it terminates, return `false`.

If the mappings are tame, use the method described in the proof of Theorem 2.5.14 in [Koh05] to construct integral conjugates of f and g . Then essentially use the algorithm described in the proof of Theorem 2.6.7 in [Koh05] to compute “standard representatives” of the conjugacy classes which the integral conjugates of f and g belong to. Finally compare these standard representatives, and return `true` if they are equal and `false` if not.

IsInjective(f) See `Image`.

IsIntegral(f) “Trivial”.

IsomorphismMatrixGroup(G) Use the algorithm described in the proof of Theorem 2.6.3 in [Koh05].

IsomorphismPermGroup(G) If G is wild or `KernelOfActionOnRespectedPartition` is not trivial, return `fail`. Otherwise use `ActionOnRespectedPartition`.

IsomorphismRcwaGroup(G) Uses `RcwaMapping`, Part (d). Currently this works only for finite groups.

IsSurjective(f) See `Image`.

IsTame(G) Checks whether the modulus of the group is non-zero.

IsTame(f) Application of the criteria given in Corollary 2.5.10 and 2.5.12 and Theorem A.8 and A.11 in [Koh05]. For applying the last-mentioned criterium (existence of weakly-connected components of the transition graph which are not strongly-connected), `GRAPE` is needed.

In addition, some probabilistic methods are used. If the result depends on one of these, a warning is displayed.

IsTransitive(G, Integers) Look for finite orbits, using `ShortOrbits` on a couple of intervals. If a finite orbit is found, return `false`. Test if G is finite. If yes, return `false`.

Search for an element g and a residue class $r(m)$ such that the restriction of g to $r(m)$ is given by $n \mapsto n + m$. Then the cyclic group generated by g acts transitively on $r(m)$. The element g is searched among the generators of G , its powers, its commutators, powers of its commutators and

products of few different generators. The search for such an element may run into an infinite loop, as there is no guarantee that the group has a suitable element.

If suitable g and $r(m)$ are found, proceed as follows:

Set $S := r(m)$. Set $S := S \cup S^g$ for all generators g of G , and repeat this until S remains constant. This may run into an infinite loop.

If it terminates: If $S = \mathbb{Z}$, return `true`, otherwise return `false`.

CommonRightInverse(l,r) “straight forward” if one knows how to compute images of residue classes under affine mappings, and how to compute inverses of affine mappings.

KernelOfActionOnRespectedPartition(G) Use a random walk through the group G . Compute powers of elements encountered along the way which fix the respected partition of G which has been computed by `RespectedPartition`. Get vectors from these powers by taking the second entry of each coefficient triple. Form a lattice out of these vectors. Stop if for a while all found vectors already belong to this lattice (this is probabilistic). Bring the lattice to Hermite Normal Form, and transform the rows of the resulting matrix back to rcwa mappings generating the kernel.

KernelOfActionOnRespectedPartitionHNFMat(G) This is a “spin-off” of `KernelOfActionOnRespectedPartition`.

LargestSourcesOfAffineMappings(f) Form unions of residue classes modulo the modulus of the mapping, whose corresponding coefficient triples are equal.

LaTeXObj(f) Collect residue classes those corresponding coefficient triples are equal.

LikelyContractionCentre(f,maxn,bound) Compute trajectories with starting values from a given interval, until a cycle is reached. Abort if the trajectory exceeds the prescribed bound. Form the union of the detected cycles.

Modulus(G) Searches for a wild element in the group. If unsuccessful, tries to construct a respected partition (see `RespectedPartition`).

Modulus(f) “Trivial”.

MovedPoints(G) Needs only forming unions of residue classes and determining fixed points of affine mappings.

Multiplier(f) Lcm of coefficients, as indicated.

Multpk(f,p,k) Form the union of the residue classes modulo the modulus of the mapping, which are determined by the given divisibility criteria for the coefficients of the corresponding affine mapping.

NrConjugacyClassesOfRCWAZOfOrder(ord) The class numbers are taken from Corollary 2.7.1 in [Koh05].

OrbitsModulo(f,m) Use GRAPE to compute the connected components of the transition graph.

OrbitsModulo(G,m) “Straight forward”.

Order(f) Test for `IsTame`. If the mapping is not tame, then return `infinity`. Otherwise use Corollary 2.5.10 in [Koh05].

PreImage(f,S) See `Image`.

PreImagesRepresentative(phi,g), PreImagesRepresentatives(phi,g) As indicated in the documentation of these methods. The underlying idea to successively compute two balls around `1` and `g` until they intersect non-trivially is standard in computational group theory. For rcwa groups it would mean wasting both memory and runtime to actually compute group elements. Thus only images of tuples of points are computed and stored.

PrimeSet(f), PrimeSet(G) “Straight forward”.

PrimeSwitch(p) Multiplication of rcwa mappings as indicated.

Print(f) “Trivial”.

f*g Essentially composition of affine mappings. See Lemma 1.3.1, Part (a) in [Koh05].

Random(RCWA(Integers)) Computes a product of “randomly” chosen class shifts, class reflections and class transpositions. This seems to be suitable for generating reasonably good examples.

RankOfKernelOfActionOnRespectedPartition(G) This is a “spin-off” of `KernelOfActionOnRespectedPartition`.

RCWA(R) Attributes are set according to Theorem 2.1.1, Theorem 2.1.2, Corollary 2.1.6 and Theorem 2.12.8 in [Koh05].

RcwaGroupByPermGroup(G) Uses `RcwaMapping`, Part (d).

RcwaMapping (a)-(c): “trivial”, (d): $n^{\text{perm}} - n$ for determining the coefficients, (e): “affine mappings by values at two given points”, (f) and (g): “trivial”, (h) and (i): correspond to Lemma 2.1.4 in [Koh05].

RepresentativeAction(G,src,dest,act), RepresentativeActionPreImage
As indicated in the documentation of these methods. The underlying idea to successively compute two balls around `src` and `dest` until they intersect non-trivially is standard in computational group theory. Words standing for products of generators of `G` are stored for any image of `src` or `dest`.

RepresentativeAction(G,P1,P2) Arbitrary mapping: see Lemma 2.1.4 in [Koh05]. Tame mapping: see proof of Theorem 2.8.9 in [Koh05]. The former is almost trivial, while the latter is a bit complicate and takes usually also much more time.

RepresentativeAction(RCWA(Integers),f,g) The algorithm used by `IsConjugate` constructs actually also an element x such that $f^x = g$.

RespectedPartition(f), RespectedPartition(G) Uses the algorithm described in the proof of Theorem 2.5.8 in [Koh05].

Restriction(*g*,*f*) Computes images $(n^g)^f$ and preimages n^f for sufficiently many integers n under the image of g under the restriction monomorphism associated to f . Then it constructs the desired mapping by `RcwaMapping(m,values)`. Finally, the result is checked by a direct verification that the diagram in Definition 2.3.1 in [Koh05] commutes.

Restriction(*G*,*f*) Get a set of generators by applying `Restriction(g,f)` to the generators g of G .

ShortCycles(*f*,*maxlng*) Look for fixed points of affine partial mappings of powers of f .

ShortOrbits(*G*,*S*,*maxlng*) “Straight forward”.

SetOnWhichMappingIsClasswiseOrderPreserving(*f*), etc. Form the union of the residue classes modulo the modulus of the mapping, in whose corresponding coefficient triple the first entry is positive, zero resp. negative.

Sign(*sigma*) Evaluation of the given expression. For the mathematical meaning (epimorphism!), see Theorem 2.12.8 in [Koh05].

Size(*G*) Test whether the group G is tame. If not, return infinity. Otherwise use `ActionOnRespectedPartition` to compute the permutation group H induced by G on a respected partition P , and `KernelOfActionOnRespectedPartition` to compute the kernel K of the action of G on P . The group K is infinite if and only if one of its generators has infinite order. Return the product of the order of H and the order of K .

f*+*g Pointwise addition of affine mappings.

Trajectory(*f*,*n*,*val*,*cond*), TrajectoryModulo(*f*,*n*,*m*,*lng*) Iterated application of an rcwa mapping.

TransitionGraph(*f*,*m*) “Straight forward” – just check a sufficiently long interval.

TransitionMatrix(*f*,*m*) Evaluation of the given expression.

ViewObj(*f*) “Trivial”.

Chapter 6

Installation and auxiliary functions

6.1 Requirements

The RCWA Package needs at least version 4.4 of GAP, is completely written in the GAP language and does neither contain nor require external binaries. It needs the package ResClasses for dealing with set-theoretic unions of residue classes, and the package GRAPE [Soi02] for dealing with certain graphs associated to rcwa mappings (cp. TransitionGraph (2.8.1)). The binaries of GRAPE are not needed, thus RCWA runs under Windows and on the MacIntosh as well. Warnings concerning missing binaries when GRAPE is loaded can safely be ignored. For the documentation the package GAPDoc [LN02] is needed.

6.2 Installation

Like any other GAP package, RCWA must be installed in the `pkg` subdirectory of the GAP distribution. This is accomplished by extracting the distribution file in this directory. If you have done this, you can load the package as usual via `LoadPackage("rcwa");`.

6.3 Building the manual

6.3.1 RCWABuildManual

◇ `RCWABuildManual()` (function)

Returns: Nothing.

This function builds the manual of the RCWA package in the file formats \LaTeX , DVI, Postscript, PDF, HTML and ASCII text. This is accomplished using the GAPDoc package by Frank Lübeck and Max Neunhöffer. Building the manual is possible only on UNIX systems and requires \LaTeX and a few other tools, but should normally not be necessary as all files generated by this function are included in the distribution file anyway.

6.4 The Info class of the package

6.4.1 InfoRCWA

◇ InfoRCWA

(info class)

This is the Info class of the RCWA package. See section *Info Functions* in the GAP Reference Manual for a description of the Info mechanism.

For convenience: `RCWAInfo(n)` is a shorthand for `SetInfoLevel(InfoRCWA,n)`.

6.5 The testing routine

6.5.1 RCWATest

◇ RCWATest ()

(function)

Returns: Nothing.

Performs tests of the RCWA package. Errors, i.e. differences to the correct results of the test computations, are reported. The processed test files are in the directory `pkg/rcwa/tst`.

References

- [And00] P. Andaloro. On total stopping times under $3x+1$ iteration. *Fibonacci Quarterly*, 38:73–78, 2000. [57](#)
- [Gri80] Rostislav I. Grigorchuk. Bernside’s problem on periodic groups. *Functional Anal. Appl.*, 14:41–43, 1980. [91](#), [92](#)
- [Koh05] Stefan Kohl. *Restklassenweise affine Gruppen*. Dissertation, Universität Stuttgart, 2005. [7](#), [93](#), [94](#), [95](#), [96](#), [97](#), [98](#)
- [Lag04] Jeffrey C. Lagarias. $3x+1$ problem annotated bibliography, 2004. <http://arxiv.org/abs/math.NT/0309224>. [6](#)
- [LN02] Frank Lübeck and Max Neunhöffer. *GAPDoc (version 0.99)*. RWTH Aachen, 2002. GAP package, available at <http://www.math.rwth-aachen.de/Frank.Luebeck>. [99](#)
- [ML87] K. R. Matthews and G. M. Leigh. A generalization of the Syracuse algorithm in $q[x]$. *J. Number Theory*, 25:274–278, 1987. [58](#)
- [Soi02] Leonard Soicher. *GRAPE – GRaph Algorithms using PERmutation groups (version 4.1)*. Queen Mary, University of London, 2002. GAP package, available at <http://www.gap-system.org>. [99](#)

Index

- ActionOnRespectedPartition
 - G, 45
- ClassReflection
 - r, m, 12
- ClassShift
 - r, m, 12
- ClassTransposition
 - r1, m1, r2, m2, 13
- CoefficientsOnTrajectory
 - f, n, val, cond, all, 24
- Collatz conjecture, 6
- Collatz mapping, 6
- CommonRightInverse
 - l, r, 27
- DecreasingOn
 - f, 25
- Determinant
 - sigma, 17
 - sigma, S, 17
- DirectProduct
 - G1, G2, ..., 44
- Div
 - f, 18
- Divisor
 - f, 18
- FactorizationIntoGenerators
 - g, 16
- FactorizationOnConnectedComponents
 - f, m, 22
- GuessedDivergence
 - f, 26
- ImageDensity
 - f, 26
- \in
 - g, G, 33
- IncreasingOn
 - f, 25
- Induction
 - G, f, 44
 - g, f, 44
- InfoRCWA, 100
- IntegralConjugate
 - f, 46
 - G, 46
- IntegralizingConjugator
 - f, 46
 - G, 46
- IntegralRcwaGroupsFamily, 47
- IsClassWiseOrderPreserving
 - f, 19
- IsConjugate
 - RCWA(Integers), f, g, 41
- IsIntegral
 - f, 19
- IsIntegralRcwaGroup
 - G, 47
- IsIntegralRcwaMapping
 - f, 27
- IsModularRcwaGroup
 - G, 47
- IsModularRcwaMapping
 - f, 27
- IsomorphismMatrixGroup
 - G, 34
- IsomorphismPermGroup
 - G, 33
- IsomorphismRcwaGroup
 - G, 31
- IsRcwaGroup
 - G, 47
- IsRcwaMapping
 - f, 27
- IsSemilocalIntegralRcwaGroup
 - G, 47

- IsSemilocalIntegralRcwaMapping
 - f, [27](#)
- IsTame
 - G, [32](#)
- IsTransitive
 - G, [Integers](#), [37](#)
- LargestSourcesOfAffineMappings
 - f, [20](#)
- LaTeXObj
 - f, [14](#)
- LikelyContractionCentre
 - f, maxn, bound, [25](#)
- Mod
 - G, [31](#)
- Modulus
 - G, [31](#)
- Mult
 - f, [18](#)
- Multiplier
 - f, [18](#)
- Multpk
 - f, p, k, [20](#)
- NrConjugacyClassesOfRCWAZOfOrder
 - ord, [43](#)
- OrbitsModulo
 - f, m, [21](#)
 - G, m, [41](#)
- PreImagesRepresentative
 - phi, g, [35](#)
- PreImagesRepresentatives
 - phi, g, [36](#)
- PrimeSet
 - f, [19](#)
 - G, [32](#)
- PrimeSwitch
 - p, [13](#)
 - p, k, [13](#)
- Random
 - RCWA([Integers](#)), [29](#)
- RCWA
 - R, [28](#)
- rcwa group
 - definition, [8](#)
 - element testing, [33](#)
- rcwa mapping
 - definition, [8](#)
 - modulus, [8](#)
 - transition graph, [21](#)
 - transition matrix, [22](#)
- RCWABuildManual, [99](#)
- RcwaGroupByPermGroup
 - G, [31](#)
- RcwaMapping
 - coeffs, [10](#)
 - cycles, [10](#)
 - m, values, [10](#)
 - P1, P2, [10](#)
 - perm, range, [10](#)
 - pi, coeffs, [10](#)
 - q, m, coeffs, [10](#)
 - R, coeffs, [10](#)
 - R, m, coeffs, [10](#)
- RcwaMappingsFamily
 - R, [27](#)
- RCWATest, [100](#)
- RepresentativeAction
 - G, src, dest, act, [38](#)
 - RCWA([Integers](#)), f, g, [42](#)
 - RCWA([Integers](#)), P1, P2, [39](#)
- RepresentativeActionPreImage
 - G, src, dest, act, F, [39](#)
- RespectedPartition
 - G, [45](#)
 - sigma, [45](#)
- Restriction
 - G, f, [44](#)
 - g, f, [43](#)
- RightInverse
 - f, [26](#)
- SetOnWhichMappingIsClassWiseConstant
 - f, [21](#)
- SetOnWhichMappingIsClassWiseOrderPreserving
 - f, [21](#)
- SetOnWhichMappingIsClassWiseOrderReversing
 - f, [21](#)
- ShortCycles
 - f, maxlng, [42](#)
- ShortOrbits

- G, S, maxlng, [40](#)
- Sign
 - sigma, [18](#)
- Size
 - G, [33](#)
- Trajectory
 - f, n, val, cond, [23](#)
- TrajectoryModulo
 - f, n, lng, [24](#)
 - f, n, m, lng, [24](#)
- TransitionGraph
 - f, m, [21](#)
- TransitionMatrix
 - f, m, [22](#)